# TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

# **CEN/TS 16635**

August 2014

ICS 43.060.20

**English Version** 

## Railway application - Design for PRM Use - Equipment and Components onboard Rolling Stock - Toilets

Applications ferroviaires - Conception à l'usage des personnes à mobilité réduite - Équipements et éléments à bord du matériel roulant - Toilettes

Bahnanwendungen - Auslegung für eingeschränkt mobile Personen - Einrichtungen und Komponenten in Schienenfahrzeugen - Toiletten

This Technical Specification (CEN/TS) was approved by CEN on 26 November 2013 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. CEN/TS 16635:2014 E

## Contents

## Page

Forew	ord
Introd	uction
1	Scope
2	Normative references
3	Terms and definitions5
4	Symbols and abbreviations5
5	Requirements – Universal toilet dimensions6
6	Assessment – Universal toilet internal space6
Annex	A (normative) Transportable wheelchair11
<b>A</b> .1	Engineering limits
A.2	Characteristics
Annex	B (normative) Simplified wheelchair profile
Annex	C (informative) Wheelchair accessible toilet transfer guidance and examples
Biblio	graphy 17
	O.
	$\varphi_{x}$
	0,
2	

## Foreword

This document (CEN/TS 16635:2014) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

, L Spa. BORTHER ORNER BROOM

## Introduction

This document is a Technical Specification for the assessment of the internal space requirements of a universal (wheelchair accessible) toilet.

This document aims to define the assessment and measuring methodology to allow a clear pass/fail assessment and allow successful implementation of the Technical Specification for Interoperability (TSI) for Persons with Reduced Mobility (PRM) [1]. Clause 5 reflects the requirements in the TSI and Clause 6 adds assessment criteria based on those requirements.

<text> This document will be used until the issuing of EN 16585-1, Railway applications - Design for PRM use -Equipment and components onboard rolling stock — Part 1: Toilets [2].

#### Scope 1

This Technical Specification describes the specific 'Design for PRM use' requirements applying to rolling stock on the Trans-European Network (TEN) covered by the TSI for PRM and the assessment of those requirements. Regarding this document, the following statements apply.

- The definitions and requirements describe specific aspects of 'Design for PRM use' required by persons with reduced mobility as defined in the TSI PRM.
- The definitions and requirements of this specification will be used for rolling stock applications.
- This specification only refers to aspects of accessibility for PRM passengers; it does not define general requirements and general definitions for specific components and systems.
- This specification assumes that the vehicle is in the nominal operating condition; any damage or operating failures will not be taken into account when assessing these requirements.
- Where minimum or maximum dimensions are quoted, these are absolute NOT nominal requirements.

Measurement methods and/or assessment procedures needed to establish a clear pass/fail assessment are provided where necessary.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12183: 2014, Manual wheelchairs - Requirements and test methods

#### Terms and definitions 3

For the purposes of this document, the following terms and definitions apply.

### 3.1

### universal toilet

toilet designed to be used by all passengers including passengers in wheelchairs

#### Symbols and abbreviations 4

Abbreviation	Designation	Co-
PRM	Persons with Reduced Mobility	
TEN	Trans-European Network	0,
TSI	Technical Specification of Interoperability	

### Table 1 — Abbreviations

### Table 2 — Symbols

	Table 2 — Symbols	5
Symbol	Designation	0,
%ile	Percentile	
3D	3 Dimension	