# TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

**CEN ISO/TS 9241-411** 

August 2014

ICS 35.180; 13.180

#### **English Version**

# Ergonomics of human-system interaction - Part 411: Evaluation methods for the design of physical input devices (ISO/TS 9241-411:2012)

Ergonomie de l'interaction homme-système - Partie 411: Méthodes d'évaluation de la conception des dispositifs d'entrée physiques (ISO/TS 9241-411:2012) Ergonomie der Mensch-System-Interaktion - Teil 411: Bewertungsverfahren für die Gestaltung von physikalischen Eingabegeräten (ISO/TS 9241-411:2012)

This Technical Specification (CEN/TS) was approved by CEN on 28 June 2014 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### **Foreword**

The text of ISO/TS 9241-411:2012 has been prepared by Technical Committee ISO/TC 159 "Ergonomics" of the International Organization for Standardization (ISO) and has been taken over CEN ISO/TS 9241-411:2014 by Technical Committee CEN/TC 122 "Ergonomics" the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

as been . The text of ISO/TS 9241-411:2012 has been approved by CEN as CEN ISO/TS 9241-411:2014 without any modification.

### Contents

Page

Forew	ord	V	
Introdu	uction	.vii	
1	Scope	1	
2	Normative references		
3	Terms and definitions	2	
4	Guiding principles	7	
5	Evaluation methods		
5.1	Physical input devices in general	7	
5.2 5.3	Keyboards		
5.4	Pucks		
5.5	Joysticks		
5.6	Trackballs		
5.7 5.8			
5.0 5.9			
5.10	Touch-sensitive screens		
6	Conformance	42	
Annex	A (informative) Overview of the ISO 9241 series	43	
Annex	B (informative) Testing of efficiency and effectiveness	44	
	alls		
Annex	D (informative) Usability test for keyboards	56	
Biblio	graphy	62	
Figure	s		
_			
Figure	1 — Side view of example joystick	3	
Figure	Figure 2 — Example of light-pen against display		
	Figure 3 — Top view of example of tablet with graphic overlay		
Figure 4 — Top view examples of two types of puck			
Figure 5 — Side view of example of stylus over graphics tablet			
	6 — Example of top view of trackball device with buttons		
	7 — Illustration of flat, concave and convex keytops		
•	8 — Measurement of keytop width and depth		
_	9 — Measurement of key displacement		
_	10 — Relationship between key displacement and key force (ISO 9241-410:2008, Figure B.3) 11 — Measurement of character height		
_	12 — Measurement of vertical and horizontal distance between two adjacent keys		
	12 — Measurement of Vertical and norizontal distance between two adjacent keys		
•	14 — Numeric keypad layout		
_	B.1 — Relationship of index of difficulty to time		
_	B.2 — One-direction tapping task		
ı ıduı C	LE VIIV VIIVUIVII IUPPIIIY IUSKIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		

#### ISO/TS 9241-411:2012(E)

Figure B.3 — Multi-directional pointing task	. 49
Figure B.4 — Tracing task	. 50
Tables	
Tables	
Table 1 — Measuring methods on physical input devices in general	7
Table 2 — Requirements on the generic operability of keyboards	. 10
Table 3 — Requirements for functional properties of full-size keyboards	. 10
Table 4 — Requirements for sections and zones of full-size keyboards	
Table 5 — Requirements for the mechanical design of full-size keyboards	. 17
Table 6 — Requirements for maintainability of full-size keyboards	. 18
Table 7 — Requirements for documentation of full-size keyboards	
Table 8 — Requirements for design of keys of compact keyboards	
Table 9 — Requirements for sections and zones of compact keyboards	
Table 10 — Requirements for mechanical design of compact keyboards	
Table 11 — Requirements for maintainability of compact keyboards	
Table 12 — Requirements for documentation of compact keyboards	
Table 13 — Mouse design requirements	
Table 14 — Design requirements for pucks	
Table 15 — Design requirements for joysticks	
Table 16 — Design requirements for trackballs	
Table 17 — Design requirements for touchpads	
Table 18 — Design requirements for tablets and overlays	
Table 19 — Design requirements for styli and light-pens	
Table 20 — Design requirements for touch-sensitive screens	
Table A.1 — Structure of ISO 9241 — Ergonomics of human-system interaction	
Table B.1 — Task and condition variations	
Table C.1 — Independent rating scale	
Table C.2 — Dependent rating scale	
Table C.3 — Borg scale	
Table C.4 — Borg scale for arm, shoulder, and neck effort	
Table D.1 — Reflectance of surfaces	
Table D.2 — Independent rating scale	
	4
Table D.3 — Example of material for data entry (English language)	) "

#### Introduction

Input devices are a means for users to enter data into interactive systems. Generally speaking, an input device is a sensor that can detect changes in user behaviour (gestures, moving fingers, etc.) and transform them into signals to be interpreted by the interactive system.

This part of ISO 9241 presents methods for the laboratory analysis and comparison of input devices for interactive systems. It does not contain requirements for input devices, but provides the means for evaluating conformance with the requirements of ISO 9241-410 for input devices such as keyboards, mice, pucks, joysticks, trackballs, touch pads, tablets/overlays, touch-sensitive screens, and styli/light pens.

are chasts. The target users of this part of ISO 9241 are manufacturers, product designers and test organizations concerned with commercial input devices such as the physical input devices listed above.

# Ergonomics of human-system interaction —

#### Part 411:

## Evaluation methods for the design of physical input devices

#### 1 Scope

This part of ISO 9241 specifies evaluation methods for the design of physical input devices for interactive systems. It provides guidance for the laboratory assessment of conformance with ISO 9241-410 for keyboards, mice, pucks, joysticks, trackballs, touch pads, tablets/overlays, touch-sensitive screens, and styli/light pens. Its provisions apply only to keyboards identified as "full-size" or "compact" by the manufacturer, but nevertheless could provide useful guidance in the design of other keyboards. It is not applicable to those of the requirements of ISO 9241-410 that relate to gesture- and voice-input systems.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7000, Graphical symbols for use on equipment — Index and synopsis 1)

ISO 9241-5, Ergonomic requirements for office work with visual display terminals (VDTs) — Part 5: Workstation layout and postural requirements

ISO 9241-307, Ergonomics of human-system interaction — Part 307: Analysis and compliance test methods for electronic visual displays

ISO 9241-410:2008, Ergonomics of human-system interaction — Part 410: Design criteria for physical input devices

ISO/IEC 9995-1, Information technology — Keyboard layouts for text and office systems — Part 1: General principles governing keyboard layouts

IEC 60417, Graphical symbols for use on equipment<sup>1)</sup>

© ISO 2012 – All rights reserved

\_

<sup>1)</sup> The database on Graphical Symbols for Use on Equipment contains the complete set of graphical symbols included in ISO 7000 and IEC 60417: <a href="http://www.graphical-symbols.info/">http://www.graphical-symbols.info/</a>