

Stationary source emissions - Greenhouse Gas (GHG)
emissions in energy-intensive industries - Part 2: Iron
and steel industry

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 19694-2:2016 sisaldab Euroopa standardi EN 19694-2:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 19694-2:2016 consists of the English text of the European standard EN 19694-2:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 20.07.2016.	Date of Availability of the European standard is 20.07.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.040.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Stationary source emissions - Greenhouse Gas (GHG)
emissions in energy-intensive industries - Part 2: Iron and
steel industry

Émissions de sources fixes - Détermination des
émissions de gaz à effet de serre (GES) dans les
industries énérgo-intensives - Partie 2: Industrie
sidérurgique

Emissionen aus stationären Quellen - Bestimmung von
Treibhausgasen (THG) aus energieintensiven
Industrien - Teil 2: Stahl- und Eisenindustrie

This European Standard was approved by CEN on 5 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	7
3 Terms and definitions	7
4 Abbreviations	8
5 Scope of reporting for the iron and steel industry.....	9
5.1 Plants, processes and boundaries.....	9
5.2 Products and by-products.....	11
5.3 Energy, utilities and other materials	12
5.4 Greenhouse gases in the steel industry	12
5.5 Processes and reference products.....	12
5.6 Units	13
6 Basic principles of CO ₂ emission determination.....	13
6.1 General.....	13
6.2 Principle of the carbon mass balance	14
6.3 Determination of activity data	14
6.4 Determination of emission factors	14
7 Determination of CO ₂ emissions at facility level.....	16
8 Assessment of CO ₂ emission performance	19
8.1 Assessment of CO ₂ impact of a facility, including process emissions.....	19
8.2 Assessment of actual CO ₂ impact of a facility	19
8.3 Indicator-based assessment of CO ₂ emission performance.....	20
9 Determination of CO ₂ reference values.....	32
10 Assessment of data quality	33
10.1 Preliminary checks to detect unrealistic data.....	33
11 Uncertainty assessment.....	35
11.1 General.....	35
11.2 Uncertainty of activity data	35
11.3 Uncertainty of carbon content.....	35
11.4 Determination of uncertainty of CO ₂ emissions for individual sources.....	36
11.5 Uncertainty of total direct emissions for a facility.....	37
Annex A (informative) Definition of the technical boundaries of processes.....	38
Annex B (informative) Products and by-products of the iron and steel Industry	45
Annex C (informative) Default values for emission factors and upstream data	52
Annex D (informative) Examples of application of carbon mass balance methodology	55
Annex E (informative) Assessment of emission performance at facility level (carbon input performance).....	60
Annex F (informative) Determination of process performance.....	64

Annex G (informative) Description of data checks on process data.....	69
Annex H (informative) Elements on sampling, analyses and uncertainty	73
Bibliography	80

This document is a preview generated by EVS

European foreword

This document (EN 19694-2:2016) has been prepared by Technical Committee CEN/TC 264 “Air quality”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by January 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate M/478 given to CEN by the European Commission and the European Free Trade Association.

This European Standard deals with sector-specific aspects for the determination of greenhouse gas (GHG) emissions from steel production. This standard can be used to measure, report and compare the GHG emissions of a steel facility. It can also be used to assess the GHG performance of a steel facility or parts of it.

EN 19694, *Stationary source emissions — Determination of greenhouse gas (GHG) emissions in energy-intensive industries* consists of the following parts:

- *Part 1: General aspects*
- *Part 2: Iron and steel industry*
- *Part 3: Cement industry*
- *Part 4: Aluminium industry*
- *Part 5: Lime industry*
- *Part 6: Ferroalloy industry*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The steel industry recognizes the urgent need to take action to combat climate change. Slowing and halting global warming will require substantial reductions in greenhouse gas emission on a global scale. To play a part in achieving these reductions, steel production sites, recognized as major emitters of GHG, should as a first step assess their CO₂ emission performance relating to the production of steel products in order to identify and quantify emission reduction opportunities.

Steel production involves complex chemical reactions, successive heating cycles, and the recycling of various by-products. A variety of inputs, including raw materials, reactive agents, fuel and heat sources are transformed into a wide range of steel products, by-products, waste materials and waste energy.

Steel sites manufacture a wide range of products including, among others, sheet products, plate products, long products, pipe and tubes. In addition, some steel sites produce unique high-performance specialty steel products, which are created by employing various sub-processes including micro-alloying and surface treatment, thus requiring additional heat treatments. Therefore, there are no two steel sites in the world which are the same. As a consequence, a sound assessment of performance should be made independent of the production structure.

Regulations related to climate change require steel companies to devise methods to reduce CO₂ emissions from steel sites while continuing to produce steel products from these diverse and complex steelmaking processes. To accomplish this, it is desirable to have universally common indicators for determining the CO₂ emission performance of a site.

It has been the usual practice to determine CO₂ emissions at facility level, from which a CO₂ intensity per unit of reference product, usually “crude steel”, can be derived. ISO TC 17/SC /WG 21 has proposed and issued a standard for the determination of CO₂ intensity derived from the method developed by worldsteel (the world steel association) as ISO 14404-1 and ISO 14404-2.

Although giving a valuable insight on CO₂ emission performance, the “CO₂ intensity” approach suggested by the ISO 14404 standards series has some limitations as it provides only one single CO₂ value for any specific facility, regardless of the complexity of its structure.

With a view to better evaluating the CO₂ performance of a facility along the steel value chain, the European Steel Industry has, since 2005, worked to set up CO₂ accounting rules aimed at carrying out the CO₂ emission performance assessment of steel production facilities while taking into account and properly addressing potential distortions due to differing facility structure. To this end, this standard goes beyond the mere “CO₂ intensity” approach to determine the performance of each process and unit that is part of the facility in order to identify the strengths and weaknesses in the value chain and, at a later stage, consolidate the performance at facility level.

As stressed in Part 1 of this standard series, this standard does not prejudice the content or application of any other standard or legal provision.

1 Scope

This European Standard provides a harmonized methodology for calculating GHG emissions and GHG performance in the steel industry.

This European Standard applies to facilities producing any of the multiple products of the steel value chain. It is supported by a set of worksheets [1].

This European Standard deals with the specific aspects for the determination of GHG emissions from steel production and the assessment of emission performance. This standard is to be used in conjunction with EN 19694-1, which contains overall requirements, definitions and rules applicable to the determination of GHG emissions for energy-intensive sectors, thereby providing a common methodological approach.

EN 19694-1 and EN 19694-2 provide a harmonized method for:

- a) measuring, testing and quantifying methods for the determination of greenhouse gas (GHG) emissions;
- b) assessing the level of GHG emissions performance of production processes over time, at production sites;
- c) the establishment and provision of reliable and accurate information of proper quality for reporting and verification purposes.

In addition, this standard provides a stepwise approach for the determination of CO₂ emissions and the assessment of CO₂ performance of steel facilities, providing a set of methodologies allowing for a fair and reliable assessment of the CO₂ performance of each individual process along the steel production value chain.

It can be seen as a toolbox which enables the determination of CO₂ emissions and the assessment of CO₂ performance of steel production facilities at various levels of disaggregation, establishing a sound system for:

- the evaluation of the global CO₂ performance of a steel production facility taking its production structure into account;
- setting a reliable basis for evaluation of the CO₂ reduction potential in a facility and the contributing processes;
- setting a basis for accurate evaluation of new technologies.

Next to the determination of the direct and indirect CO₂ emissions of a steel facility, this standard has a strong focus on performance assessment which it strives to address through the following aspects:

- assessment of CO₂ impact, including process emissions: this methodology evaluates the total CO₂ emission of a steel facility, with the carbon content of the waste gases burdened as CO₂ to the processes giving rise to them;
- assessment of the actual CO₂ impact: this methodology evaluates the total CO₂ emissions released by a steel facility, but considers waste gases exported or used in a power plant as equal to natural gas in terms of CO₂ emissions;
- carbon input CO₂ performance at facility level: this methodology delivers an indicator comparing the facility performance with best practice, on the basis of the carbon input to the system;

- CO₂ performance assessment at process level: this methodology delivers a set of indicators comparing process performance with best practice at unit level. These indicators are then combined as a consolidated figure for the whole facility. This methodology also provides a theoretical assessment of the CO₂ saving potential up to best practice.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 19694-1, *Stationary source emissions — Determination of greenhouse gas (GHG) emissions in energy intensive industries — Part 1: General aspects*

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

boundaries

organizational or technical limits of a facility or plant

Note 1 to entry: The wording of “battery limits” can also be utilized.

3.2

Electric Arc Furnace facility

steel production facility based entirely or partially on the use of recycled scrap melted in an electric arc furnace

Note 1 to entry: By extension, this type of facility can incorporate a direct reduction production unit.

3.3

integrated facility

steel production facility based on use of virgin iron ores applying the blast furnace route

3.4

net use

net use of a source stream is the amount of fuel, material or energy which is used at the reporting boundaries during the reporting period.

Note 1 to entry: It can be calculated for the total facility from procurements, deliveries and stock variations or at process level from external use and net generation excluding internal recycling.

3.5

processing CO₂ emissions

CO₂ emissions related to the transformation of upstream to downstream products incorporating direct emissions and indirect emissions resulting from procurements

Note 1 to entry: The processing emissions do not include the indirect emissions of upstream products.