

**Preparation of steel substrates before  
application of paints and related products -  
Tests for the assessment of surface  
cleanliness - Part 2: Laboratory  
determination of chloride on cleaned  
surfaces**

Preparation of steel substrates before application of  
paints and related products - Tests for the  
assessment of surface cleanliness - Part 2:  
Laboratory determination of chloride on cleaned  
surfaces

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN ISO 8502-2:2005 sisaldab Euroopa standardi EN ISO 8502-2:2005 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 28.12.2005 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN ISO 8502-2:2005 consists of the English text of the European standard EN ISO 8502-2:2005.</p> <p>This document is endorsed on 28.12.2005 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

<p><b>Käsitlusala:</b></p> <p>This part of ISO 8502 describes a method for the determination of chloride-containing salts that are readily soluble in water and are present on a steel surface. The method is also applicable to previously coated surfaces. It will normally be used in a laboratory using washings sampled from surfaces on site.</p>	<p><b>Scope:</b></p> <p>This part of ISO 8502 describes a method for the determination of chloride-containing salts that are readily soluble in water and are present on a steel surface. The method is also applicable to previously coated surfaces. It will normally be used in a laboratory using washings sampled from surfaces on site.</p>
---	---

**ICS** 25.220.10

**Võtmesõnad:** chlorides, cleanliness checks, determination, laboratory tests, paints, steel products, substrates, surface condition, tests, varnishes

English Version

Preparation of steel substrates before application of paints and  
related products - Tests for the assessment of surface  
cleanliness - Part 2: Laboratory determination of chloride on  
cleaned surfaces (ISO 8502-2:2005)

Préparation des subjectiles d'acier avant application de  
peintures et de produits assimilés - Essais pour apprécier  
la propreté d'une surface - Partie 2: Recherche en  
laboratoire des chlorures sur les surfaces nettoyées (ISO  
8502-2:2005)

Vorbereitung von Stahloberflächen vor dem Auftragen von  
Beschichtungsstoffen - Prüfungen zur Beurteilen der  
Oberflächenreinheit - Teil 2: Laborbestimmung von Chlorid  
auf gereinigten Oberflächen (ISO 8502-2:2005)

This European Standard was approved by CEN on 8 August 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

## Foreword

This document (EN ISO 8502-2:2005) has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" in collaboration with Technical Committee CEN/TC 139 "Paints and varnishes", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2006, and conflicting national standards shall be withdrawn at the latest by April 2006.

This document supersedes EN ISO 8502-2:1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

## Endorsement notice

The text of ISO 8502-2:2005 has been approved by CEN as EN ISO 8502-2:2005 without any modifications.

---

---

**Preparation of steel substrates before  
application of paints and related  
products — Tests for the assessment of  
surface cleanliness —**

**Part 2:**

**Laboratory determination of chloride on  
cleaned surfaces**

*Préparation des subjectiles d'acier avant application de peintures et de  
produits assimilés — Essais pour apprécier la propreté d'une surface —*

*Partie 2: Recherche en laboratoire des chlorures sur les surfaces  
nettoyées*



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword .....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Principle .....	2
4 Reagents and materials .....	2
5 Apparatus .....	3
6 Procedure .....	3
6.1 Blank titration .....	3
6.2 Washing of the surface .....	3
6.3 Wash-water titration .....	4
7 Expression of results .....	4
8 Test report .....	5
Bibliography .....	6

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8502-2 was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 12, *Preparation of steel substrates before application of paints and related products*.

This second edition cancels and replaces the first edition (ISO 8502-2:1992), which has been technically revised.

ISO 8502 consists of the following parts, under the general title *Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness*:

- *Part 1: Field test for soluble iron corrosion products (withdrawn) [Technical Report]*
- *Part 2: Laboratory determination of chloride on cleaned surfaces*
- *Part 3: Assessment of dust on steel surfaces prepared for painting (pressure-sensitive tape method)*
- *Part 4: Guidance on the estimation of the probability of condensation prior to paint application*
- *Part 5: Measurement of chloride on steel surfaces prepared for painting (ion detection tube method)*
- *Part 6: Extraction of soluble contaminants for analysis — The Bresle method*
- *Part 8: Field method for the refractometric determination of moisture*
- *Part 9: Field method for the conductometric determination of water-soluble salts*
- *Part 10: Field method for the titrimetric determination of water-soluble chloride (withdrawn)*
- *Part 11: Field method for the turbidimetric determination of water-soluble sulfate*
- *Part 12: Field method for the titrimetric determination of water-soluble ferrous ions*



## Introduction

The performance of protective coatings of paint and related products applied to steel is significantly affected by the state of the steel surface immediately prior to painting. The principal factors that are known to influence this performance are

- a) the presence of rust and mill scale,
- b) the presence of surface contaminants, including salts, dust, oils and greases, and
- c) the surface profile.

ISO 8501, ISO 8502 and ISO 8503 have been prepared to provide methods of assessing these factors, while ISO 8504 provides guidance on the preparation methods that are available for cleaning steel substrates, indicating the capabilities of each in attaining specified levels of cleanliness.

These International Standards do not contain recommendations for the protective coating systems to be applied to the steel surface. Neither do they contain recommendations for the surface quality requirements for specific situations even though surface quality can have a direct influence on the choice of protective coating to be applied and on its performance. Such recommendations are found in other documents such as national standards and codes of practice. It will be necessary for the users of these International Standards to ensure that the qualities specified are

- compatible and appropriate both for the environmental conditions to which the steel will be exposed and for the protective coating system to be used, and
- within the capability of the cleaning procedure specified.

The four International Standards referred to above deal with the following aspects of preparation of steel substrates before application of paints and related products:

- ISO 8501 on visual assessment of surface cleanliness;
- ISO 8502 on tests for the assessment of surface cleanliness;
- ISO 8503 on surface roughness characteristics of blast-cleaned steel substrates;
- ISO 8504 on surface preparation methods.

Each of these International Standards is in turn divided into separate parts. This part of ISO 8502 describes a method for the assessment of chloride-containing salts that are readily soluble in water and are present on a steel surface. Rusted steel substrates, particularly of rust grades C or D (see ISO 8501-1), even when blast cleaned to preparation grade Sa 3 (see ISO 8501-1) can still be contaminated by soluble salts and corrosion products. These compounds are almost colourless and are localized at the lowest point of the rust pits. If they are not removed prior to painting, chemical reactions can result in large accumulations of rust that destroy the adhesion between the substrate and the applied protective coating. Even if the salt is readily soluble in water, it is often impossible to remove it completely from the surface by a simple washing such as that described in this procedure. The method does not therefore determine the total amount of chloride on the surface but gives an indication of the cleanliness level of the surface. Prolonging the washing time should remove a larger proportion of the salt.



# Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness —

## Part 2: Laboratory determination of chloride on cleaned surfaces

**WARNING** — The procedure described in this part of ISO 8502 is intended to be carried out by qualified chemists or by other suitably trained and/or supervised personnel. The substances and procedures used in this method may be injurious to health if adequate precautions are not taken. Attention is drawn in the text (see 4.5) to certain specific hazards. This part of ISO 8502 refers only to its technical suitability and does not absolve the user from statutory obligations relating to health and safety.

### 1 Scope

This part of ISO 8502 describes a method for the determination of chloride-containing salts that are readily soluble in water and are present on a steel surface. The method is also applicable to previously coated surfaces. It will normally be used in a laboratory using washings sampled from surfaces on site.

The method is applicable to the determination of salts that have been deposited on the steel surface before, during or after the cleaning operations.

**NOTE 1** Although the procedure for chloride determination is generally accurate, the overall precision of the method is limited by uncertainties in the sampling procedure. In addition, traces of iron chloride at the bottom of pits are difficult to extract into the sample.

The test method is not applicable to surfaces treated with chromate, nitrite or amine, which are commonly used as inhibitors in the water when wet blast-cleaning. This is because a chromate concentration of 10 mg/l or greater or a nitrite concentration of 20 mg/l or greater in the wash water interferes with the determination of the chloride. Also the amine inhibitors can form a hydroxide boundary layer (not water soluble) over the substrate and prevent the water from contacting the underlying salt for its removal.

An iron(III) ion concentration of 10 mg/l also interferes with the determination, but the iron(III) ions are concentrated in the rust deposits, which are removed from the test solution by filtration.

**NOTE 2** The performance of a paint system is affected by the amount of soluble chloride remaining on the surface. The acceptable level of this contamination is related to the service conditions. For further information regarding levels of water-soluble salt contamination see ISO/TR 15235 [1].

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods*