

**Building hardware - Requirements and test
methods for windows and doors height
windows - Part 17: Hardware for Tilt&Slide
windows and doors**

Building hardware - Requirements and test
methods for windows and doors height windows
- Part 17: Hardware for Tilt&Slide windows and
doors

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

<p>Käesolev Eesti standard EVS-EN 13126-17:2008 sisaldab Euroopa standardi EN 13126-17:2008 ingliskeelset teksti.</p> <p>Standard on kinnitatud Eesti Standardikeskuse 25.03.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 23.01.2008.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 13126-17:2008 consists of the English text of the European standard EN 13126-17:2008.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 25.03.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>Date of Availability of the European standard text 23.01.2008.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

ICS 91.190**Võtmesõnad:****Standardite reprodutseerimis- ja levitamisoigus kuulub Eesti Standardikeskusele**

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
 Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English Version

**Building hardware - Requirements and test methods for windows
and doors height windows - Part 17: Hardware for Tilt&Slide
windows and doors**

Quincaillerie pour le bâtiment - Exigences et méthodes
d'essai des ferrures de fenêtres et portes-fenêtres - Partie
17: Ferrures pour fenêtres et portes-fenêtres oscillo-
coulissantes

Baubeschläge - Beschläge für Fenster und Fenstertüren -
Anforderungen und Prüfverfahren - Teil 17: Beschläge für
Kippschiebe-Fenster und -Fenstertüren

This European Standard was approved by CEN on 5 December 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Classification	5
4.1 General	5
4.2 Category of use (1 – first digit)	5
4.3 Durability (2 – second digit)	5
4.4 Mass (3 – third digit)	5
4.5 Fire resistance (4 – fourth digit)	5
4.6 Safety in use (5 – fifth digit)	5
4.7 Corrosion resistance (6 – sixth digit)	6
4.8 Security (7 – seventh digit)	6
4.9 Application (8 – eighth digit)	6
4.10 Test Sizes (ninth digit)	6
4.11 Example of classification for hardware for Tilt&Slide windows and doors	7
5 Requirements	7
5.1 General	7
5.2 Additional requirements	7
5.2.1 Handle operation tolerance	7
5.2.2 Locking point variable tolerance	8
5.2.3 Sliding operation crash-tests	9
5.2.4 Minimum closing device resistance	9
5.2.5 Resistance to additional loading	9
5.2.6 Static endurance test at ambient temperature	10
6 Test equipment	10
6.1 General	10
6.2 Specimen	10
7 Test procedure	10
7.1 Samples	10
7.2 Procedure	11
7.3 Durability test	12
7.3.1 Description of the cycles	12
7.3.2 Acceptance criteria	15
7.4 Sliding operation crash-tests	16
7.4.1 Procedure – into the tilted position	16
7.4.2 Procedure - into the opening position	16
7.4.3 Acceptance criteria	16
7.5 Minimum closing device resistance test	16
7.5.1 Hardware without positive control	16
7.5.2 Hardware with positive control	17
7.6 Additional loading test	17
7.6.1 Procedure	17
7.6.2 Acceptance criteria	17
7.7 Static endurance test at ambient temperature	18
7.8 Corrosion resistance	18
Annex A (informative) Test assembly	19
Annex B (normative) Flow chart of test procedure	23
Bibliography	24

Foreword

This document (EN 13126-17:2008) has been prepared by Technical Committee CEN/TC 33 "Doors, windows, shutters, building hardware and curtain walling", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2008, and conflicting national standards shall be withdrawn at the latest by July 2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 13126-17:2004.

This Part of European Standard EN 13126 has been prepared by CEN/TC 33 "*Doors, windows, shutters, building hardware and curtain walling*"; the Secretariat of which is held by AFNOR.

A full contribution to the preparation of this European Standard has been made by the European manufacturers organisation 'ARGE' and National Standards institutions.

This European Standard is one of a series of European Standards dedicated to building hardware products. It is divided into seventeen parts to incorporate all types of windows and door height windows.

Informative Annex A of EN 13126-1:2006 depicts the "list of parts and titles and their reference to the relevant window types" of the seventeen parts of this European Standard.

Normative Annex B of EN 13126-1:2006 gives schedules of the elements of components used on the 21 types of window opening functions.

Normative and informative annex to all parts of this European Standard are indicated in the content of the several parts.

The performance tests incorporated in this standard are considered to be reproducible and as such will provide a consistent and objective assessment of the performance of these products throughout CEN Member States.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

1 Scope

This part of EN 13126 provides requirements and test methods for durability, strength, security and function of hardware for Tilt&Slide windows and door height windows.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1670, *Building hardware — Corrosion resistance — Requirements and test methods*

EN 12519:2004, *Windows and pedestrian doors – Terminology*

EN 13126-1:2006, *Building hardware — Requirements and test methods for windows and doors height windows - Part 1: Requirements common to all types of hardware*

ISO 4520, *Chromate conversion coatings on electroplated zinc and cadmium coating*

3 Terms and definitions

For the purposes of this document the terms and definitions given in EN 13126-1:2006 and EN 12519:2004 and the following apply.

NOTE The following terms and definitions apply to Tilt&Slide windows and door height windows made of wood, PVC-U, aluminium or steel and their appropriate material combinations.

3.1 roller

assembly of one or more rolls in a single or multiple casing which supports Tilt&Slide windows and door height windows which may be aligned in a straight line or rotate about an axis for Tilt&Slide windows and door height windows. Otherwise known as a bogey

3.2 roll

singular wheel in a roller

3.3 lateral guide

hardware component that guides the lateral movement of the Tilt&Slide windows and door height windows

3.4 guide track

track fixed on the top (top guide track) or bottom (bottom guide track) which enables a lateral guide to run

3.5 rail

rail fixed on the top (top rail) or bottom (bottom rail) which enables the rollers to run

3.6 positive control

sash operation via the hardware which enables the sash to be moved from the closed position into the tilted position, and from the tilted position into the closed position.