Toiduainetega kokku puutuvad materjalid ja esemed. Piirangute alla kuuluvad plastained. Osa 5: Vinülideenkloriidi sisalduse kindlaksmääramine toidusimulantides

Materials and articles in contact with foodstuffs - Plastics substances subject to limitation - Part 5: Determination of vinylidene chloride in food simulants



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 13130-5:2004 sisaldab Euroopa standardi EN 13130-5:2004 ingliskeelset teksti.

Käesolev dokument on jõustatud 23.09.2004 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 13130-5:2004 consists of the English text of the European standard EN 13130-5:2004.

This document is endorsed on 23.09.2004 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This part of this European Standard specifies a method for the determination of vinylidene chloride monomer in food simulants. The method is applicable to aqueous food simulants, to the fatty food simulant olive oil and other fatty food simulants, simulants D, e.g. a mixture of synthetic triglycerides or sunflower oil or corn oil. The level of vinylidene chloride determined is expressed as milligrams of vinylidene chloride per kilogram of food simulant. The method is appropriate for the quantitative determination of vinylidene chloride at a level of 0,05 mg/kg.

Scope:

This part of this European Standard specifies a method for the determination of vinylidene chloride monomer in food simulants. The method is applicable to aqueous food simulants, to the fatty food simulant olive oil and other fatty food simulants, simulants D, e.g. a mixture of synthetic triglycerides or sunflower oil or corn oil. The level of vinylidene chloride determined is expressed as milligrams of vinylidene chloride per kilogram of food simulant. The method is appropriate for the quantitative determination of vinylidene chloride at a level of 0,05 mg/kg.

ICS 67.250

Võtmesõnad:

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13130-5

May 2004

ICS 67,250

English version

Materials and articles in contact with foodstuffs - Plastics substances subject to limitation - Part 5: Determination of vinylidene chloride in food simulants

Matériaux et objets en contact avec des denrées alimentaires - Substances dans les matières plastiques soumises à des limitations - Partie 5 : Détermination du chlorure de vinylidène dans les simulants d'aliments alimentaires Werkstoffe und Gegenstände in Kontakt mit Lebensmitteln
- Substanzen in Kunststoffen, die Beschränkungen unterliegen - Teil 5: Bestimmung von Vinylidenchlorid in Kunststoffen

This European Standard was approved by CEN on 24 March 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	0'	page
Foreword3		
l	Scope	6
2	Normative references	6
3	Principle	6
1	Reagents	
I.1	Analyte and internal standard	7
1.1.1	Analyte	
1.1.2	Internal standardChemicals	
1.2 1.3	Solutions of standards and internal standard	
1.3.1	Preparation of stock solutions of vinylidene chloride	
1.3.2	Intermediate solutions of vinylidene chloride	
1.3.3	Internal standard stock solution	
1.3.4	Intermediate internal standard solution	
5	Apparatus	8
	Samples	Q
, 6.1	Laboratory samples	
5.2	Preparation of test samples	
6.2.1	General	
5.2.2	Aqueous food simulants	
5.2.3	Fatty food simulant	
6.3 6.4	Preparation of blank samples Preparation of calibration samples	
,. 	Procedure	
3	Expression of results	
3.1 3.1.1	Method of calculation	
3.1.1 3.1.2	GC interferencesGraphical determination using internal standard	
3.1.3	Graphical determination via external standardization	
3.1.4	Calculation of the concentration using a response factor	11
3.1.5	Calculation of the specific migration	
3.2 3.2.1	Precision	
3.2.1 3.2.2	ValidationRepeatability and reproducibility	
3.2.2 3.2.3	Detection limit	
	Confirmation	
) 9.1	Requirement for confirmation	
9.2	Confirmation by combined gas chromatography-mass spectrometry	
9.3	Confirmation by analysis on a GC column of different polarity	
10	Test report	
	A (normative) Method of standard addition	
	,	
Annex	B (normative) Manual sample injection	17
Rihlina	ranhy	18

Foreword

This document (EN 13130-5:2004) has been prepared by Technical Committee CEN/TC 194 "Utensils in contact with food", the secretariat of which is held by BSI.

This document was prepared by Subcommittee SC1 of TC 194 as one of a series of analytical test methods for plastics materials and articles in contact with foodstuffs.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2004, and conflicting national standards shall be withdrawn at the latest by November 2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This standard is intended to support Directives 2002/72/EC [1], 89/109/EEC [2], 82/711/EEC [3] and its amendments 93/8/EEC [4] and 97/48/EC [5], and 85/572/EEC [6].

At the time of preparation and publication of this part of EN 13130 the European Union legislation relating to plastics materials and articles intended to come into contact with foodstuffs is incomplete. Further Directives and amendments to existing Directives are expected which could change the legislative requirements which this standard supports. It is therefore strongly recommended that users of this standard refer to the latest relevant published Directive(s) before commencement of a test or tests described in this standard.

EN 13130-5 should be read in conjunction with EN 13130-1

Further parts of EN 13130, under the general title *Materials and articles in contact with foodstuffs - Plastics substances subject to limitation*, have been prepared, and others are in preparation, concerned with the determination of specific migration from plastics materials into foodstuffs and food simulants and the determination of specific monomers and additives in plastics. The other parts of EN 13130 are as follows.

- Part 1: Guide to test methods for the specific migration of substances from plastics to foods and food simulants and the determination of substances in plastics and the selection of conditions of exposure to food simulants
- Part 2: Determination of terephthalic acid in food simulants
- Part 3: Determination of acrylonitrile in food and food simulants
- Part 4: Determination of 1,3-butadiene in plastics
- Part 6: Determination of vinylidene chloride in plastics
- Part 7: Determination of monoethylene glycol and diethylene glycol in food simulants
- Part 8: Determination of isocyanates in plastics
- Part 9: Determination of acetic acid, vinyl ester in food simulants
- Part 10: Determination of acrylamide in food simulants
- Part 11: Determination of 11-aminoundecanoic acid in food simulants
- Part 12: Determination of 1,3-benzenedimethanamine in food simulants
- Part 13: Determination of 2,2-bis(4-hydroxyphenyl)propane (Bisphenol A) in food simulants

EN 13130-5:2004 (E)

- Part 14: Determination of 3,3-bis(3-methyl-4-hydroxyphenyl)-2-indoline in food simulants
- Part 15: Determination of 1,3-butadiene in food simulants
- Part 16: Determination of caprolactam and caprolactam salt in food simulants
- Part 17: Determination of carbonyl chloride in plastics
- Part 18: Determination of 1,2-dihydroxybenzene, 1,3- dihydroxybenzene, 1,4- dihydroxybenzene, 4,4'- dihydroxybenzophenone and 4,4'dihydroxybiphenyl in food simulants
- Part 19: Determination of dimethylaminoethanol in food simulants
- Part 20: Determination of epichlorohydrin in plastics
- Part 21: Determination of ethylenediamine and hexamethylenediamine in food simulants
- Part 22: Determination of ethylene oxide and propylene oxide in plastics
- Part 23: Determination of formaldehyde and hexamethylenetetramine in food simulants
- Part 24: Determination of maleic acid and maleic anhydride in food simulants
- Part 25: Determination of 4-methyl-pentene in food simulants
- Part 26: Determination of 1-octene and tetrahydrofuran in food simulants
- Part 27: Determination of 2,4,6-triamino-1,3,5-triazine in food simulants
- Part 28: Determination of 1,1,1-trimethylopropane in food simulants

Parts 1 to 8 are European Standards.

Parts 9 to 28 are Technical Specifications, prepared within the Standards, Measurement and Testing project, MAT1-CT92-0006, "Development of Methods of Analysis for Monomers".

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

Vinylidene chloride (VdC) (1,1-dichloroethylene), H₂C=CCl₂, is a monomer used in the manufacture of certain plastics films and coatings intended to come into contact with foodstuffs. During the manufacture of vinylidene chloride polymers and copolymers, residual vinylidene chloride monomer can remain in the polymer and can migrate into food coming into contact with the polymer.

this , redures . The method described in this part of the standard should be used in conjunction with part 1 of this standard which describes the procedures required prior to the determination of vinylidene chloride.

1 Scope

This part of this European Standard specifies a method for the determination of vinylidene chloride monomer in food simulants. The method is applicable to aqueous food simulants, to the fatty food simulant olive oil and other fatty food simulants, simulants D, e.g. a mixture of synthetic triglycerides or sunflower oil or corn oil. The level of vinylidene chloride determined is expressed as milligrams of vinylidene chloride per kilogram of food simulant. The method is appropriate for the quantitative determination of vinylidene chloride at a level of 0,05 mg/kg.

NOTE This method was developed for the determination of vinylidene chloride in 15 % (v/v) aqueous ethanol, as required by the regulations in force at the time the development work was carried out. However, this method, developed for 15 (v/v) aqueous ethanol, should be applicable to the determination in 10 (v/v) aqueous ethanol.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 13130-1:2004, Materials and articles in contact with foodstuffs - Plastics substances subject to limitation - Part 1: Guide to test methods for the specific migration of substances from plastics to foods and food simulants and the determination of substances in plastics and the selection of conditions of exposure to food simulants

3 Principle

The level of vinylidene chloride in a food simulant is determined by headspace gas chromatography with automated sample injection and using either electron capture or flame ionization detection. Quantification is achieved using 1-chloropropane (1-CP) as internal standard with calibration against blank samples of simulant fortified with vinylidene chloride. If blank samples of simulant cannot be obtained then the method of standard addition described in annex A is employed.

If interferences are experienced with the internal standard then calibration is carried out by external standardization.

If automated headspace sampling cannot be performed, manual injection as described in annex B shall be applied.

Confirmation of vinylidene chloride levels is carried out either by combined gas chromatography/mass spectrometry (GC/MS) or by re-analysis on a second GC column of different polarity.

4 Reagents

WARNING: All chemicals are hazardous to health to a greater or lesser extent. It is beyond the scope of this standard to give instructions for the safe handling of all chemicals, that meet, in full, the legal obligations in all countries in which this standard may be followed. Therefore, specific warnings are not given and users of this standard shall ensure that they meet all the necessary safety requirements in their own country.