Ehituslikud soojusisolatsioonitooted. Tööstuslikult valmistatud puitkiust (WF) tooted. Spetsifikatsioon

) pro Thermal insulation products for buildings - Factory made wood fibre (WF) products - Specification



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 13171:2012 consists of the English text of the European standard EN
teksti.	13171:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
·	Date of Availability of the European standard is 28.11.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 91.100.60

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 13171

EUROPÄISCHE NORM

November 2012

ICS 91.100.60

Supersedes EN 13171:2008

English Version

Thermal insulation products for buildings - Factory made wood fibre (WF) products - Specification

Produits isolants thermiques pour le bâtiment - Produits manufacturés en fibres de bois (WF) - Spécification

Wärmedämmstoffe für Gebäude - Werksmäßig hergestellte Produkte aus Holzfasern (WF) - Spezifikation

This European Standard was approved by CEN on 6 October 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

		age
Forew	ord	4
1	Scope	
2	Normative references	
- 3	Terms, definitions, symbols, units and abbreviated terms	
3.1	Terms and definitions	8
3.2	Symbols, units and abbreviated terms	
4	Requirements	
4.1 4.2	General For all applications	
4.2 4.3	For specific applications	
5	Test methods	. 19
5.1	Sampling	. 19
5.2	Conditioning	
5.3	Testing	
6	Designation code	
7	Evaluation of conformity	
7.1 7.2	GeneralInitial type testing	
7.2 7.3	Factory production control	
8	Marking and labelling	
-		. 47
Annex	A (normative) Determination of the declared values of thermal resistance and thermal conductivity	. 25
A .1	General	
A.2	Input data	
A.3 A.3.1	Declared valuesGeneral	
A.3.1 A.3.2	Case where thermal resistance and thermal conductivity are declared	
A.3.3	Case where only thermal resistance is declared	
Annex	B (normative) Initial type testing (ITT) and factory production control (FPC)	. 28
Annex	C (normative) WF multi-layered thermal insulation products	. 31
C.1	General	. 31
C.2	Requirements	
C.2.1 C.2.2	For all applications For specific applications	
C.2.2	Test methods	
C.4	Evaluation of conformity	
	D (normative) Determination of the thermal conductivity in relation to moisture content	
	E (informative) Additional properties	
E.1	General	
E.2 E.3	Bending strength	
		30
Annex	F (informative) Examples for the determination of the declared values of thermal resistance and thermal conductivity for a product or a product group	26
F.1	Case where both thermal resistance and thermal conductivity are declared	
F.2	Case where only thermal resistance is declared	

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	20
ZA.1 Scope and relevant characteristics	
ZA.2 Procedures for attestation of conformity of factory made wood fibre products	41
ZA.2.1 Systems of attestation of conformityZA.2.2 EC certificate and declaration of conformity	
ZA.3 CE Marking and labelling	
Bibliography	48
Tables	
Table 1 — Level and classes for thickness tolerances	12
Table 2 — Dimensional stability under specified temperature and humidity conditions	
Table 3 — Levels for compressive stress or compressive strength	
Table 4 — Levels for tensile strength perpendicular to faces	
Table 5 — Levels for short term water absorption by partial immersion	
Table 6 — Classes for thickness tolerances	
Table 7 — Levels for compressibility	17
Table 8 — Test methods, test specimens and conditions	21
Table A.1 — Values for k for one sided 90 % tolerance interval with a confidence level of 90 %	
Table B.1 — Minimum number of tests for ITT and minimum product testing frequencies	28
Table B.3 — Minimum product testing frequencies for the reaction to fire characteristics	30
Table E.1 — Test methods, test specimens, conditions and minimum testing frequencies	35
Table F.1 — λ test results	36
Table F.2 — R test results	37
Table ZA.1 — Relevant clauses for wood fibre products and intended use	40
Table ZA.1 — Relevant clauses for wood fibre products and intended use	41
Table ZA.2 — Systems of attestation of conformity	42
Table ZA.3.1 — Assignment of evaluation of conformity tasks for products under system 1 for reaction to fire and system 3 for other characteristics	
Table ZA.3.2 — Assignment of evaluation of conformity tasks for products under system 3 or system 3 combined with system 4 for reaction to fire	44
Figures	
Figure D.1 — Example of a graphic representation of " $f\psi$ "	34
Figure ZA.1 — Example CE marking information	

Foreword

This document (EN 13171:2012) has been prepared by Technical Committee CEN/TC 88 "Thermal insulating materials and products", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2013, and conflicting national standards shall be withdrawn at the latest by May 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This document supersedes EN 13171:2008.

Compared with EN 13171:2008, the main changes are:

- a) better harmonisation between the individual standards of the package (EN 13162 to EN 13171) on definitions, requirements, classes and levels;
- b) new normative annex on multi-layer products;
- c) changes of some editorial and technical content and addition of information on some specific items such as for WF: determination of thermal conductivity in relation to moisture content, thickness, compressive stress or compressive strength, tensile strength perpendicular to faces;
- addition of links to EN 15715, Thermal insulation products Instructions for mounting and fixing for reaction to fire testing – Factory made products;
- e) changes of Annex ZA.

This European Standard is one of a series of standards for insulation products used in buildings, but this standard may be used in other areas where appropriate.

In pursuance of Resolution BT 20/1993 revised, CEN/TC 88 have proposed defining the standards listed below as a package of European Standards, setting 21 months after availability as the date of withdrawal (dow) of national standards which conflict with the European Standards of this package.

The package of standards comprises the following group of interrelated standards for the specifications of factory made thermal insulation products, all of which come within the scope of CEN/TC 88:

EN 13162, Thermal insulation products for buildings — Factory made mineral wool (MW) products — Specification

EN 13163, Thermal insulation products for buildings — Factory made expanded polystyrene (EPS) products — Specification

EN 13164, Thermal insulation products for buildings — Factory made extruded polystyrene foam (XPS) products — Specification

EN 13165, Thermal insulation products for buildings — Factory made rigid polyurethane foam (PU) products — Specification

EN 13166, Thermal insulation products for buildings — Factory made phenolic foam (PF) products — Specification

EN 13167, Thermal insulation products for buildings — Factory made cellular glass (CG) products — Specification

EN 13168, Thermal insulation products for buildings — Factory made wood wool (WW) products — Specification

EN 13169, Thermal insulation products for buildings — Factory made expanded perlite board (EPB) products — Specification

EN 13170, Thermal insulation products for buildings — Factory made products of expanded cork (ICB) — Specification

EN 13171, Thermal insulation products for buildings — Factory made wood fibre (WF) products — Specification

The reduction in energy used and emissions produced during the installed life of insulation products exceeds by far the energy used and emissions made during the production and disposal processes.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the requirements for factory made wood fibre (WF) products, with or without facings or coatings, which are used for the thermal insulation of buildings¹⁾. The products are manufactured in the form of rolls, batts, felts, boards or slabs.

Products covered by this standard are also used in prefabricated thermal insulation systems and composite panels; the performance of systems incorporating these products is not covered.

This standard describes product characteristics and includes procedures for testing, evaluation of conformity, marking and labelling.

This standard does not specify the required level of a given property to be achieved by a product to demonstrate fitness for purpose in a particular application. The classes and levels required for a given application are to be found in regulations or non-conflicting standards.

Products with a declared thermal resistance lower than 0,20 m²·K/W or a declared thermal conductivity greater than 0,070 W/(m·K) at 10 °C are not covered by this standard.

This standard does not cover in situ insulation products and products intended to be used for the insulation of building equipment and industrial installations.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 822, Thermal insulating products for building applications — Determination of length and width

EN 823, Thermal insulating products for building applications — Determination of thickness

EN 824, Thermal insulating products for building applications — Determination of squareness

EN 825, Thermal insulating products for building applications — Determination of flatness

EN 826, Thermal insulating products for building applications — Determination of compression behaviour

EN 1602, Thermal insulating products for building applications — Determination of the apparent density

EN 1603, Thermal insulating products for building applications — Determination of dimensional stability under constant normal laboratory conditions (23 $^{\circ}$ C/50 $^{\circ}$ relative humidity)

EN 1604, Thermal insulating products for building applications — Determination of dimensional stability under specified temperature and humidity conditions

EN 1606, Thermal insulating products for building applications — Determination of compressive creep

EN 1607, Thermal insulating products for building applications — Determination of tensile strength perpendicular to faces

6

¹⁾ Wood fibre products for applications other than thermal insulation are covered by EN 316.

EN 1608, Thermal insulating products for building applications — Determination of tensile strength parallel to faces

EN 1609, Thermal insulating products for building applications — Determination of short term water absorption by partial immersion

EN 12086:1997, Thermal insulating products for building applications — Determination of water vapour transmission properties

EN 12430, Thermal insulating products for building applications — Determination of behaviour under point load

EN 12431, Thermal insulating products for building applications — Determination of thickness for floating floor insulation products

EN 12667, Thermal performance of building materials and products — Determination of thermal resistance by means of guarded hot plate and heat flow meter methods — Products of high and medium thermal resistance

EN 12939, Thermal performance of building materials and products — Determination of thermal resistance by means of guarded hot plate and heat flow meter methods — Thick products of high and medium thermal resistance

EN 13172:2012, Thermal insulation products — Evaluation of conformity

EN 13501-1, Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests

EN 13823, Reaction to fire tests for building products — Building products excluding floorings exposed to the thermal attack by a single burning item

EN 15715:2009, Thermal insulation products — Instructions for mounting and fixing for reaction to fire testing —Factory made products

EN 29052-1, Acoustics — Determination of dynamic stiffness — Part 1: Materials used under floating floors in dwellings (ISO 9052-1)

EN 29053, Acoustics — Materials for acoustical applications — Determination of air flow resistance (ISO 9053)

EN ISO 354, Acoustics — Measurement of sound absorption in a reverberation room (ISO 354)

EN ISO 9229:2007, Thermal insulation - Vocabulary (ISO 9229:2007)

EN ISO 10456:2007, Building materials and products — Hygrothermal properties —Tabulated design values and procedures for determining declared and design thermal values (ISO 10456:2007)

EN ISO 11654, Acoustics — Sound absorbers for use in buildings — Rating of sound absorption (ISO 11654)

EN ISO 11925-2, Reaction to fire tests — Ignitability of products subjected to direct impingement of flame — Part 2: Single-flame source test (ISO 11925-2)

ISO 16269-6:2005, Statistical interpretation of data — Part 6: Determination of statistical tolerance intervals