

Doors - Operating forces - Requirements and
classification

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 12217:2015 sisaldab Euroopa standardi EN 12217:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 12217:2015 consists of the English text of the European standard EN 12217:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 29.04.2015.	Date of Availability of the European standard is 29.04.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.060.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Doors - Operating forces - Requirements and classification

Portes - Forces de manœuvre - Prescriptions et
classification

Türen - Bedienungskräfte - Anforderungen und
Klassifizierung

This European Standard was approved by CEN on 12 March 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword.....		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Classification.....	4
5	Use of historical data	5
Bibliography.....		6

Foreword

This document (EN 12217:2015) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2015, and conflicting national standards shall be withdrawn at the latest by October 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12217:2003.

Compared with EN 12217:2003, the following changes have been made:

- a) Terms and definitions have been revised;
- b) clarification on how the final total classification is obtained from different results;
- c) one new class 5 has been added in Table 1;
- d) a new Clause 5 “use of historical data” has been added.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard is applicable to hinged/pivoted and sliding doorsets with latches, for pedestrian use. It defines the classification of the test results for the forces and/or torques to open/close doors and to engage/release and lock/unlock the building hardware using a key or handle, after testing in accordance with EN 12046-2.

It is only applicable to the manual operation of doorsets.

The classification of forces for doorsets with self-closing devices engaged is excluded from this test method. It is also not applicable to doorsets with special hardware, e.g. emergency exit devices.

The tests are applicable to doorsets of any material.

The operation of some glazed doors (door high windows) involves hardware with latches and may be classified in accordance with this European Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12046-2:2000, *Operating forces — Test method — Part 2: Doors*

EN 12519, *Windows and pedestrian doors — Terminology*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12519 and the following apply.

3.1
doorset
complete unit consisting of the door frame and the door leaf or leaves supplied, with the essential building hardware and seals

3.2
hand operated building hardware
building hardware operated by means of a hook grip made with the fingers in an active role and the thumb in a passive role; the proximal and distal interphalangeal joints are flexed around the handle

Note 1 to entry: See EN 1005-1:2001+A1:2008, 3.7.2.

3.3
finger operated hardware
hardware operated by means of a grip made with the thumb and the forefinger

Note 1 to entry: See EN 1005-1:2001+A1:2008, 3.7.1.

4 Classification

When tested in accordance with EN 12046-2, a doorset shall be classified in accordance with Table 1. The final total class of operating forces/torques of doors results from lowest class obtained among the particular tested forces or torques.