Electrostatics - Part 4-7: Standard test methods for specific applications - Ionization



## EESTI STANDARDI EESSÕNA

### NATIONAL FOREWORD

| See Eesti standard EVS-EN sisaldab Euroopa standardi EN ingliskeelset teksti.   | 61340-4-7:2017 | This Estonian standard EVS-EN 61340-4-7:2017 consists of the English text of the European standard EN 61340-4-7:2017.              |  |
|---|----------------|--|--|
| Standard on jõustunud se<br>avaldamisega EVS Teatajas   | r              | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |  |
| Euroopa standardimisorganisatsioonid on teinud<br>Euroopa standardi rahvuslikele liikmetele<br>kättesaadavaks 17.03.2017. |                | Date of Availability of the European standard is 17.03.2017.   |  |
| Standard on kättesa<br>Standardikeskusest.  |                | The standard is available from the Estonian Centre for Standardisation.  |  |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

#### ICS 17.200.99, 29.020

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <a href="www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61340-4-7

March 2017

ICS 17.200.99; 29.020

#### **English Version**

# Electrostatics - Part 4-7: Standard test methods for specific applications - Ionization (IEC 61340-4-7:2017)

Électrostatique - Partie 4-7: Méthodes d'essai normalisées pour des applications spécifiques - Ionisation (IEC 61340-4-7:2017) Elektrostatik - Teil 4-7: Standard-Prüfverfahren für spezielle Anwendungen - Ionisation (IEC 61340-4-7:2017)

This European Standard was approved by CENELEC on 2017-02-10. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## **European foreword**

The text of document 101/521/FDIS, future edition 2 of IEC 61340-4-7, prepared by IEC/TC 101 "Electrostatics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61340-4-7:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn
   (dow) 2020-02-10

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

# **Endorsement notice**

The text of the International Standard IEC 61340-4-7:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated :

IEC/TR 61340-5-2 NOTE Harmonized as CLC/TR 61340-5-2

# CONTENTS

| FOREW         | ORD  | 4  |
|---------------|--|----|
| INTROD        | DUCTION  | 6  |
| 1 Sco         | ppe  | 7  |
| 2 Nor         | mative references  | 7  |
| 3 Ter         | ms and definitions   | 7  |
| 4 Tes         | st fixture and instrumentation   | 9  |
|               | ecific requirements for equipment categories                                     |    |
| 5.1           | Specific requirements for all ionization equipment                               |    |
| 5.2           | Room ionization  |    |
| 5.3           | Laminar flow hood ionization   |    |
| 5.4           | Work surface ionization  |    |
| 5.5           | Compressed gas ionizers – Guns and nozzles                                       |    |
| Annex A       | (informative) Theoretical background and additional information on the           |    |
| standard      | d test method for the performance of ionizers                                    | 21 |
| A.1           | Introductory remarks   |    |
| A.2           | Air ions   | 21 |
| A.3           | Mobility and ion current   |    |
| A.4           | Neutralization current   |    |
| A.5           | Neutralization rate  |    |
| A.6           | lon depletion and field suppression  |    |
| A.7           | Charged plate monitor and charge neutralization                                  |    |
| A.8           | Relationship between charged plate monitor decay time and actual object          |    |
| A.9           | Offset voltage   | 23 |
| A.10          | Preparation of test area   | 23 |
| A.11          |  |    |
| A.12          | Obstruction of airflow around the charged plate monitor  Effect of "air blanket" |    |
| A.13<br>A.14  | Sources of measurement error   |    |
| A. 14<br>A. 1 |  |    |
|               | 4.1 Typical decay time variability   |    |
|               | 4.3 Charging voltage   |    |
| A.1           |  |    |
|               | 4.5 Other field-producing devices in test area                                   |    |
|               | 4.6 Effect of offset voltage on decay time                                       |    |
| A.15          |  |    |
|               | 3 (normative) Method of measuring the capacitance of an isolated conductive      | 0  |
|               | ,  | 27 |
| B.1           | Method   | 27 |
| B.2           | Equipment  | 27 |
| B.3           | Procedure  | 27 |
| B.4           | Example  | 27 |
| B.5           | Sources of error   | 28 |
| B.5           | .1 Measuring equipment   | 28 |
| B.5           | .2 Poor plate isolation  | 28 |
| B.5           | .3 Objects in the environment  | 29 |
| B.5           |  |    |
| Annex C       | C (informative) Safety considerations  | 30 |

| C.1       | General   | 30 |
|-----------|---|----|
| C.2       | Electrical  | 30 |
| C.3       | Ozone   | 30 |
| C.4       | Radioactive   |    |
|           | X-ray   |    |
| C.6       | Installation  |    |
| Bibliogra | phy   | 31 |
|           |   |    |
| -         | Charged plate monitor components for non-contacting plate measurement                   |    |
| •         | <ul> <li>Charged plate monitor components for contacting plate measurement</li> </ul>   |    |
| •         | Conductive plate detail for the non-contacting CPM                                      |    |
| Figure 4  | - Conductive plate detail for the voltage follower CPM                                  | 11 |
| Figure 5  | – Test locations for room ionization – AC grids and DC bar systems                      | 13 |
| Figure 6  | – Test locations for room ionization – Single polarity emitter systems                  | 13 |
| Figure 7  | - Test locations for room ionization - Dual DC line systems                             | 14 |
| Figure 8  | - Test locations for room ionization - Pulsed DC emitter systems                        | 14 |
| Figure 9  | – Test locations for vertical laminar flow hood – Top view                              | 15 |
| •         | ) – Test locations for vertical laminar flow hood – Side view                           |    |
| -         | Test locations for horizontal laminar flow hood – Top view                              |    |
| •         | 2 – Test locations for horizontal laminar flow hood – Side view                         |    |
| •         | 3 – Test locations for benchtop ionizer – Top view                                      |    |
| •         | - Test locations for benchtop ionizer – Side view                                       |    |
|           |   |    |
| •         | 5 – Test locations for overhead ionizer – Top view                                      |    |
| -         | S – Test locations for overhead ionizer – Side view                                     |    |
| Figure 17 | <ul><li>Test locations for compressed gas ionizer (gun or nozzle) – Side view</li></ul> | 20 |
|           | (O-   |    |
| Table 1 - | Test set-ups and test locations/points (TP)   | 12 |
| Table B.  | l – Example measurement data  | 28 |
|           |   |    |
|           |   |    |
|           | $\Theta_{\mathcal{X}}$  |    |
|           |   |    |
|           |   |    |
|           |   |    |
|           | O,  |    |
|           |   |    |
|           |   |    |
|           |   |    |
|           | Test set-ups and test locations/points (TP)   | 4  |
|           |   |    |
|           |   |    |
|           |   |    |
|           |   |    |

#### INTRODUCTION

Grounding is the primary method used to limit static charge when protecting electrostatic discharge sensitive items in the work environment. However, grounding methods are not effective in removing static charges from the surfaces of non-conductive (insulative) or isolated conductive materials. Air ionization techniques, by means of ionizer systems, can be utilized to reduce this charge.

The preferred way of evaluating the ability of an ionizer to neutralize a static charge is to directly measure the rate of charge decay. Charges to be neutralized may be located on insulators as well as on isolated conductors. It is difficult to charge an insulator reliably and repeatably. Charge neutralization is more easily evaluated by measuring the rate of decay of the voltage of an isolated conductive plate. The measurement of this decay should not interfere with or change the nature of the actual decay. Four practical methods of air ionization are addressed in this document:

- a) radioactive emission;
- b) high-voltage corona from a.c. electric fields;
- c) high-voltage corona from d.c. electric fields;
- d) soft X-ray emission.

This part of IEC 61340 provides test methods and procedures that can be used when evaluating ionization equipment. The objective of the test methods is to generate meaningful, reproducible data. The test methods are not meant to be a recommendation for any particular ionizer configuration. The wide variety of ionizers, and the environments within which they are used, will often require test methods different from those described in this document. Users of this document should be prepared to adapt the test methods as required to produce meaningful data in their own application of ionizers.

Similarly, the test conditions chosen in this document do not represent a recommendation for acceptable ionizer performance. There is a wide range of item sensitivities to static charge. There is also a wide range of environmental conditions affecting the operation of ionizers. Performance specifications should be agreed upon between the user and manufacturer of the ionizer in each application. Users of this document should be prepared to establish reasonable performance requirements for their own application of ionizers.

Annex B provides a method for measuring capacitance of the isolated conductive plate.

#### **ELECTROSTATICS -**

# Part 4-7: Standard test methods for specific applications – lonization

#### 1 Scope

This part of IEC 61340 provides test methods and procedures for evaluating and selecting air ionization equipment and systems (ionizers).

This document establishes measurement techniques, under specified conditions, to determine offset voltage (ion balance) and decay (charge neutralization) time for ionizers.

This document does not include measurements of electromagnetic interference (EMI), or the use of ionizers in connection with ordnance, flammables, explosive items or electrically initiated explosive devices.

As contained in this document, the test methods and test conditions can be used by manufacturers of ionizers to provide performance data describing their products. Users of ionizers are urged to modify the test methods and test conditions for their specific application in order to qualify ionizers for use, or to make periodic verifications of ionizer performance. The user will decide the extent of the data required for each application.

CAUTION: Procedures and equipment described in this document can expose personnel to hazardous electrical and non-electrical conditions. Users of this document are responsible for selecting equipment that complies with applicable laws, regulatory codes and both external and internal policy. Users are cautioned that this document cannot replace or supersede any requirements for personnel safety.

#### 2 Normative references

There are no normative references in this document.

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

#### 3.1

#### air conductivity

ability of air to conduct (pass) an electric current under the influence of an electric field

#### 3.2

#### air ions

molecular clusters of about ten molecules (water, impurities, etc.) bound by polarization forces to a singly charged oxygen or nitrogen molecule