

INTERNATIONAL STANDARD

**Coaxial communication cables –
Part 10: Sectional specification for semi-rigid cables with
polytetrafluoroethylene (PTFE) dielectric**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

generated by EVS



IEC 61196-10

Edition 1.0 2014-09

INTERNATIONAL STANDARD

**Coaxial communication cables –
Part 10: Sectional specification for semi-rigid cables with
polytetrafluoroethylene (PTFE) dielectric**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

ICS 33.120.10

ISBN 978-2-8322-1866-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|--|----|
| FOREWORD..... | 3 |
| 1 Scope..... | 5 |
| 2 Normative references | 5 |
| 3 Terms and definitions | 6 |
| 4 Materials and cable construction | 6 |
| 4.1 Cable construction | 6 |
| 4.2 Inner conductor..... | 6 |
| 4.3 Dielectric | 7 |
| 4.4 Outer conductor..... | 7 |
| 4.5 Sheath (when applicable)..... | 7 |
| 5 Standard rating and characteristics..... | 7 |
| 5.1 Characteristic impedance..... | 7 |
| 5.2 Rated temperature range | 7 |
| 6 Identification, marking and labeling..... | 8 |
| 6.1 Cable identification | 8 |
| 6.1.1 Type name | 8 |
| 6.1.2 Variants..... | 8 |
| 6.2 IEC marking..... | 8 |
| 6.3 Labelling | 8 |
| 7 Requirements of finished cables | 8 |
| 7.1 General..... | 8 |
| 7.2 Electrical requirements (see Table 1)..... | 8 |
| 7.3 Environmental requirements (see Table 2)..... | 10 |
| 7.4 Mechanical requirements (see Table 3)..... | 10 |
| 8 Delivery and storage..... | 11 |
| Annex A (informative) Quality assessment..... | 12 |
| A.1 General..... | 12 |
| A.2 Qualification approval and its maintenance | 12 |
| A.2.2 Capability approval | 14 |
| A.2.3 Quality conformance inspection | 14 |
| A.2.4 Periodic inspection | 16 |
| Bibliography..... | 17 |
| Table 1 – Electrical requirements..... | 9 |
| Table 2 – Environmental requirements | 10 |
| Table 3 – Mechanical requirements..... | 10 |
| Table A.1 – Qualification inspection | 13 |
| Table A.2 – Quality conformance inspection | 15 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COAXIAL COMMUNICATION CABLES –

**Part 10: Sectional specification for semi-rigid cables
with polytetrafluoroethylene (PTFE) dielectric**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61196-10 has been prepared by subcommittee 46A: Coaxial cables, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This first edition cancels and replaces IEC 61196-2 published in 1995. This edition constitutes a technical revision.

The text of this standard is based on the following documents:

| | |
|---------------|------------------|
| FDIS | Report on voting |
| 46A/1213/FDIS | 46A/1232/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This publication is to be read in conjunction with IEC 61196-1:2005.

A list of all parts in the IEC 61196 series, published under the general title *Coaxial communication cables*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

This document is a preview generated by EVS

COAXIAL COMMUNICATION CABLES –

Part 10: Sectional specification for semi-rigid cables with polytetrafluoroethylene (PTFE) dielectric

1 Scope

This part of IEC 61196 applies to semi-rigid coaxial communication cables with polytetrafluoroethylene (PTFE) dielectric and tubular outer conductor. These cables are intended for use in microwave and wireless equipments or other signal transmission equipments or units at frequencies above 500 MHz. It is to be read in conjunction with IEC 61196-1:2005.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*
IEC 60068-1:1988/AMD 1:1992

IEC 61169-4, *Radio-frequency connectors – Part 4: RF coaxial connectors with inner diameter of outer conductor 16 mm (0,63 in) with screw lock – Characteristic impedance 50 Ω ; (type 7-16)*

IEC 61196-1:2005, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC 61196-1-1, *Coaxial communication cables – Part 1-1: Capability approval for coaxial cables*

IEC 61196-1-101, *Coaxial communication cables – Part 1-101: Electrical test methods – Test for conductor d.c. resistance of cable*

IEC 61196-1-102, *Coaxial communication cables – Part 1-102: Electrical test methods – Test for insulation resistance of cable dielectric*

IEC 61196-1-103, *Coaxial communication cables – Part 1-103: Electrical test methods – Test for capacitance of cable*

IEC 61196-1-105, *Coaxial communication cables – Part 1-105: Electrical test methods – Test for withstand voltage of cable dielectric*

IEC 61196-1-108, *Coaxial communication cables – Part 1-108: Electrical test methods – Test for characteristic impedance, phase and group delay, electrical length and propagation velocity*

IEC 61196-1-112, *Coaxial communication cables – Part 1-112: Electrical test methods – Test for return loss (uniformity of impedance)*

IEC 61196-1-113, *Coaxial communication cables – Part 1-113: Electrical test methods – Test for attenuation constant*

IEC 61196-1-115, *Coaxial communication cables – Part 1-115: Electrical test methods – Test for regularity of impedance (pulse/step function return loss)*

IEC 61196-1-301, *Coaxial communication cables – Part 1-301: Mechanical test methods – Test for ovality*

IEC 61196-1-302, *Coaxial communication cables – Part 1-302: Mechanical test methods – Test for eccentricity*

IEC 61196-1-313, *Coaxial communication cables – Part 1-313: Mechanical test methods – Adhesion of dielectric and sheath*

IEC 61196-1-314, *Coaxial communication cables – Part 1-314: Mechanical test methods – Test for bending*

IEC 61196-1-318, *Coaxial communication cables – Part 1-318: Mechanical test methods – Heat performance tests*

IEC 62037-4:2012, *Passive RF and microwave devices, intermodulation level measurement – Part 4: Measurement of passive intermodulation in coaxial cables*

IEC 62230:2006, *Electric cables – Spark-test method*

ISO 2859-1:1999, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61196-1 as well as the following apply.

3.1

semi-rigid coaxial communication cable

coaxial line, not intended to be bent or flexed in service or not intended to be flexed after initial forming

Note 1 to entry: Any bending or flexing during installation or use may degrade the performance of cable. It is not intended to be bent after installation.

Note 2 to entry: The typical construction for this type of cables is a solid metallic core as inner conductor, polytetrafluoroethylene (PTFE) dielectric and a seamless copper or other metallic tubing outer conductor.

4 Materials and cable construction

4.1 Cable construction

The cable construction shall be in accordance with 4.2 to 4.5 of this standard and the requirements stated in the relevant detail specification.

4.2 Inner conductor

The inner conductor shall be in accordance with 4.4.1 of IEC 61196-1:2005.