property of the second of the **Temporary edge protection systems - Product** specification - Test methods



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 13374:2013 consists of the English text of the European standard EN 13374:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
, and the second	Date of Availability of the European standard is 08.05.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.340.99, 91.220

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 13374

NORME EUROPÉENNE EUROPÄISCHE NORM

May 2013

ICS 13.340.99; 91.220

Supersedes EN 13374:2004

English Version

Temporary edge protection systems - Product specification - Test methods

Garde-corps périphériques temporaires - Spécification du produit - Méthodes d'éssai

Temporäre Seitenschutzsysteme - Produktfestlegungen - Prüfverfahren

This European Standard was approved by CEN on 21 March 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Con	tents	Page
Forew	vord	4
1	Scope	
2	Normative references	6
3	Terms and definitions	_
4	Classification of edge protection systems	
4 4.1	Class A	
+. ı 4.2	Class B	
4.3	Class C	
5	Requirements	
5 5.1	General	
5.1.1	Basic requirements	
5.1.2	Nets	
5.1.3	Principal guardrail	
5.1.4	Toeboard	
5.2	Additional dimensional requirements for individual classes	12
5.2.1	Edge protection system class A	12
5.2.2	Edge protection system class B	12
5.2.3	Edge protection system class C	
5.3	Material requirements	
5.3.1	General	
5.3.2	Steel	
5.3.3	Timber	
5.3.4 5.4	Material for counterweightsStatic and dynamic design requirements for individual classes	
5.4 5.4.1	GeneralGeneral	
5.4.1 5.4.2	Edge protection system class A	14
5.4.3	Edge protection system class B	
5.4.4	Edge protection system class C	
_	Structural design	
6 6.1	Structural design	
ง. า 6.1.1	Introduction	
6.1.1 6.1.2	Method of design	
6.1.2 6.1.3	Ultimate limit state (fundamental and accidental loads)	
6.1.4	Serviceability limit state	
6.2	Partial safety factors	16
6.2.1	Ultimate limit state with fundamental loads	
6.2.2	Serviceability limit state	
6.2.3	Ultimate limit state with accidental loads	17
6.3	Static loads	
6.3.1	General	
6.3.2	Serviceability limit state	
6.3.3	Ultimate limit state - Point loads	
6.3.4	Ultimate limit state - Maximum wind load	
6.3.5	Ultimate limit state –Load combination	
6.3.6 6.3.7	Ultimate limit state - Load parallel to the edge protection systemUltimate limit state with accidental loads	
v.s./		
7	Test methods	
7.1	General	
7.2	Load application	
7.3	Sample to be tested	24

7.4 7.4.1	Tests for conformity with static load requirements for classes A and B General Tests for serviceability		
7.4.1			
7.4.3		gth	
7.5 7.5.1		ormity with dynamic load requirements for classes B and Ce for Class B	
7.5.2 7.6	Test procedu	e for Class C	27
8			
9			
10 10.1 10.2	Information to General requi	be given to the siterements	30
11		ents	
		Appropriate classes for the use at different inclinations and falling heights	
		0.	
		L:	

Foreword

This document (EN 13374:2013) has been prepared by Technical Committee CEN/TC 53 "Temporary works equipment", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2013, and conflicting national standards shall be withdrawn at the latest by November 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13374:2004.

Temporary edge protection systems are used in construction work, primarily to prevent persons and objects from falling to a lower level from roofs, edges, stairs and other areas where protection is required.

In most European countries temporary edge protection, or other types of fall protection devices, are required when a risk assessment identifies a fall risk regardless of height. In contrast to being secured by a lanyard, greater mobility in the working area is provided when edge protection is in place. The temporary edge protection can in some situations also act as a handrail for people to hold onto when working or walking close to an edge. COUNCIL DIRECTIVE 92/57/EEC was taken into consideration when reviewing this product standard.

While this standard also includes requirements to protect people from falling objects, e.g. by the provision of toeboards, there could be circumstances where this is insufficient and additional measures, which are beyond the scope of this document, will need to be taken.

Classes specified in this standard are intended to cater for the varied requirements appropriate for different uses.

It is important that the structure to which temporary edge protection is attached can support the load that the system is designed for.

This standard is a revised version of the 2004 version. In general, the following changes have been made:

- the normative references have been updated,
- most of the figures have been updated,
- three tables have been added to clarify design and test requirements,
- all testing related information from Clause 5 and 6 have been moved to Clause 7,
- subclause 5.3 has been simplified,
- subclause 6.1.3 has been added,
- subclause 6.3 has been clarified with table and pictures,
- Clause 7 has been rewritten in most parts,
- Annex A has been deleted, the former Annex B is now Annex A;

editorial changes and clarifications have been done.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech nar.
and, fre.
a Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the requirements and test methods for temporary edge protection systems for use during construction or maintenance of buildings and other structures.

This standard applies to edge protection systems for flat and inclined surfaces and specifies the requirements for three classes of temporary edge protection.

For edge protection systems with an arrest function (e.g. falling or sliding down a sloping roof) this standard specifies requirements for energy absorption.

This standard includes edge protection systems, some of which are fixed to the structure and others, which rely on gravity and friction on flat surfaces.

This standard does not provide requirements for edge protection systems intended for:

- protection against impact from vehicles or from other mobile equipment,
- protection from sliding down of bulk loose materials, snow etc,
- protection of areas accessible to the public.

This standard does not apply to side protection on scaffolds according to EN 12811-1 and EN 1004.

NOTE This does not prevent these systems to be used on temporary structures.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 74-1, Couplers, spigot pins and baseplates for use in falsework and scaffolds — Part 1: Couplers for tubes — Requirements and test procedures

EN 74-2, Couplers, spigot pins and baseplates for use in falsework and scaffolds — Part 2: Special couplers — Requirements and test procedures

EN 74-3, Couplers, spigot pins and baseplates for use in falsework and scaffolds — Part 3: Plain base plates and spigot pins — Requirements and test procedures

EN 338, Structural timber — Strength classes

EN 596, Timber structures — Test methods — Soft body impact test of timber framed walls

EN 1263-1, Safety nets — Part 1: Safety requirements, test methods

EN 1990, Eurocode — Basis of structural design

EN 1991-1-4, Eurocode 1: Actions on structures — Part 1-4: General actions — Wind actions

EN 1993-1-1, Eurocode 3: Design of steel structures — Part 1-1: General rules and rules for buildings

EN 1993-1-2, Eurocode 3: Design of steel structures — Part 1-2: General rules — Structural fire design

- EN 1993-1-3, Eurocode 3 Design of steel structures Part 1-3: General rules Supplementary rules for cold-formed members and sheeting
- EN 1993-1-4, Eurocode 3 Design of steel structures Part 1-4: General rules Supplementary rules for stainless steels
- EN 1993-1-5, Eurocode 3 Design of steel structures Part 1-5: Plated structural elements
- EN 1993-1-6, Eurocode 3 Design of steel structures Part 1-6: Strength and Stability of Shell Structures
- EN 1993-1-7, Eurocode 3 Design of steel structures Part 1-7: Plated structures subject to out of plane loading
- EN 1993-1-8, Eurocode 3: Design of steel structures Part 1-8: Design of joints
- EN 1993-1-9, Eurocode 3: Design of steel structures Part 1-9: Fatigue
- EN 1993-1-10, Eurocode 3: Design of steel structures Part 1-10: Material toughness and through-thickness properties
- EN 1993-1-11, Eurocode 3: Design of steel structures Part 1-11: Design of structures with tension components
- EN 1993-1-12, Eurocode 3: Design of steel structures Part 1-12: Additional rules for the extension of EN 1993 up to steel grades S 700
- EN 1993-2, Eurocode 3: Design of steel structures Part 2: Steel bridges
- EN 1993-3-1, Eurocode 3 Design of steel structures Part 3-1: Towers and masts and chimneys- Towers and masts
- EN 1993-3-2, Eurocode 3: Design of steel structures Part 3-2: Towers, masts and chimneys Chimneys
- EN 1993-4-1, Eurocode 3: Design of steel structures Part 4-1: Silos
- EN 1993-4-2, Eurocode 3: Design of steel structures Part 4-2: Tanks
- EN 1993-4-3, Eurocode 3: Design of steel structures Part 4-3: Pipelines
- EN 1993-5, Eurocode 3: Design of steel structures Part 5: Piling
- EN 1993-6, Eurocode 3: Design of steel structures Part 6: Crane supporting structures
- EN 1995-1-1, Eurocode 5 Design of timber structures Part 1-1: General Common rules and rules for buildings
- EN 1995-1-2, Eurocode 5 Design of timber structures Part 1-2: General Structural fire design
- EN 1995-2, Eurocode 5: Design of timber structures Part 2: Bridges
- EN 1999-1-1, Eurocode 9 Design of aluminium structures Part 1-1: General structural rules
- EN 1999-1-2, Eurocode 9 Design of aluminium structures Part 1-2: Structural fire design
- EN 1999-1-3, Eurocode 9: Design of aluminium structures Part 1-3: Structures susceptible to fatigue
- EN 1999-1-4, Eurocode 9 Design of aluminium structures Part 1-4: Cold formed structural sheeting

EN 1999-1-5, Eurocode 9 — Design of aluminium structures — Part 1-5: Shell structures

EN 12811-3:2002, Temporary works equipment — Part 3: Load testing

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

edge protection system

set of components intended to protect people from falling to a lower level and to retain materials

Note 1 to entry: see Figure 1

3.2

principal guardrail

rail or continuous element forming the top of the edge protection system

3.3

intermediate guardrail

rail or continuous element between the principal guardrail and the working surface

3.4

intermediate protection

protection barrier formed (e.g. as a fencing structure or a safety net) between the principal guardrail and the working surface

Note 1 to entry: see Figure 2.

3.5

toeboard

upstanding element provided specifically to prevent materials or persons from falling or sliding off a surface

3.6

post

principal vertical support of the edge protection system to which the guardrails and toeboards are attached

Note 1 to entry: Components 3.2 to 3.6 can be manufactured in full or part of an integrated edge protection system.

3.7

falling heigt, $H_{\rm f}$

vertical distance between the point on which a person may stand and the lowest point on the protection intended to arrest any fall

Note 1 to entry: See Figure 3.

3.8

height of the edge protection system

distance between the uppermost point of the principal guardrail and the working surface measured perpendicular to the working surface

3.9

working surface

surface on which persons stand, walk or work