

Maritime navigation and radiocommunication equipment and systems - Electronic chart display and information system (ECDIS) - Operational and performance requirements, methods of testing and required test results

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 61174:2015 sisaldab Euroopa standardi EN 61174:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 61174:2015 consists of the English text of the European standard EN 61174:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 06.11.2015.	Date of Availability of the European standard is 06.11.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 47.020.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Maritime navigation and radiocommunication equipment and
systems - Electronic chart display and information system
(ECDIS) - Operational and performance requirements, methods
of testing and required test results
(IEC 61174:2015)

Matériels et systèmes de navigation et de
radiocommunication maritimes - Systèmes de visualisation
des cartes électroniques et d'information (ECDIS) -
Exigences d'exploitation et de fonctionnement, méthodes
d'essai et résultats d'essai exigés
(IEC 61174:2015)

Navigations- und Funkkommunikationsgeräte und -systeme
für die Seeschifffahrt - Elektronisches Kartendarstellungs-
und Informationssystem (ECDIS) - Betriebs- und
Leistungsanforderungen, Prüfverfahren und geforderte
Prüfergebnisse
(IEC 61174:2015)

This European Standard was approved by CENELEC on 2015-09-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 80/761/FDIS, future edition 4 of IEC 61174, prepared by IEC/TC 80 "Maritime navigation and radiocommunication equipment and systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61174:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-06-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-09-23

This document supersedes EN 61174:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61174:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61162 series	NOTE Harmonized in EN 61162 series
IEC 61162-2:1998	NOTE Harmonized as EN 61162-2:1998 (not modified).
IEC 61162-3	NOTE Harmonized as EN 61162-3.
IEC 61162-460	NOTE Harmonized as EN 61162-460.
IEC 61966-4:2000	NOTE Harmonized as EN 61966-4:2000 (not modified).
IEC 62616:2010	NOTE Harmonized as EN 62616:2010 (not modified).
ISO 9001	NOTE Harmonized as EN ISO 9001.
ISO 9241-12	NOTE Harmonized as EN ISO 9241-12.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60945	-	Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results	EN 60945	-
IEC 61162-1	-	Maritime navigation and radiocommunication equipment and systems - Digital interfaces -- Part 1: Single talker and multiple listeners	EN 61162-1	-
IEC 61162-450	2011	Maritime navigation and radiocommunication equipment and systems - Digital interfaces -- Part 450: Multiple talkers and multiple listeners - Ethernet interconnection	EN 61162-450	2011
IEC 61924-2	2012	Maritime navigation and radiocommunication equipment and systems - Integrated navigation systems -- Part 2: Modular structure for INS - Operational and performance requirements, methods of testing and required test results	EN 61924-2	2013
IEC 61996-1	2013	Maritime navigation and radiocommunication equipment and systems - Shipborne voyage data recorder (VDR) -- Part 1: Performance requirements, methods of testing and required test results	EN 61996-1	2013

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62288	2014	Maritime navigation and radiocommunication equipment and systems - Presentation of navigation-related information on shipborne navigational displays - General requirements, methods of testing and required test results	EN 62288	2014
IEC 62388	2013	Maritime navigation and radiocommunication equipment and systems - Shipborne radar - Performance requirements, methods of testing and required test results	EN 62388	2013
ISO 8601	-	Data elements and interchange formats - Information interchange - Representation of dates and times	-	-
IHO M-3	2007	Resolutions of the IHO, Chapter A, Section-3, Technical Resolution 3.11	-	-
IHO S-52 Annex A	2014	IHO Presentation Library for ECDIS	-	-
IHO S-52 appendix 1	2012	Guidance on updating the electronic navigational chart	-	-
IHO S-52	2014	Specifications for Chart Content and Display Aspects of ECDIS	-	-
IHO S-57 appendix B.1	-	ENC product specification	-	-
IHO S-57	-	Transfer standard for digital hydrographic data	-	-
IHO S-61	1999	Product specification for raster navigational charts (RNC)	-	-
IHO S-63	-	IHO data protection scheme	-	-
IHO S-64	-	Test data sets for ECDIS	-	-
IMO A.694(17)	1991	General requirements for shipborne radio equipment forming part of the global maritime distress and safety system (GMDSS) and for electronic navigational aids	-	-
IMO MSC.191(79)	2004	Performance standards for the presentation of navigation-related information on shipborne navigational displays	-	-
IMO MSC.232(82)	2006	Adoption of the revised performance standards for electronic chart display and information systems (ECDIS)	-	-
IMO MSC.252(83)	-	Performance standards for integrated navigation systems (INS)	-	-
IMO MSC/Circular 982	2000	Guidelines on ergonomic criteria for bridge equipment and layout	-	-
IMO SN.1/Circular 266	2007	Maintenance of electronic chart display and information system (ECDIS) software	-	-
IMO SOLAS		Convention for safety of life at sea (SOLAS)	-	-

CONTENTS

FOREWORD	12
1 Scope	14
2 Normative references	14
3 Terms, definitions and abbreviations	16
3.1 Terms and definitions	16
3.2 Abbreviations	21
4 Minimum operational and performance requirements	22
4.1 General	22
4.2 ECDIS definitions	23
4.3 Display of SENC information	23
4.3.1 SENC	23
4.3.2 Indication about use of non-HO source	23
4.3.3 Categories of display	23
4.3.4 Safety contour	24
4.3.5 Safety depth	25
4.3.6 Information content	25
4.3.7 Verification and updates	25
4.3.8 Information about chart objects	25
4.3.9 Display scale	25
4.4 Provision and updating of chart information	25
4.4.1 Contents of the SENC	25
4.4.2 Updates	26
4.5 Scale	26
4.6 Display of other navigational information	26
4.6.1 General for all overlays	26
4.6.2 Radar information	27
4.6.3 AIS information	30
4.6.4 AIS target data	32
4.6.5 AIS voyage-related data	33
4.6.6 AIS CPA/TCPA alarms	33
4.6.7 AIS lost target warning	34
4.6.8 Anchor watch	34
4.7 Display mode and generation of the neighbouring area	35
4.8 Colours and symbols	35
4.9 Display requirements	36
4.9.1 Route planning and monitoring	36
4.9.2 Chart presentation size	36
4.9.3 Colour and resolution	36
4.9.4 Presentation	36
4.9.5 Removal of information categories	36
4.10 Route planning, monitoring and voyage recording	36
4.10.1 General	36
4.10.2 Route planning	37
4.10.3 Route monitoring	38
4.10.4 Position integration	40
4.10.5 Object information	41

4.10.6	LOP position fix	41
4.10.7	Voyage recording.....	41
4.11	Calculations and accuracy	42
4.12	Connections with other equipment (interfaces).....	42
4.12.1	Connection with navigation equipment	42
4.12.2	Connection with BAM.....	42
4.12.3	Connection with VDR.....	43
4.12.4	Connection with BNWAS.....	44
4.12.5	Connection for SENC information	44
4.12.6	Connection with NAVTEX or SafetyNET for MSI	44
4.12.7	Connection for transfer of route information	45
4.12.8	Connection with INS	46
4.13	Performance tests, malfunction alerts and indications	46
4.14	Back-up arrangements	46
4.15	Power supply	46
4.16	Software maintenance	46
4.17	Quality management requirements.....	47
4.18	Default control setting and saved user control settings.....	47
5	Requirements contained in IHO publications.....	49
5.1	Priority of chart display	49
5.2	Display of chart information	50
5.2.1	Scale and navigation purpose	50
5.2.2	Units and legend.....	50
5.2.3	Terminology.....	51
5.3	Display functions	51
5.3.1	Cursor pick	51
5.3.2	Navigational information	51
5.3.3	Date-dependant ENC objects.....	52
5.4	Supplementary display functions.....	52
5.4.1	Additional mariner's information.....	52
5.4.2	Additional non-HO information	52
5.4.3	Tidal adjustment	53
5.5	Use of the presentation library	53
5.5.1	Presentation library.....	53
5.5.2	Test diagrams.....	53
5.6	Display characteristics	53
5.7	Performance requirements.....	54
5.7.1	Redraw	54
5.7.2	Resolution	54
5.7.3	Symbols.....	54
5.7.4	Number of colours	55
5.7.5	Brightness and contrast	55
5.8	Ergonomic requirements	55
5.8.1	Mode and orientation	55
5.8.2	Windows	55
5.9	Update of chart information.....	56
5.9.1	General.....	56
5.9.2	Manual update	57
5.9.3	Semi-automatic update	58

5.9.4	Reception of updates	58
5.9.5	Sequence check	58
5.9.6	Consistency check	59
5.9.7	Geographic applicability	59
5.9.8	Summary report	59
5.9.9	Review of ENC updates	59
5.9.10	Modification of updates	59
5.10	Operational area	59
5.11	External removable media	60
6	Methods of testing and required test results	60
6.1	EUT installation, technical documentation, and test requirements	60
6.2	Interfaces	60
6.2.1	General	60
6.2.2	BAM interface	61
6.2.3	VDR interface	62
6.2.4	BNWAS interface	63
6.3	General requirements and presentation requirements	63
6.3.1	General requirements	63
6.3.2	Presentation requirements	63
6.4	Preparation	63
6.4.1	Power-up	63
6.4.2	Initial ship parameters	64
6.4.3	Required test items	64
6.5	Requirements related to ENC chart	64
6.5.1	General	64
6.5.2	Presentation library	65
6.5.3	ENC	65
6.5.4	Encrypted ENC	65
6.6	Accuracy	65
6.7	Visual requirements	65
6.7.1	Symbols	65
6.7.2	Terminology, units and legend	65
6.7.3	Colour table	65
6.7.4	Resolution	66
6.7.5	Display characteristics	66
6.8	Functional requirements	66
6.8.1	Methods of testing	66
6.8.2	Standard display	66
6.8.3	Display base	66
6.8.4	All other information	67
6.8.5	Viewing group layers and text group layers	67
6.8.6	Display priorities	67
6.8.7	Additional display functions	67
6.8.8	Scale and navigation purpose	67
6.8.9	Mode and orientation	68
6.8.10	Safety contour	68
6.8.11	Safety depth	68
6.8.12	Cursor pick	68
6.8.13	Navigation related functions	68

6.8.14	Position integration	69
6.8.15	Radar and other navigational information	69
6.8.16	Loading of corrupted data	72
6.8.17	Automatic updates	72
6.8.18	Manual updates	73
6.8.19	Self-tests of major functions.....	73
6.8.20	Operational area	73
6.8.21	External removable media.....	74
6.9	Operational requirements	74
6.9.1	Ergonomic principles.....	74
6.9.2	Route planning	74
6.9.3	Route monitoring	76
6.9.4	Twelve hour log	78
6.9.5	Voyage record	78
6.9.6	Power supply	78
6.9.7	LOP position fix	78
6.10	Software maintenance	79
6.11	Quality management	79
6.12	Default control setting and saved operator control settings	80
6.13	AIS information and AIS target data	80
6.13.1	General.....	80
6.13.2	AIS targets and data report capacity	80
6.13.3	AIS target filtering	80
6.13.4	Activation and deactivation of AIS targets	81
6.13.5	AIS functionality and presentation.....	81
6.13.6	AIS target data.....	82
6.13.7	AIS CPA/TCPA alarm.....	83
6.13.8	AIS lost target warning.....	83
6.14	AIS Voyage-related data	84
6.15	Anchor watch	84
6.16	NAVTEX and SafetyNET for MSI.....	85
6.17	Interface for transfer of route information	85
6.18	Interface with INS	86
Annex A (normative)	SENC information to be displayed during route planning and route monitoring	87
Annex B (normative)	Navigational elements and parameters.....	88
Annex C (normative)	Areas for which special conditions exist	89
Annex D (normative)	Alerts and indications.....	90
Annex E (normative)	Mandatory terminology and abbreviations	92
Annex F (normative)	Back-up arrangements	98
F.1	Overview.....	98
F.2	Purpose	98
F.3	Functional requirements.....	98
F.3.1	Required functions and their availability	98
F.3.2	Reliability and accuracy	102
F.3.3	Malfunctions, warnings, alerts and indications	102
F.4	Operational requirements.....	102
F.4.1	Ergonomics.....	102

F.4.2	Presentation of information	102
F.5	Power supply	103
F.6	Other requirement.....	103
F.6.1	Connection with other systems	103
F.6.2	Route transfer interface	104
F.6.3	Radar as back-up system.....	104
F.6.4	Operational area	104
F.6.5	Software maintenance	104
F.6.6	Quality management	104
F.6.7	Default Control Settings and Saved User Control Settings	104
F.6.8	External removable media.....	104
F.7	Methods of testing and required test results	105
F.7.1	EUT installation and technical documentation	105
F.7.2	Interfaces	105
F.7.3	General requirements and presentation requirements	105
F.7.4	Preparation.....	105
F.7.5	Initial data tests – Chart.....	106
F.7.6	Accuracy.....	106
F.7.7	Visual requirements	106
F.7.8	Functional requirements	106
F.7.9	Operational requirements.....	108
Annex G (normative)	ECDIS in the RCDS mode of operation	111
G.1	Overview.....	111
G.2	RCDS definitions	111
G.3	Display of SRNC information.....	112
G.3.1	SRNC	112
G.3.2	Categories of display	112
G.3.3	Power failure	112
G.3.4	Information content	112
G.3.5	Verification and updates	112
G.3.6	Indication	113
G.4	Provision and updating of chart information	113
G.4.1	Contents of the RNC	113
G.4.2	Updates	113
G.5	Scale	114
G.6	Display of other navigational information.....	114
G.6.1	General for all overlays.....	114
G.6.2	Radar information	114
G.6.3	AS information	115
G.6.4	AIS Target Data	115
G.6.5	AIS Voyage Related Data	115
G.6.6	AIS CPA/TCPA alarms.....	115
G.6.7	AIS lost target warning.....	115
G.6.8	Anchor watch	115
G.7	Display mode and generation of the neighbouring area	115
G.8	Colours and symbols.....	116
G.9	Display requirements	116
G.9.1	Route planning and monitoring	116
G.9.2	Display characteristics	116

G.9.3	Chart notes	117
G.10	Route planning, monitoring and voyage recording	117
G.10.1	General	117
G.10.2	Route planning	117
G.10.3	Route monitoring	117
G.10.4	Position integration	118
G.10.5	Object information	119
G.10.6	LOP position fix	119
G.10.7	Voyage recording	119
G.11	Calculations and accuracy	120
G.12	Connections with other equipment (interfaces)	120
G.13	Performance tests, malfunction alerts and indications	121
G.14	Back-up arrangements for RCDS mode of operation	121
G.15	Power supply for RCDS mode of operation	121
G.16	Requirements contained in IHO publications	122
G.16.1	Structure of RNC data	122
G.16.2	RNC data resolution and accuracy	122
G.16.3	RNC meta-data	122
G.16.4	RNC colours	122
G.16.5	RNC notes, diagrams, etc	123
G.16.6	Operational area	123
G.16.7	External removable media	123
G.17	Methods of testing and required test results	123
G.17.1	Preparation – Required test items	123
G.17.2	Initial data tests	124
G.17.3	Accuracy	124
G.17.4	Visual requirements	125
G.17.5	Functional requirements	126
G.17.6	Operational requirement	131
G.18	RNC test data set	134
Annex H (normative)	Alerts and indications in the RCDS mode of operation	135
Annex I (normative)	Scenario definitions and plots	136
I.1	Overview	136
I.2	Scenario 1:	137
I.3	Scenario 2:	138
I.4	Scenario 3:	140
I.5	Scenario 4:	141
Annex J (informative)	Guidance on geodetic calculations	144
J.1	Overview	144
J.2	Distance deviations between Great Circle (orthodrome) and Rhumb Line (loxodrome)	144
J.3	Bearing deviations at start point between Great Circle (orthodrome) and Rhumb Line (loxodrome)	145
Annex K (informative)	Guidance for testing	147
K.1	Methods of test derived from ISO 9241-12	147
K.2	Observation	147
K.3	Inspection of documented evidence	147
K.4	Measurement	147
K.5	Analytical evaluation	148

Annex L (informative) Examples of ENC Update Status Report	149
L.1 Overview.....	149
L.2 ENC Update Status Report – Summary.....	149
L.3 ENC Update Status Report – Full.....	150
L.4 ENC Management Report – Route Filtered	152
Annex M (normative) Elements of an electronic chart database	153
M.1 General.....	153
M.2 ECDIS implementation	153
M.3 Display base category.....	154
M.3.1 Coastline layer.....	154
M.3.2 Safety contour layer.....	155
M.3.3 Isolated underwater dangers layer	155
M.3.4 Isolated above-water dangers layer	155
M.4 Standard display category.....	156
M.4.1 Display base layer	156
M.4.2 Additional aids to navigation and fixed structures layer	156
M.4.3 Fairways layer	156
M.4.4 Conspicuous features layer.....	156
M.4.5 Prohibited and restricted areas layer.....	157
M.4.6 Ferry routes layer	157
M.4.7 Archipelagic sea lanes layer	157
M.4.8 Buoys and beacons layer.....	157
M.4.9 Traffic routing layer.....	157
M.5 All other information category	158
M.5.1 Information about the chart display layer.....	158
M.5.2 Natural and man-made features, Port features layer	158
M.5.3 Depth, currents, etc. layer.....	159
M.5.4 Seabed, obstructions, pipelines layer.....	160
M.5.5 Traffic routes layer.....	160
M.5.6 Special areas layer	160
M.5.7 Service and small craft facilities layer	161
M.6 Text grouping.....	161
M.6.1 Important Text group layer.....	161
M.6.2 Other Text group layer.....	161
Annex N (informative) Use cases for safety contour and safety depth	163
Annex O (informative) Guidelines on use of electronic chart systems in polar waters	165
O.1 Projection and coordinate system	165
O.2 Consistency	166
Annex P (normative) Scenarios for polar areas above 85° North	167
Annex Q (normative) IEC 61162 interfaces	173
Q.1 General.....	173
Q.2 VDR interface	176
Q.3 AIS interface and interrogation.....	176
Q.4 Route transfer interface	177
Q.5 BAM interface	177
Annex R (informative) Conversion between IEC 61162-1 sentences and IEC 61162-3 parameter group numbers.....	181
Annex S (normative) Route plan exchange format – RTZ	183

S.1	General.....	183
S.2	RTP Data container	184
S.3	High-level description of the RTZ format	185
S.4	Adaptation to third-party extensions	185
S.4.1	Generic idea	185
S.4.2	Unique identification of a waypoint.....	185
S.4.3	Creation of new waypoints	186
S.4.4	Change of geographic data for a waypoint	186
S.4.5	Waypoint removal	186
S.5	Detailed RTZ format description.....	186
S.5.1	File components	186
S.5.2	Route node description	186
S.5.3	RouteInfo node description	187
S.5.4	Waypoints node description	188
S.5.5	DefaultWaypoint node description.....	188
S.5.6	Waypoint node description.....	189
S.5.7	Storing date and time for legs	190
S.5.8	Schedules node description	190
S.5.9	Schedule node description.....	190
S.5.10	Extensions node description	192
S.5.11	Extension node description	193
S.6	XML schema to be met by RTZ route files.....	193
S.7	Basic RTZ route example	205
S.8	Example of the RTZ route with embedded extensions	206
S.9	UML model of the Route exchange format.....	207
Annex T (normative)	Interface for reporting route transfer	209
T.1	Route encapsulation format for transmitting RTZ over IEC 61162-450	209
T.2	RRT – Report route transfer	210
Annex U (normative)	Sentences used by SafetyNET	211
U.1	General.....	211
U.2	SM1 – SafetyNET Message, All Ships/NavArea	211
U.3	SM2 – SafetyNET Message, Coastal Warning Area	213
U.4	SM3 – SafetyNET Message, Circular Area Address	215
U.5	SM4 – SafetyNET Message, Rectangular Area Address.....	217
U.6	SMB – IMO SafetyNET Message Body.....	220
U.7	An example of use	221
Annex V (normative)	Extension of TTD sentence, Protocol version 1	222
V.1	General.....	222
V.2	TTD – Tracked target data, Protocol version 1	222
Annex W (normative)	Symbols	223
Bibliography.....		224
Figure F.1	Backup system logical interfaces	103
Figure I.1	Definition of elements of route	136
Figure I.2	Route for scenario 1.....	138
Figure I.3	Route for scenario 2.....	139
Figure I.4	Route for scenario 3.....	140

Figure I.5 – Route for scenario 4.....	143
Figure J.1 – Distance deviations between Great Circle and Rhumb Line	144
Figure J.2 – Bearing deviations at start point between Great Circle and Rhumb Line	146
Figure N.1 – Original situation	163
Figure N.2 – New situation.....	164
Figure P.1 – Examples of use of the tables	167
Figure Q.1 – ECDIS logical interfaces.....	173
Figure Q.2 – Alert reporting by ECDIS without escalation of a warning	177
Figure Q.3 – Alert reporting by ECDIS with escalation of a warning as alarm	178
Figure Q.4 – Alert reporting by ECDIS in case of remote acknowledge	178
Figure Q.5 – Alert reporting by ECDIS in case of remote silence.....	179
Figure Q.6 – Alert reporting by ECDIS in case of remote silence.....	180
Figure Q.7 – Alert reporting by ECDIS in case of remote silence.....	180
Figure S.1 – Description of route plan – Distance between WP 2 and WP 3	184
Figure S.2 – Description of route plan – Leg parameters belonging to WP 3	184
Figure S.3 – UML diagram	208
Figure T.1 – Examples of timing for route transfer.....	209
Table 1 – Tracked target display capacity	28
Table 2 – AIS display capacity	30
Table 3 – Control settings configured in response to ‘Default’ selection	47
Table D.1 – Alerts and indications resulting from IMO requirements.....	90
Table D.2 – Alerts and indications defined in this standard	91
Table E.1 – Chart display terminology.....	92
Table E.2 – Main function terminology	94
Table E.3 – Database terminology	95
Table E.4 – Route, route monitoring or route plan related terminology	96
Table H.1 – Alerts and indications in the RCDS mode of operation	135
Table J.1 – Rhumb Line distances	145
Table J.2 – Deviations from Great Circle distances	146
Table M.1 – Minimum ECDIS mariner viewing group layer selectors	153
Table M.2 – Minimum ECDIS mariner text group layer selectors	154
Table P.1 – Spatial control points from 85°N, 0°E as origin.....	168
Table P.2 – Spatial control points from 87°N, 0°E as origin	169
Table P.3 – Spatial control points from 89°N, 0°E as origin.....	170
Table P.4 – Spatial control points from 90°N, 0°E as origin, 180°E as origin of relative bearings.....	171
Table Q.1 – Mandatory sentences received by ECDIS	174
Table Q.2 – Optional sentences received by ECDIS.....	175
Table Q.3 – Mandatory sentences transmitted by the ECDIS	175
Table Q.4 – Optional sentences transmitted by the ECDIS.....	176
Table Q.5 – Mandatory information transmitted to the VDR.....	176
Table Q.6 – Information between the ECDIS and an ECDIS backup system.....	177

Table R.1 – Conversion from IEC 61162-1 to IEC 61162-3.....	181
Table R.2 – Conversion from IEC 61162-3 to IEC 61162-1.....	182
Table W.1 – Anchor watch symbol	223

This document is a preview generated by EVS

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS –

Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results

1 Scope

This International Standard specifies the performance requirements, methods of testing and required test results of equipment conforming to performance standards not inferior to those adopted by the IMO in resolution MSC.232(82).

This standard is based upon the performance standards of IMO resolution MSC.232(82), and is also associated with IMO resolution A.694(17) and IEC 60945. Reference is made, where appropriate, to IMO resolution MSC.232(82), and all subclauses whose wording is identical to that in the resolution are printed in italics.

In association with the above IMO resolution MSC.232(82), are the International Hydrographic Organization (IHO) publications¹. IHO S-32, IHO S-52, IHO S-57, IHO S-61, IHO S-63 and IHO S-64. This standard has included extracts from the above publications where they are applicable to this equipment. Where reference is made, all subclauses whose wording is identical to that in the publications, are printed in italics.

(232/A2.1) These performance standards should apply to all ECDIS equipment carried on all ships as follows:

- *dedicated standalone workstation.*
- *a multifunction workstation as part of an INS.*

(232/A2.2) These performance standards apply to ECDIS mode of operation, ECDIS in RCDS mode of operation as specified in Annex G and ECDIS backup arrangements as specified in Annex F.

(232/A2.3) Requirements for structure and format of the chart data, encryption of chart data as well as the presentation of chart data are within the scope of relevant IHO standards, including those listed in the normative references.

The requirements of this standard are not intended to prevent the use of new techniques in equipment and systems, provided the facilities offered are not inferior to those stated.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

¹ IHO publications are available from <http://www.iho.int>, together with any supplementary information.