

INTERNATIONAL
STANDARD

ISO
4618

NORME
INTERNATIONALE

Second edition
Deuxième édition
2014-10-15

Paints and varnishes — Terms and definitions

Peintures et vernis — Termes et définitions

Beschichtungsstoffe — Begriffe



Reference number
Numéro de référence
ISO 4618:2014(E/F)

© ISO 2014

This document is a preview generated by EMS



**COPYRIGHT PROTECTED DOCUMENT
DOCUMENT PROTÉGÉ PAR COPYRIGHT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie, l'affichage sur l'internet ou sur un Intranet, sans autorisation écrite préalable. Les demandes d'autorisation peuvent être adressées à l'ISO à l'adresse ci-après ou au comité membre de l'ISO dans le pays du demandeur.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland/Publié en Suisse

Contents

	Page
Foreword.....	v
1 Scope	1
2 Terms and definitions	1
Annex A (informative) Alphabetical index	30
Bibliography	41

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information.

The committee responsible for this document is ISO/TC 35, *Paints and varnishes*.

This second edition cancels and replaces the first edition (ISO 4618:2006), which has been technically revised.

The main changes are listed below.

- a) The following terms have been added: abrasion, aerosol, appearance, bubble, colour retention, dispersion, effect pigment, emulsion, functional pigment, nanoaerosol, nanocoating, nanodispersion, nanoemulsion, nanoextender, nanofilm, nano-object, nanopigment, nanoscale, nanostructured coating, nanosuspension, nanotexture, non-volatile matter by volume, overcoatability, performance, pourability (changed from flowability), reflow effect, rheopexy/rheoplectic behaviour, rust back (synonym for flash rust), rust bloom, scratch, scribe, shear-thickening flow behaviour/dilatant flow behaviour, shear-thinning flow behaviour/pseudoplastic flow behaviour, surface structure, suspension, texture, thixotropy/thixotropic behaviour, viscoelasticity, viscosity, yield point/yield stress/yield value.
- b) The following terms have been amended: adhesive strength, ageing, agglomerate, aggregate, airless spraying, anti-foaming agent, anti-fouling paint, application rate, barrier coating material, bleeding, binder, biocide, blistering (replaced by blister), blooming, brightness, chalking, coat, coating, coating material, coating process, cohesion, colour, colouring material, consistency/body, corrosion, cracking, cratering, crocodiling, crow's foot cracking, defoaming agent, de-nibbing, dirt pick-up, dirt retention, drying, durability, dyestuff, elasticity, etching, extender, feather edging, feeding, filler, filling, film, film formation, flash point, flexibility, floating, flooding, flow, flow agent, hardness, hiding power, holiday, hot spraying, hydrocarbon resin, impregnating material, in-can preservative, lap, leafing, mar resistance (changed to mar), masking, metamerism, non-volatile matter, paint, pigment, polymer dispersion, pot life, preparation grade, recoatability, resin, run, rust grade, sag, sagging, sheen, shelf life, shop primer, stopper, synthetic resin, thixotropic agent/thixotrope, varnish.
- c) The following terms have been deleted: blast primer, chromating, emulsion paint/latex paint, coverage (as synonym for hiding power), flowability (changed to pourability), hair cracking, opacity (as synonym for hiding power), high solids, miss (as synonym for holiday).

Paints and varnishes — Terms and definitions

1 Scope

This International Standard defines terms used in the field of coating materials (paints, varnishes and raw materials for paints and varnishes).

Terms relating to specific applications and properties are dealt with in standards concerning those applications and properties, e.g. corrosion protection, coating powders.

Terms on nanotechnologies are harmonized with ISO/TS 80004-4.

In addition to terms in English and French (two of the three official ISO languages), this International Standard gives the equivalent terms in German; these are published under the responsibility of the member body for Germany (DIN). However, only the terms and definitions given in the official languages can be considered as ISO terms and definitions.

NOTE 1 Those terms that are defined elsewhere in this International Standard are shown in *italics*.

NOTE 2 See also the ISO online browsing platform (OBP): <https://www.iso.org/obp/ui/>

2 Terms and definitions

2.1

abrasion

process of wearing away or deformation of a surface by friction as a result of rubbing

2.2

abrasive blast-cleaning

impingement of a high-kinetic-energy stream of an abrasive on the surface to be prepared

2.3

accelerator

additive that increases the speed of chemical reactions

2.4

acid value

number of milligrams of potassium hydroxide (KOH) required to neutralize 1 g of a sample under specified test conditions

2.5

acrylic resin

synthetic resin resulting from the polymerization or copolymerization of acrylic and/or methacrylic monomers, frequently together with other monomers

2.6

additive

any substance, added in small quantities to a *coating material*, to improve or otherwise modify one or more properties

2.7

adhesion

phenomenon of attachment at the interface between a solid surface and another material caused by molecular forces

Note 1 to entry: Adhesion should not be confused with *cohesion*.