

**Health informatics - Blood transfusion related
messages - Part 2: Production related messages
(BTR-PROD)**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-ENV 13730-2:2010 sisaldab Euroopa standardi ENV 13730-2:2002 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.09.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 18.09.2002.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-ENV 13730-2:2010 consists of the English text of the European standard ENV 13730-2:2002.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.09.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 18.09.2002.

The standard is available from Estonian standardisation organisation.

ICS 35.240.80

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

English version

Healthcare Informatics - Blood transfusion related messages -
Part 2: Production related messages (BTR-PROD)

This European Prestandard (ENV) was approved by CEN on 18 October 2001 as a prospective standard for provisional application.

The period of validity of this ENV is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the ENV can be converted into a European Standard.

CEN members are required to announce the existence of this ENV in the same way as for an EN and to make the ENV available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the ENV) until the final decision about the possible conversion of the ENV into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

CONTENTS

FOREWORD	5
INTRODUCTION.....	6
1 SCOPE.....	7
2 NORMATIVE REFERENCES.....	9
3 TERMS, DEFINITIONS AND ABBREVIATIONS.....	9
4 REQUIREMENTS	17
4.1 GENERAL CONFORMANCE REQUIREMENTS	17
4.2 IMPLEMENTATION RECOMMENDATIONS	17
5 COMMUNICATION ROLES	17
5.1 GENERAL	17
5.1.1 Sending role requirements	17
5.1.2 Receiving role requirements	17
5.2 USE CASE DIAGRAM AND SCENARIOS (GENERAL USE CASE).....	18
5.3 GROUP 2: MESSAGE SEQUENCES	20
5.3.1 Blood component production message domain	20
6 REQUIREMENTS AND GENERAL MESSAGE DESCRIPTIONS	22
6.1 CONFORMANCE REQUIREMENTS.....	22
6.2 GENERAL MESSAGE DESCRIPTIONS	22
6.3 BLOOD/BLOOD COMPONENT COLLECTION REQUEST MESSAGE	24
6.3.1 Scope of this message.....	24
6.3.2 Blood/blood component collection request message	26
6.4 BLOOD/BLOOD COMPONENT CLASSIFICATION REQUEST MESSAGE	27
6.4.1 Scope of this message.....	27
6.4.2 Blood/blood component classification request message.....	29
6.5 BLOOD/BLOOD COMPONENT CLASSIFICATION REPORT MESSAGE.....	30
6.5.1 Scope of the message.....	30
6.5.2 Blood/blood component classification report message.....	32
6.6 BLOOD/BLOOD COMPONENT COLLECTED DELIVERY NOTE MESSAGE.....	33
6.6.1 Scope of this message.....	33
6.6.2 Blood/blood component collected delivery note message.....	35
6.7 BLOOD COMPONENT REQUEST MESSAGE	36
6.7.1 Scope of this message.....	36
6.7.2 Blood component request message.....	38
6.8 BLOOD COMPONENT MANUFACTURED DELIVERY NOTE MESSAGE.....	39
6.8.1 Scope of this message.....	39
6.8.2 Blood component manufactured delivery note message.....	41
6.9 BLOOD COMPONENT PROCESSING REQUEST MESSAGE.....	42
6.9.1 Scope of this message.....	42
6.9.2 Blood component processing request message.....	44
6.10 BLOOD COMPONENT PROCESSED DELIVERY NOTE MESSAGE	45
6.10.1 Scope of this message.....	45
6.10.2 Blood component processed delivery note message.....	47
7 DOMAIN INFORMATION MODEL (DIM).....	48
7.1 INTRODUCTION	48
7.1.1 The modelling approach.....	49
7.1.2 Presentation of attributes from generalisations.....	49
7.2 GENERAL MESSAGE SUBSYSTEM	51
Class Descriptions	52
7.2.1 requested item message	52
7.2.2 issued item message.....	53
7.2.3 blood/blood components collector.....	54
7.2.4 blood components manufacturer.....	54
7.2.5 blood components dispenser.....	55
7.2.6 blood components processor	55
7.3 SPECIFIC MESSAGE SUBSYSTEM.....	56
Class Descriptions	57
7.3.1 original message identification	57
7.3.2 blood/blood component collection request message.....	57
7.3.3 blood/blood component classification request message	58
7.3.4 blood/blood component classification report message	58
7.3.5 blood/blood component collected delivery note message.....	58

7.3.6	blood component request message	59
7.3.7	blood component manufactured delivery note message	59
7.3.8	blood component processing request message	60
7.3.9	blood component processed delivery note message	60
7.4	COMMUNICATING PARTIES SUBSYSTEM	61
	Class descriptions	62
7.4.1	message sender	62
7.4.2	message receiver.....	62
7.5	HEALTHCARE AGENT SUBSYSTEM.....	63
	Class descriptions	63
7.5.1	healthcare agent in context	64
7.5.2	healthcare agent relationship	64
7.5.3	healthcare agent [3.30]	65
7.5.4	healthcare party [3.33].....	65
7.5.5	healthcare organisation [3.32]	66
7.5.6	healthcare professional [3.34].....	66
7.6	COLLECTED ITEM SUBSYSTEM	67
	Class descriptions	67
7.6.1	collected item.....	67
7.6.2	blood component [3.9].....	68
7.7	REQUESTED ITEM	70
	Class Descriptions	70
7.7.1	requested item.....	70
7.7.2	requested blood component information	71
7.7.3	delivery location	72
7.8	ISSUED ITEM SUBSYSTEM	73
	Class Descriptions	74
7.8.1	issued blood component	74
7.8.2	blood component characteristic	75
7.8.3	blood component unit	75
7.8.4	quantity of blood component	76
7.8.5	issued blood component administrative details	76
7.8.6	issued blood component information.....	77
7.8.7	unit (container) characteristic	77
7.9	PAYMENT GUARANTOR SUBSYSTEM	78
	Class Descriptions	79
7.9.1	payment details	79
7.9.2	payment guarantor	79
7.9.3	payment authorisation.....	80
7.10	LABORATORY INVESTIGATION SUBSYSTEM.....	81
7.10.1	laboratory investigation (ENV 1613)	82
7.10.2	requested laboratory investigation (ENV 1613)	82
7.10.3	laboratory investigation report (ENV 1613).....	82
7.11	BLOOD DONOR SUBSYSTEM.....	83
	Class Descriptions	83
7.11.1	blood donor [3.13].....	83
7.11.2	clinical information [3.18].....	84
7.11.3	clinical information item	84
7.12	COMMON SUBCLASSES	85
	Class Descriptions	85
7.12.1	address	85
7.12.2	event date and time	85
7.12.3	general message information	86
7.12.4	identifier	86
7.12.5	language details	87
7.12.6	measurement.....	87
7.12.7	message identification	87
7.12.8	party identifier	87
7.12.9	person name details	88
7.12.10	structured address	88
7.12.11	structured person name	89
7.12.12	time interval.....	89

7.12.13 time period..... 89

7.12.14 unstructured address 89

7.12.15 unstructured name details 90

7.12.16 value of quantity 90

ANNEX A (INFORMATIVE) HOW TO READ THE MODELS 91

**ANNEX B (INFORMATIVE) COMPOUND AND SIMPLE DATA TYPES RATIONALE AND HOW TO
USE THE DATA TYPES IN MESSAGES..... 96**

ANNEX C (NORMATIVE) GUIDE TO USAGE OF CEN/TC 251/ENV 1613..... 101

INDEX..... 110

This document is a preview generated by EVS

Foreword

This document (ENV 13730-2:2002) has been prepared by Technical Committee CEN/TC 251 “Health informatics”, the secretariat of which is held by SIS.

It was developed by Project Team 32 under mandate M/255 given by the European Commission and the European Free Trade Association, order voucher BC/CEN/97/23.

This is Part 2 of a multipart standard (ENV 13730) under the general heading *Health informatics – Blood transfusion related messages* with the following parts:

Part 1: Subject of care related messages

Part 2: Production related messages

Annex C of this European Prestandard is normative, all other annexes are informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this European Prestandard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

Part 2 of this European Prestandard (ENV) provides a set of messages that enables the electronic transfer of messages in the blood transfusion domain.

The motivation for this ENV derives from a combination of the following factors:

Electronic messages developed in the Healthcare Informatics domain contain sensitive healthcare information about specified individuals that requires a high level of confidence both in the parties sending and receiving messages and that the information being made available is unchanged. Standards are required to facilitate electronic transfer of blood transfusion related messages and reports between the many systems currently used. Information transferred in the blood transfusion related messages and any reports passing between healthcare parties form part of the information system of each of the communicating parties. Electronic transfer of these blood transfusion related messages and reports reduces the need for manual entry and the risk of transcription errors. It also results in greater efficiency leading to better healthcare provision.

This ENV has been developed following the methods recommended in the CEN Report on "Medical Informatics - Methodology for the development of healthcare messages" (CR 12587:1996). However, in accord with the decisions of CEN TC251 WG1, a different modelling technique has been used. This is a subset of the Unified Modelling Language (UML) as documented in Annex A.

This ENV specifies messages in a syntax independent form. Its requirements for conformance define the minimum acceptable content and structure for these messages. Compliant messages can be developed in a variety of implementation syntaxes and these syntax specific implementations may be the subject of future Standards.

This ENV is directly relevant to suppliers of computer systems for use in development. Its provisions are also relevant to those planning, specifying, procuring or implementing information systems for use in the blood transfusion domain.

Particular note for implementers: Some attributes may have the same title but modified in meaning for use in Part two than in Part one.

1 Scope

Transfusion of blood [3.7] and blood components [3.9] (blood products) to subjects of care [3.48] is a medical activity that is subject to many legal regulations and constraints. Many problems may be encountered during treatment due to immunological conditions, transmitted diseases, sustainability and other difficulties. Mistakes and failures may have serious or even fatal consequences. Minimising human activity through the increased use of data processing and automated messaging will introduce an additional safety mechanism.

This ENV specifies general messages [3.41] for electronic information interchange between computer systems used by healthcare [3.29] parties [3.33] in the blood transfusion [3.16] domain. The content and structure of the messages specified in this ENV have been developed with the aim of optimising the safety of blood transfusion activity and to facilitate compliance monitoring and secure audit trails [3.2].

This ENV is applicable to blood transfusion related messages including those for:

- the collection of blood/blood components [3.22] from blood donor
- manufacturing [3.40] and processing [3.44] of blood components
- classification [3.19] of blood donations
- issue of blood components to the blood components dispenser

Within the blood transfusion process there are a number of actors:

- (1) The blood components *dispenser* [3.10] obtains blood components and blood products from one or more providers, then stores and dispenses them to the user, in some countries this function is known as the Hospital Blood Bank. This actor may appear as a separate entity, or as subdivision, within either the class producer or user. In certain circumstances communication may be required with a different blood components dispenser or with all dispensers within another region or a country.
- (2) The blood components *manufacturer* [3.11] prepares blood components for transfusion from donor blood and issues blood components to the blood components dispenser [3.10] a blood components processor or to another blood components manufacturer. In many countries the production process utilises a special blood transfusion data system providing internal communications between the subdivisions (blood collection, collected blood classification [3.17], manufacturing of blood components [3.40], processing of blood components [3.52]), and issues blood components to a blood components *dispenser*.
- (3) The blood components *processor* [3.12] receives blood components from a blood components manufacturer [3.11] for processing into blood products.
- (4) The *Laboratory service provider* [3.39] provides a laboratory service (serological, biochemical, bacteriological and virological analyses), to classify a sample of donor blood received from the blood/blood components collector. The laboratory can be an integral part of the healthcare organisation.
- (5) The *blood /blood components collector* [3.8] provides the service of collecting blood from a blood donor, to be delivered to the manufacturer, and to forward a sample of the blood to the *Laboratory service provider* [3.46] for the classification of blood donation [3.17].

The messages identified within scope are :

The messages used in :

- collection,
- classification
- production activities

They communicate messages between separately organised units within blood collection and production.

Communication between the following parties should be exchanged according to ENV 1613 :

- the blood/blood components collector and the laboratory service provider
- the laboratory service provider and the blood/blood components manufacturer

Production related messages:

The use of the messages are dependent on the administrative procedures of the transfusion service provider and are concerned with:

Blood/blood component collection request
 Blood/blood component classification request
 Blood/blood component classification report
 Blood/blood component collected delivery note
 Blood component request
 Blood component manufactured delivery note
 Blood component processing request
 Blood component processed delivery note

Messages for the transmission of Requests for blood components, covered by the scope of this ENV, shall enable electronic interchange of the semantic content defined in the General Message Descriptions (GMDs) for Request for blood components in clause 6.

Messages for transmission of blood collection requests, covered by the scope of this ENV, shall enable electronic interchange of the semantic content defined in the GMDs for blood collection requests in clause 6.

Messages for transmission of blood component classification requests/reports, covered by the scope of this ENV, shall enable electronic interchange of the semantic content defined in the GMDs for blood component classification request/reports in clause 6.

Messages for transmission of blood component processing requests, covered by the scope of this ENV, shall enable electronic interchange of the semantic content defined in the GMDs for blood component processing requests in clause 6.

Messages for transmission of blood component manufacturing delivery note and blood component processing delivery note, covered by the scope of this ENV, shall enable electronic interchange of the semantic content defined in the GMDs for blood component manufactured delivery notes in clause 6.

Messages for transmission of blood component processed delivery notes, covered by the scope of this ENV, shall enable electronic interchange of the semantic content defined in the GMDs for blood component processed delivery notes in clause 6.

Messages for transmission of applicative acknowledgement of the above messages covered by the scope of this ENV are defined at an application level (ISO 9735-6:1999). They do not interfere with similar messages at lower levels. These messages are reports that the target applicant has received the message, and whether or not the message can be processed normally.

Implementable message specifications (IMS) [3.37] shall conform to the GMDs defined in this ENV. They shall support both mandatory and optional objects, attribute [3.1] groups and attributes as defined in the GMDs of this ENV. They shall also support the relationships between objects as defined by the GMDs.

Implementable message specifications should be expressed in terms of a syntax that is an International Standard [3.55] except where the healthcare user requirements cannot be met by using such a standard syntax.

When implementing information exchange based upon this ENV, all generated messages must be acknowledged by the receiver.

When implementing information exchange based upon this ENV, data protection and confidentiality principles have to be guaranteed according to the laws actually in force in the different CEN member countries. The mechanisms needed to secure data integrity [3.24], data protection and confidentiality, authentication [3.3] of communicating parties and subjects of care are outside the scope of this ENV.

While the messages specified in this ENV may convey clinical and administrative information concerning subjects of care, the way in which this information is treated in this ENV does not constrain the development of future standards for the electronic healthcare record [3.27] or for other clinical and administrative messages.

The provisions of this ENV have been validated for the purposes described above. However, since the messages described in this ENV are designed for general application in the blood transfusion domain, the users are required to decide for themselves whether or not these messages meet their particular requirements. A requirement for using other messages, e.g. generic messages for cancellation or acknowledgement, in addition to or instead of messages specified in this ENV, does not invalidate the use of this ENV.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

ISO 2382-4:1987	Information processing - Vocabulary Part 4: Organisation of data
ISO 5281 : 1997	Information interchange - Representation of human sexes
ISO/IEC 7826-1 : 1994	Information technology - General structure for the interchange of code values - Part 1 : Identification of coding schemes
ISO/IEC 7826-2 : 1994	Information technology - General structure for the interchange of code values - Part 1 : Registration of coding schemes
ENV 12539: 1997	Medical informatics – Request and report messages for diagnostic services departments
ENV 1613 : 1995	Medical informatics - messages for exchange of laboratory informations

3 Terms, definitions and abbreviations

For the purposes of this European Prestandard (ENV), the following terms and definitions (listed in alphabetical order) apply:

3.1

attribute

characteristic of an object or entity

3.2

audit trail

record of the resources which were accessed and/or used by whom.

Note: This may involve a formal monitoring technique for comparison between the actual use of a medical information system and pre-established criteria

[ISO 7498 – 2]

3.3

authentication

process of reliably identifying security subjects by securely associating an identifier and its authenticator

[ISO 7498 –2]

3.4

autologous transfusion

transfusion of any blood component that was donated by a blood donor who is also the subsequent recipient