

This document is a preview generated by EVS

Stationary source emissions - Determination of mass concentration of sulphur oxides - Standard reference method

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 14791:2017 sisaldab Euroopa standardi EN 14791:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 14791:2017 consists of the English text of the European standard EN 14791:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 11.01.2017.	Date of Availability of the European standard is 11.01.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 13.040.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

## Stationary source emissions - Determination of mass concentration of sulphur oxides - Standard reference method

Emissions de sources fixes - Détermination de la concentration massique des oxydes de soufre - Méthode de référence normalisée

Emissionen aus stationären Quellen - Bestimmung der Massenkonzentration von Schwefeloxiden - Standardreferenzverfahren

This European Standard was approved by CEN on 26 September 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

# Contents

Page

European foreword.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	7
4 Symbols and abbreviations.....	13
4.1 Symbols.....	13
4.2 Abbreviated terms.....	14
5 Principle.....	14
5.1 General.....	14
5.2 Measuring principle.....	14
6 Description of measuring system.....	15
6.1 Reagents.....	15
6.1.1 General.....	15
6.1.2 Hydrogen peroxide.....	15
6.1.3 Water.....	15
6.1.4 Absorption solution, H <sub>2</sub> O <sub>2</sub> .....	15
6.1.5 Reagents for chromatographic analysis.....	15
6.1.6 Reagent for Thorin analysis.....	16
6.2 Sampling equipment.....	17
6.2.1 General.....	17
6.2.2 Sampling probe.....	17
6.2.3 Filter housing.....	17
6.2.4 Particle filter.....	18
6.2.5 Temperature controller.....	18
6.2.6 Absorbers.....	18
6.2.7 Sample gas pump.....	18
6.2.8 Gas volume meter.....	18
6.3 Analysis equipment.....	19
6.3.1 Ion chromatograph.....	19
6.3.2 Thorin method.....	19
7 Performance characteristics of the SRM.....	20
7.1 General.....	20
7.2 Performance characteristics of the sampling system.....	21
7.3 Performance characteristics of the analysis.....	21
7.3.1 Sources of uncertainty.....	21
7.3.2 Performance criterion of analysis.....	22
7.4 Establishment of the uncertainty budget.....	22
8 Field operation.....	23
8.1 Measurement planning.....	23
8.2 Sampling strategy.....	23
8.2.1 General.....	23
8.2.2 Measurement section and measurement plane.....	23

8.2.3	Minimum number and location of measurement points .....	24
8.2.4	Measurement ports and working platform.....	24
8.3	Assembling the equipment.....	24
8.4	Heating of the sample gas line .....	24
8.5	Leak test.....	24
8.6	Performing sampling.....	25
8.6.1	Introduction of the sampling probe in the duct .....	25
8.6.2	Sampling .....	25
8.6.3	Rinsing of the sampling system and preparation of the samples .....	25
8.7	Measurement series .....	26
8.8	Field blank.....	26
8.9	Absorption efficiency .....	26
8.9.1	General .....	26
8.9.2	Test of absorption efficiency .....	26
9	Analytical procedure .....	27
9.1	General .....	27
9.2	Ion Chromatography method.....	27
9.2.1	General procedure .....	27
9.2.2	Interferences.....	28
9.2.3	Calibration.....	28
9.3	Thorin Method.....	29
9.3.1	Pre-treatment of sample solution before analysis for Thorin method.....	29
9.3.2	General procedure .....	29
9.3.3	Preparation of a chemical blank solution.....	30
9.3.4	Interferents.....	30
10	Expression of results .....	31
11	Equivalence of Thorin and ion chromatography methods.....	33
11.1	General .....	33
11.2	Range.....	33
11.3	Matrix effect.....	33
11.4	Comparison of repeatability and trueness.....	33
12	Equivalence of an alternative method .....	34
13	Measurement report .....	34
Annex A (informative) Validation of the method in the field.....		35
A.1	General .....	35
A.2	Round robin test of analytical methods .....	35
A.3	Field tests.....	36
A.3.1	General .....	36
A.3.2	Characteristics of installations .....	36
A.3.3	Limits of quantification .....	38
A.3.4	Repeatability and reproducibility .....	38
A.3.4.1	General .....	38
A.3.4.2	Repeatability .....	39
A.3.4.3	Reproducibility.....	41
A.3.5	Absorption efficiency .....	42

<b>Annex B (informative) Examples of absorbers.....</b>	<b>43</b>
<b>Annex C (informative) Example of assessment of compliance of standard reference method for SO<sub>2</sub> with requirements on emission measurements .....</b>	<b>44</b>
<b>C.1 Introduction .....</b>	<b>44</b>
<b>C.2 Elements required for the uncertainty determinations .....</b>	<b>44</b>
<b>C.3 Example of an uncertainty calculation .....</b>	<b>44</b>
<b>C.3.1 Specific conditions in the field.....</b>	<b>44</b>
<b>C.3.2 Performance characteristics.....</b>	<b>46</b>
<b>C.3.3 Model equation and application of rule of uncertainty propagation.....</b>	<b>47</b>
<b>C.3.3.1 Concentration of SO<sub>2</sub> .....</b>	<b>47</b>
<b>C.3.3.2 Calculation of the combined uncertainty of <math>V_{m,ref}</math> and <math>C_m</math> .....</b>	<b>48</b>
<b>C.3.3.3 Calculation of sensitivity coefficients .....</b>	<b>48</b>
<b>C.3.3.4 Results of the standard uncertainties calculations.....</b>	<b>49</b>
<b>C.3.4 Estimation of the combined uncertainty .....</b>	<b>52</b>
<b>Annex D (informative) Type of sampling equipment.....</b>	<b>53</b>
<b>Annex E (informative) Example of comparison of repeatability and trueness of Thorin Method and Ion Chromatography Method.....</b>	<b>54</b>
<b>Annex F (informative) Calculation of the uncertainty associated with a concentration expressed on dry gas and at an oxygen reference concentration .....</b>	<b>64</b>
<b>F.1 Uncertainty associated with a concentration expressed on dry gas .....</b>	<b>64</b>
<b>F.2 Uncertainty associated with a concentration expressed at a oxygen reference concentration .....</b>	<b>66</b>
<b>Annex G (informative) Significant technical changes .....</b>	<b>68</b>
<b>Bibliography.....</b>	<b>69</b>

## European foreword

This document (EN 14791:2017) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This document supersedes EN 14791:2005.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2017, and conflicting national standards shall be withdrawn at the latest by July 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Annex G provides details of significant technical changes between this document and the previous edition.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies the standard reference method (SRM) for the determination of the sulphuric oxide SO<sub>2</sub> in flue gases emitted to the atmosphere from ducts and stacks. It is based on a sampling system and two analytical principles: ion chromatography and the Thorin method.

This European Standard specifies the performance characteristics to be determined and the performance criteria to be fulfilled by measuring systems based on the measurement method. It applies to periodic monitoring and to the calibration or control of automatic measuring systems (AMS) permanently installed on a stack, for regulatory or other purposes.

This European Standard specifies criteria for demonstration of equivalence of an alternative method to the SRM by application of EN 14793:2017.

This European Standard has been validated during field tests on waste incineration, co-incineration and large combustion installations. It has been validated for sampling periods of 30 min in the range of 0,5 mg/m<sup>3</sup> to 2 000 mg/m<sup>3</sup> of SO<sub>2</sub> for an ion-chromatography variant and 5 mg/m<sup>3</sup> to 2 000 mg/m<sup>3</sup> of SO<sub>2</sub> for the Thorin method according to emission limit values laid down in the Directive 2010/75/EU.

NOTE 1 Emission limit values for SO<sub>2</sub> laid down in the Directive 2010/75/EU are in the range of 30 mg/m<sup>3</sup> to 800 mg/m<sup>3</sup>.

The emission limit values of EU Directives are expressed in units of mg/m<sup>3</sup> of SO<sub>2</sub> on dry basis and at standard conditions of 273 K and 101,3 kPa.

NOTE 2 The characteristics of installations, the conditions during field tests and the values of repeatability and reproducibility in the field are given in Annex A.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 13284-1:2015, *Stationary source emissions – Determination of low range mass concentration of dust – Part 1: Manual gravimetric method*

EN 14793:2017, *Stationary source emission – Demonstration of equivalence of an alternative method with a reference method*

EN 15259:2007, *Air quality - Measurement of stationary source emissions - Requirements for measurement sections and sites and for the measurement objective, plan and report*

EN ISO 14956:2002, *Air quality - Evaluation of the suitability of a measurement procedure by comparison with a required measurement uncertainty (ISO 14956:2002)*

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*