## INTERNATIONAL STANDARD

ISO 17190-7

First edition 2001-12-01

Urine-absorbing aids for incontinence — Test methods for characterizing polymer-based absorbent materials —

Part 7: Gravimetric determination of absorption under pressure

Aides pour absorption d'urine — Méthodes d'essai pour caractériser les matériaux absorbants à base de polymères —

Partie 7: Détermination gravimétrique du pouvoir d'absorption sous pression



Reference number ISO 17190-7:2001(E)

#### **PDF** disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

this document is a preview denerated by FLS.

© ISO 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.ch Web www.iso.ch

Printed in Switzerland

## Contents

Forewo	ordi	v
Introdu	iction	v
1	Scope	1
2	Normative references	1
3	Principle	1
4	Reagents	1
5	Apparatus	2
6	Apparatus	3
7	Procedure	4
8	Calculation	4
9	Precision	5
10	Test report	5
Annex	A (informative) Recommendations for special cases of different cylinder diameters and	•
_	pressures	
Annex B (informative) Statistical results of interlationatory tests		
	B (informative) Statistical results of interlationatory tests	
	2	
	<sup>o</sup>	
	0,	
	T.	
	~	

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

0

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are culated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 17190 may be the subject of patent rights. ISO shall not be held responding for identifying any or all such patent rights.

International Standard ISO 17190-7 was prepared by Technical Committee ISO/TC 173, *Technical systems and aids for disabled or handicapped persons*, Subcommittee SC 3, *Aids for ostomy and incontinence*.

ISO 17190 consists of the following parts, under the general title Urine-absorbing aids for incontinence - Test methods for characterizing polymer-based absorbent materials:

- Part 1: Determination of pH
- Part 2: Determination of amount of residual monomers
- Part 3: Determination of particle size distribution by sieve fractionation
- Part 4: Determination of moisture content by mass loss upon heati
- Part 5: Gravimetric determination of free swell capacity in saline soluti
- Part 6: Gravimetric determination of fluid retention capacity in saline solution after centrifugation
- Part 7: Gravimetric determination of absorption under pressure
- Part 8: Gravimetric determination of flowrate
- Part 9: Gravimetric determination of density
- DY FLYS Part 10: Determination of extractable polymer content by potentiometric titration
- Part 11: Determination of content of respirable particles

ISO 17190 is intended to be used in conjunction with ISO 17191, Urine-absorbing aids for incontinence — Airborne polyacrylate superabsorbent material in the workplace — Determination of the content in respirable dust by sodium atomic absorption spectrometry.

Annexes A and B of this part of ISO 17190 are given for information only.

## Introduction

ISO 17190 consists of a series of test methods originally developed by *European Disposables and Nonwovens Association (EDANA)*. These test methods have been incorporated without technical changes into one International Standard consisting of eleven parts.

Standard consisting of eleven pars. These test methods there been in practical use for several years, and have proven to be reliable with respect to common criteria of outly of test methods (validity, repeatability, etc.). They are applicable to polyacrylate superabsorbent materials which occur in hygiene products, including urine-absorbing aids for incontinent persons. The test methods are addressed to the *material* exclusively. They are not intended to be used, and are not applicable for use with finisher manufactured urine-absorbing aids. These test methods have been in practical use for several years, and have proven to be reliable with respect to

this document is a preview denerated by EUS

# Urine-absorbing aids for incontinence — Test methods for characterizing polymer-based absorbent materials —

## Part 7: Gravimetric determination of absorption under pressure

#### 1 Scope

This part of ISO 17190 specifies a method for determining the capacity of polyacrylate (PA) superabsorbent powders to absorb saline solution under a specified pressure.

This method is applicable to materials having maximum 0,1 % of the particle size distribution below 45 µm.

#### 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 17190. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 17190 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 187, Paper, board and pulps — Standard atmosphere conditioning and testing and procedure for monitoring the atmosphere and conditioning of samples

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 5725-2, Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method

### 3 Principle

The test portion is weighed and spread on the bottom filter screen closing a specified cylinder. A uniform pressure is first applied to the test portion. The cylinder then is placed on a filter plate which is placed in a petri dish filled with saline solution. After an absorption contact time of 1 h, the cylinder is removed from the filter plate and weighed to determine the amount of fluid absorbed.

#### 4 Reagents

Use only reagents of recognized analytical grade, unless otherwise specified.

- 4.1 Water, complying with ISO 3696.
- **4.2** Sodium chloride solution, c(NaCl) = 0.9 % by mass.