

TOIDUAHELA MIKROBIOLOOGIA.
HORISONTAALMEETOD LISTERIA MONOCYTOGENES'E
JA LISTERIA SPP. TUVASTAMISEKS JA LOENDAMISEKS.
OSA 1: TUVASTAMISMEETOD

Microbiology of the food chain - Horizontal method for
the detection and enumeration of *Listeria*
monocytogenes and of *Listeria* spp. - Part 1: Detection
method (ISO 11290-1:2017)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 11290-1:2017 sisaldab Euroopa standardi EN ISO 11290-1:2017 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 11290-1:2017 consists of the English text of the European standard EN ISO 11290-1:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 14.06.2017.	Date of Availability of the European standard is 14.06.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 07.100.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Microbiology of the food chain - Horizontal method for the
detection and enumeration of *Listeria monocytogenes* and
of *Listeria* spp. - Part 1: Detection method (ISO 11290-
1:2017)

Microbiologie de la chaîne alimentaire - Méthode
horizontale pour la recherche et le dénombrement de
Listeria monocytogenes et de *Listeria* spp. - Partie 1:
Méthode de recherche (ISO 11290-1:2017)

Mikrobiologie der Lebensmittelkette - Horizontales
Verfahren für den Nachweis und die Zählung von
Listeria monocytogenes und von *Listeria* spp. - Teil 1:
Nachweisverfahren (ISO 11290-1:2017)

This European Standard was approved by CEN on 6 April 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 11290-1:2017) has been prepared by Technical Committee ISO/TC 34 “Food products” in collaboration with Technical Committee CEN/TC 275 “Food analysis - Horizontal methods” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11290-1:1996.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11290-1:2017 has been approved by CEN as EN ISO 11290-1:2017 without any modification.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	2
4.1 General	2
4.2 Primary enrichment in a selective liquid enrichment medium with reduced concentration of selective agents (half-Fraser broth)	2
4.3 Secondary enrichment with a selective liquid enrichment medium with full concentration of selective agents (Fraser broth)	3
4.4 Plating out and identification	3
4.5 Confirmation	3
5 Culture media and reagents	3
6 Equipment and consumables	3
7 Sampling	4
8 Preparation of test sample	4
9 Procedure	4
9.1 Test portion and initial suspension	4
9.2 Primary enrichment	4
9.3 Secondary enrichment	5
9.4 Plating out and identification	5
9.4.1 General	5
9.4.2 Agar <i>Listeria</i> according to Ottaviani and Agosti	5
9.4.3 Second selective medium	6
9.5 Confirmation of <i>Listeria monocytogenes</i> or <i>Listeria</i> spp.	6
9.5.1 Selection of colonies for confirmation	6
9.5.2 Confirmation of <i>L. monocytogenes</i>	6
9.5.3 Confirmation of <i>Listeria</i> spp.	10
9.6 Interpretation of morphological and physiological properties and of the biochemical reactions	11
9.7 Additional characterization of isolated strains (optional)	11
10 Expression of results	11
11 Performance characteristics of the method	11
11.1 Method validation studies	11
11.2 Sensitivity	11
11.3 Specificity	11
11.4 Level of detection (LOD ₅₀)	11
12 Test report	12
13 Quality assurance	12
Annex A (normative) Diagram of procedure	13
Annex B (normative) Composition and preparation of culture media and reagents	14
Annex C (informative) Distinction of <i>Listeria</i> spp. from other genera	27
Annex D (informative) Reactions for the identification of <i>Listeria</i> species	28
Annex E (informative) <i>Listeria</i> selective agars	30

Annex F (informative) Results of the interlaboratory studies for detection of <i>Listeria monocytogenes</i>	31
Bibliography	35

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 275, *Food analysis — Horizontal methods*, in collaboration with ISO Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 9, *Microbiology*, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 11290-1:1996), which has been technically revised. It also incorporates the amendment ISO 11290-1:1996/Amd.1:2004.

The main changes, compared to ISO 11290-1:1996, are the following.

- The detection of *Listeria monocytogenes* has been modified as listed below.
- Primary enrichment in half-Fraser broth: incubation for 25 h $\pm$ 1 h.
- Secondary enrichment in Fraser broth: incubation for 24 h $\pm$ 2 h.^[29]
- Half-Fraser and Fraser broths may be refrigerated before transfer or isolation on selective agar for a maximum of 72 h.
- Storage of isolation plates: incubated plates can be refrigerated for a maximum of two days before reading.
- Microscopic aspect for confirmation is optional if the isolation agar allows distinction between pathogenic and non-pathogenic *Listeria* spp.
- CAMP test and catalase test are optional.
- Inclusion of new performance characteristics.
- Moreover, detection of *Listeria* spp. has been included in the scope and the title changed accordingly.

A list of parts in the ISO 11290 series can be found on the ISO website.

Introduction

The main changes, listed in the foreword, introduced in this document compared to ISO 11290-1:1996 are considered as major (see ISO 17468[28]). The technical changes were assessed and were considered to have no significant effect on the method performance characteristics or test results.

Because of the large variety of food and feed products, this horizontal method may not be appropriate in every detail for certain products for which it may be necessary to use different or specific methods. Nevertheless, in all cases, this horizontal method is intended to be applied as far as possible and deviations from this only be made for justified technical reasons.

When this document is next reviewed, account will be taken of all information then available regarding the extent to which this horizontal method has been followed and the reasons for deviations from it in the case of particular products.

The harmonization of test methods cannot be immediate, and for certain groups of products International Standards and/or national standards may already exist that do not comply with this horizontal method. It is hoped that when such standards are reviewed, they will be changed to comply with this document so that eventually the only remaining departures from this horizontal method will be those necessary for well-established technical reasons.

Microbiology of the food chain — Horizontal method for the detection and enumeration of *Listeria monocytogenes* and of *Listeria* spp. —

Part 1: Detection method

WARNING — In order to safeguard the health of laboratory personnel, it is essential that tests for detecting *L. monocytogenes* and *Listeria* spp. are only undertaken in properly equipped laboratories, under the control of a skilled microbiologist, and that great care is taken in the disposal of all incubated materials. Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety aspects, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices. In particular, it is strongly recommended that tests for detecting *L. monocytogenes* are undertaken in laboratories providing biosafety level 2 conditions. It is strongly recommended that female laboratory staff are made aware of the particular risk to the developing foetus presented by infection of the mother through exposure to *L. monocytogenes* and *Listeria* spp., and that pregnant personnel and persons with recognized underlying conditions or diseases that impair cell-mediated immunity do not manipulate cultures of *L. monocytogenes* and *Listeria* spp.

1 Scope

This document specifies a horizontal method for

- the detection of *L. monocytogenes*, and
- the detection of *Listeria* spp. (including *L. monocytogenes*).

This document is applicable to

- products intended for human consumption and for the feeding of animals, and
- environmental samples in the area of food production and food handling.

It is possible that certain additionally described *Listeria* species may not be detected or confirmed by this method. [\[5\]](#), [\[10\]](#), [\[12\]](#), [\[14\]](#), [\[25\]](#), [\[26\]](#), [\[27\]](#)

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6887 (all parts), *Microbiology of the food chain — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination*

ISO 7218, *Microbiology of food and animal feeding stuffs — General requirements and guidance for microbiological examinations*

ISO 11133, *Microbiology of food, animal feed and water — Preparation, production, storage and performance testing of culture media*