

**Industrial communication networks - Fieldbus
specifications - Part 6-4: Application layer protocol
specification - Type 4 elements**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 61158-6-4:2014 sisaldab Euroopa standardi EN 61158-6-4:2014 inglisekeelset teksti.	This Estonian standard EVS-EN 61158-6-4:2014 consists of the English text of the European standard EN 61158-6-4:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.10.2014.	Date of Availability of the European standard is 24.10.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 25.040.40, 35.100.70, 35.110

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Industrial communication networks - Fieldbus specifications -
Part 6-4: Application layer protocol specification - Type 4
elements
(IEC 61158-6-4:2014)

Réseaux de communication industriels - Spécifications des
bus de terrain - Partie 6-4: Spécification du protocole de la
couche application - Eléments de type 4
(CEI 61158-6-4:2014)

Industrielle Kommunikationsnetze - Feldbusse - Teil 6-4:
Protokollspezifikation des Application Layer
(Anwendungsschicht) - Typ 4-Elemente
(IEC 61158-6-4:2014)

This European Standard was approved by CENELEC on 2014-09-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 65C/764/FDIS, future edition 2 of IEC 61158-6-4, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-6-4:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-06-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-23

This document supersedes EN 61158-6-4:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 61158-6-4:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-1	NOTE	Harmonized as EN 61158-1.
IEC 61158-4-4	NOTE	Harmonized as EN 61158-4-4.
IEC 61784-1	NOTE	Harmonized as EN 61784-1.
IEC 61784-2	NOTE	Harmonized as EN 61784-2.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-3-4	-	Industrial communication networks - Fieldbus specifications - Part 3-4: Data-link layer service definition - Type 4 elements	EN 61158-3-4	-
IEC 61158-5-4	-	Industrial communication networks - Fieldbus specifications - Part 5-4: Application layer service definition - Type 4 elements	EN 61158-5-4	-
IEC 61158-6	2003 ¹⁾	Digital data communications for measurement and control - Fieldbus for use in industrial control systems - Part 6: Application layer protocol specification	EN 61158-6	2004 ²⁾
IEC 61158-6	series	Industrial communication networks - Fieldbus specifications - Part 6: Application layer protocol specification	EN 61158-6	series
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-

1) Superseded by the IEC 61158-6 series.

2) Superseded by the EN 61158-6 series (IEC 61158-6 series).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	-

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications.....	8
1.3 Conformance.....	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviations and conventions	9
3.1 Referenced terms and definitions	9
3.2 Abbreviations and symbols.....	11
3.3 Conventions.....	11
4 FAL syntax description	13
4.1 FAL-AR PDU abstract syntax	13
4.2 Data types.....	15
5 Transfer syntaxes.....	15
5.1 APDU encoding.....	15
5.2 Variable object encoding and packing	19
5.3 Error codes	22
6 FAL protocol state machines	22
7 AP-context state machine.....	23
8 FAL service protocol machine (FSPM).....	24
8.1 Primitives exchanged between FAL User and FSPM	24
8.2 FSPM states.....	24
9 Application relationship protocol machine (ARPM).....	29
9.1 Primitives exchanged between ARPM and FSPM	29
9.2 ARPM States.....	30
10 DLL mapping protocol machine (DMPM).....	32
10.1 Data-link Layer service selection	32
10.2 Primitives exchanged between ARPM and DLPM	32
10.3 Primitives exchanged between DLPM and data-link layer	32
10.4 DLPM states.....	33
11 Protocol options	35
Bibliography.....	36

Figure 1 – State transition diagram	12
Figure 2 – APDU header structure	15
Figure 3 – Instruction subfield of ControlStatus	16
Figure 4 – Errorcode subfield of ControlStatus	16
Figure 5 – Remaining subfields of ControlStatus	17
Figure 6 – DataFieldFormat encoding	17
Figure 7 – Structure of request APDU body	17
Figure 8 – Structure of response APDU body	18
Figure 9 – Variable identifier	18
Figure 10 – Code subfield of variable identifier	18
Figure 11 – Summary of FAL architecture	23
Figure 12 – FSPM proxy object state machine	25
Figure 13 – FSPM real object state machine	28
Figure 14 – ARPM state machine	30
Figure 15 – DLPM state machine	33
Table 1 – State machine description elements	12
Table 2 – APDU header	13
Table 3 – APDU body	14
Table 4 – Transfer syntax for Array	20
Table 5 – Transfer syntax for Structure	21
Table 6 – Common variable object attributes	21
Table 7 – Variable type identifiers	21
Table 8 – FIFO variable object attributes	22
Table 9 – Error codes	22
Table 10 – Primitives exchanged between FAL-User and FSPM	24
Table 11 – REQUEST.req FSPM constraints	25
Table 12 – REQUEST.req FSPM actions	25
Table 13 – RESPONSE.cnf FSPM constraints	27
Table 14 – RESPONSE.cnf FSPM actions	27
Table 15 – AR Send.ind proxy FSPM constraints	28
Table 16 – AR Send.ind proxy FSPM actions	28
Table 17 – AR Send.ind real FSPM constraints	29
Table 18 – AR Send.ind real FSPM Actions	29
Table 19 – Primitives issued by FSPM to ARPM	29
Table 20 – Primitives issued by ARPM to FSPM	30

Table 21 – Primitives issued by ARPM to ARPM	30
Table 22 – AR Send.req ARPM constraints	30
Table 23 – AR Send.req ARPM actions	30
Table 24 – AR Acknowledge.req ARPM constraints	31
Table 25 – AR Acknowledge.req ARPM actions	31
Table 26 – AR Send.ind ARPM constraints	31
Table 27 – AR Send.req ARPM actions	31
Table 28 – Primitives issued by ARPM to DLPM	32
Table 29 – Primitives issued by DLPM to ARPM	32
Table 30 – Primitives issued by DLPM to data-link layer	33
Table 31 – Primitives issued by data-link layer to DLPM	33
Table 32 – AR Send.req DLPM constraints	33
Table 33 – AR Send.req DLPM actions	34
Table 34 – AR Acknowledge.req DLPM constraints	34
Table 35 – AR Acknowledge.req DLPM actions	34
Table 36 – DL-UNITDATA.ind DLPM constraints	34
Table 37 – DL-UNITDATA.ind DLPM actions	35

preview generated by EVS

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.