ELEKTROMAGNETILINE ÜHILDUVUS. NÕUDED MAJAPIDAMISMASINATELE, ELEKTRILISTELE TÖÖRIISTADELE JA NENDESARNASTELE SEADMETELE. OSA 2: HÄIRINGUKINDLUS. TOOTEPEREKONNA STANDARD

Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2: Immunity - Product family standard



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 55014-2:2015 sisaldab Euroopa standardi EN 55014-2:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 55014-2:2015 consists of the English text of the European standard EN 55014-2:2015.		
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.		
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 03.04.2015.	Date of Availability of the European standard is 03.04.2015.		
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.		

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 33.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 55014-2

April 2015

ICS 33.100

Supersedes EN 55014-2:1997

English Version

Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 2:

Immunity - Product family standard

(CISPR 14-2:2015)

Compatibilité électromagnétique - Exigences relatives aux appareils électrodomestiques, outillages électriques et appareils analogues - Partie 2: Immunité - Norme de famille de produits

(CISPR 14-2:2015)

Elektromagnetische Verträglichkeit - Anforderungen an Haushaltgeräte, Elektrowerkzeuge und ähnliche Elektrogeräte - Teil 2: Störfestigkeit - Produktfamiliennorm (CISPR 14-2:2015)

This European Standard was approved by CENELEC on 2015-03-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document CIS/F/652/FDIS, future CISPR 14-2, prepared by CISPR SC F "Interference relating to household appliances tools, lighting equipment and similar apparatus" of CISPR "International special committee on radio interference" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 55014-2:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2018-03-25 the document have to be withdrawn

This document supersedes EN 55014-2:1997.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard CISPR 14-2:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60335 (series) NOTE Harmonized as EN 60335 (series).

IEC 61558-2-7

NOTE Harmonized as EN 61558-2-7.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication IEC 60050 IEC 61000-4-2	Year series 2008	International Electrotechnical Vocabulary - Electromagnetic compatibility (EMC) PartEN	<u>/HD</u> 61000-4-2	<u>Year</u> series 2009
IEC 61000-4-3	2006	 4-2: Testing and measurement techniques - Electrostatic discharge immunity test Electromagnetic compatibility (EMC) PartEN 4-3: Testing and measurement techniques - Radiated, radio-frequency, 	61000-4-3	2006
		electromagnetic field immunity test		
+A1	2007	+A′	-	2008
+A2	2010	+A2		2010
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) PartEN 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - PartEN 4-5: Testing and measurement techniques - Surge immunity test	61000-4-5	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) PartEN 4-6: Testing and measurement techniques - Immunity to conducted disturbances,	61000-4-6	2014
IEC 61000-4-11	2004	induced by radio-frequency fields Electromagnetic compatibility (EMC) PartEN 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations	61000-4-11	2004
IEC 61000-4-22	2010	immunity tests Electromagnetic compatibility (EMC) PartEN 4-22: Testing and measurement techniques - Radiated emission and immunity measurements in fully anechoic rooms (FARs)	61000-4-22	2011
CISPR 14-1	2005		55014-1	2006
+A1	2008	+A′	1	2009
+A2	2011	+A2	2	2011

CONTENTS

INTRODUCTION)RD	
2 Normative references 8 3 Terms, definitions and abbreviations 9 3.1 Terms and definitions 9 3.2 Abbreviations 11 4 Classification of apparatus 11 5 Tests 12 5.1 Electrostatic discharge 12 5.2 Fast transients 12 5.3 Injected currents, 0, 15 MHz to 230 MHz 13 5.4 Injected currents, 0,15 MHz to 80 MHz 15 5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz 16 5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2.1 Category I 18 7.2.2 Category II 19 7.2.3 Category II 19 7.2.4 Category II 19 7.2.5 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21	INTRODU	JCTION	6
3 Terms, definitions and abbreviations 9 3.1 Terms and definitions 9 3.2 Abbreviations 11 4 Classification of apparatus 11 5 Tests 12 5.1 Electrostatic discharge 12 5.2 Fast transients 12 5.3 Injected currents, 0,15 MHz to 230 MHz 13 5.4 Injected currents, 0,15 MHz to 80 MHz 15 5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz 16 5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category II 19 7.2.3 Category III 19 7.2.4 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute </td <td>1 Scop</td> <td>De</td> <td>7</td>	1 Scop	De	7
3.1 Terms and definitions 3.2 Aboreviations 3.2 Aboreviations 3.2 Aboreviations 3.2 Aboreviations 3.3 Category II 7.2.1 Category II 7.2.2 Category II 7.2.3 Category II 7.2.4 Category II 7.2.4 Category II 7.2.4 Category II 7.2.4 Category II 7.2.5 Category II 7.2.5 Category II 7.2.6 Category II 7.2.6 Category II 7.2.7 Category II 7.2.8 Category II 7.2.9 Assessment of conformity 9 Statistical evaluation 9.3 In case of dispute Annex A (informative) Guidance for permissible degradation. 22 8 Figure 2 — Examples of ports. 7 Figure 3 — Input and output d.c. power ports. 13 Fiable 4 — Input and output d.c. power ports. 14 Fiable 6 — Input and output a.c. power ports. 15 Table 6 — Input and output a.c. power ports. 16 Category II 7 Lable 7 — Input and output a.c. power ports. 16 Category II 7 Lable 7 — Input and output a.c. power ports. 17 Lable 7 — Input and output a.c. power ports. 18 Lable 7 — Input and output a.c. power ports. 19 Lable 7 — Input and output a.c. power ports. 10 Lable 7 — Input and output a.c. power ports. 10 Lable 7 — Input and output a.c. power ports. 11 Lable 7 — Input and output a.c. power ports.	2 Norn	native references	8
3.2 Abbreviations	3 Term	ns, definitions and abbreviations	9
4 Classification of apparatus	3.1	Terms and definitions	9
5 Tests 12 5.1 Electrostatic discharge 12 5.2 Fast transients 12 5.3 Injected currents, 0,15 MHz to 230 MHz 13 5.4 Injected currents, 0,15 MHz to 80 MHz 15 5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz 16 5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category II 19 7.2.3 Category III 19 7.2.4 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable l	3.2	Abbre viations	11
5.1 Electrostatic discharge 12 5.2 Fast transients .12 5.3 Injected currents, 0,15 MHz to 230 MHz .13 5.4 Injected currents, 0,15 MHz to 80 MHz .15 5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz .16 5.6 Surges .16 5.7 Voltage dips .17 6 Performance criteria .17 7 Applicability of immunity tests .17 7.1 General .18 7.2 Application of tests for the different categories of apparatus .18 7.2.1 Category I. .18 7.2.2 Category II. .18 7.2.3 Category II. .19 7.2.4 Category IV. .19 8 Conditions during testing .19 9 Assessment of conformity .20 9.1 Single product evaluation .20 9.2 Statistical evaluation .20 9.3 In case of dispute .21 Annex A (informative) Guidance for permissible degradation .22	4 Clas	sification of apparatus	11
5.2 Fast transients 12 5.3 Injected currents, 0,15 MHz to 230 MHz 13 5.4 Injected currents, 0,15 MHz to 80 MHz 15 5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz 16 5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category II 19 7.2.3 Category II 19 7.2.4 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 <t< td=""><td>5 Test</td><td>s</td><td>12</td></t<>	5 Test	s	12
5.3 Injected currents, 0,15 MHz to 230 MHz 13 5.4 Injected currents, 0,15 MHz to 80 MHz 15 5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz 16 5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category II 19 7.2.3 Category II 19 7.2.4 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 2 – Example f	5.1	Electrostatic discharge	12
5.4 Injected currents, 0,15 MHz to 80 MHz 15 5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz 16 5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category II 19 7.2.3 Category III 19 7.2.4 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 22 Bibliography 23 Figure 1 – Examples of ports 23 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor	5.2	Fast transients	12
5.5 Radio frequency electromagnetic fields, 80 MHz to 1 000 MHz 16 5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category III 19 7.2.3 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 1	5.3	Injected currents, 0,15 MHz to 230 MHz	13
5.6 Surges 16 5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category III 19 7.2.3 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 12 Table 2 – Ports for signal lines and control lines 12 Table 3 – Input and output d.c. power ports 13	5.4	Injected currents, 0,15 MHz to 80 MHz	15
5.7 Voltage dips 17 6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category III 19 7.2.3 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 22 Bibliography 23 Figure 1 – Examples of ports 24 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port	5.5	· · ·	
6 Performance criteria 17 7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category III 19 7.2.3 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 12 Table 2 – Ports for signal lines and control lines 12 Table 3 – Input and output d.c. power ports 13 Table 4 – Input and output a.c. power ports 13 Table 6 – Input and output d.c. power ports <	5.6	Surges	16
7 Applicability of immunity tests 18 7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category II 19 7.2.3 Category III 19 7.2.4 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 12 Table 2 – Ports for signal lines and control lines 12 Table 3 – Input and output d.c. power ports 13 Table 4 – Input and output d.c. power ports 13 Table 6 – Input and output d.c. power ports 14 Table 7 – Input and output d.c. power ports 14		9 ,	
7.1 General 18 7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category III 19 7.2.3 Category IV 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 12 Table 2 – Ports for signal lines and control lines 12 Table 3 – Input and output d.c. power ports 13 Table 4 – Input and output d.c. power ports 13 Table 6 – Input and output d.c. power ports 14 Table 7 – Input and output d.c. power ports 14 Table 7 – Input and output a.c. power ports			
7.2 Application of tests for the different categories of apparatus 18 7.2.1 Category I 18 7.2.2 Category III 19 7.2.3 Category IV 19 8 Conditions during testing 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 12 Table 2 – Ports for signal lines and control lines 12 Table 3 – Input and output d.c. power ports 13 Table 4 – Input and output a.c. power ports 13 Table 5 – Ports for signal lines and control lines 14 Table 6 – Input and output d.c. power ports 14 Table 7 – Input and output a.c.	7 Appl		
7.2.1 Category I 19 7.2.2 Category III 19 7.2.3 Category IV 19 8 Conditions during testing 19 8 Conditions during testing 19 9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 12 Table 2 – Ports for signal lines and control lines 12 Table 3 – Input and output d.c. power ports 13 Table 4 – Input and output a.c. power ports 13 Table 5 – Ports for signal lines and control lines 14 Table 6 – Input and output d.c. power ports 14 Table 7 – Input and output a.c. power ports 14 Table 7 – Input and output a.c. power ports	7.1	General	18
7.2.2 Category III	7.2		
7.2.3 Category III	7.2.1	Category I	18
7.2.4 Category IV	7.2.2		
8 Conditions during testing			
9 Assessment of conformity 20 9.1 Single product evaluation 20 9.2 Statistical evaluation 20 9.3 In case of dispute 21 Annex A (informative) Guidance for permissible degradation 22 Bibliography 23 Figure 1 – Examples of ports 9 Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor 15 Table 1 – Enclosure port 12 Table 2 – Ports for signal lines and control lines 12 Table 3 – Input and output d.c. power ports 13 Table 4 – Input and output a.c. power ports 13 Table 5 – Ports for signal lines and control lines 14 Table 6 – Input and output d.c. power ports 14 Table 7 – Input and output a.c. power ports 14			
9.1 Single product evaluation			
9.2 Statistical evaluation	9 Asse		
9.3 In case of dispute	9.1		
Annex A (informative) Guidance for permissible degradation	9.2		
Bibliography			
Figure 1 – Examples of ports			
Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor	Bibliograp	phy	23
Figure 2 – Example for a test set-up for large EUTs (e. g. refrigerators) where the cable leaves the EUT on a height of more than 1 m above the floor		· C	
Table 1 – Enclosure port12Table 2 – Ports for signal lines and control lines12Table 3 – Input and output d.c. power ports13Table 4 – Input and output a.c. power ports13Table 5 – Ports for signal lines and control lines14Table 6 – Input and output d.c. power ports14Table 7 – Input and output a.c. power ports14	Figure 1 -	– Examples of ports	9
Table 1 – Enclosure port			
Table 1 – Enclosure port12Table 2 – Ports for signal lines and control lines12Table 3 – Input and output d.c. power ports13Table 4 – Input and output a.c. power ports13Table 5 – Ports for signal lines and control lines14Table 6 – Input and output d.c. power ports14Table 7 – Input and output a.c. power ports14	cable lea	ves the EUT on a height of more than 1 m above the floor	
Table 2 – Ports for signal lines and control lines12Table 3 – Input and output d.c. power ports13Table 4 – Input and output a.c. power ports13Table 5 – Ports for signal lines and control lines14Table 6 – Input and output d.c. power ports14Table 7 – Input and output a.c. power ports14			
Table 3 – Input and output d.c. power ports			
Table 4 – Input and output a.c. power ports			
Table 5 – Ports for signal lines and control lines	Table 3 -	Input and output d.c. power ports	13
Table 6 – Input and output d.c. power ports	Table 4 –	- Input and output a.c. power ports	13
Table 7 – Input and output a.c. power ports	Table 5 –	Ports for signal lines and control lines	14
Table 7 – Input and output a.c. power ports	Table 6 –	Input and output d.c. power ports	14
		Ports for signal lines and control lines	

Table 9 – Input and output d.c. power ports	16
Table 10 – Input and output a.c. power ports	16
Table 11 – Enclosure port	16
Table 12 – Input a.c. power ports	17
Table 13 – Input a.c. power ports	
Table A.1 – Examples of degradations	22
Occument is a preview seneral ded by the	
\sim	
	•

INTRODUCTION

The intention of this standard is to establish uniform requirements for the electromagnetic stance iteria as a munity, hous. immunity of the equipment mentioned in the scope, to fix test specifications of immunity, to refer to basic standards for methods of testing, and to standardize operating conditions, performance criteria and interpretation of results.

Keywords: Immunity, household appliances, electric apparatus, electromagnetic compatibility.

ELECTROMAGNETIC COMPATIBILITY – REQUIREMENTS FOR HOUSEHOLD APPLIANCES, ELECTRIC TOOLS AND SIMILAR APPARATUS –

Part 2: Immunity - Product family standard

1 Scope

1.1 This part of CISPR 14 deals with the electromagnetic immunity of appliances and similar apparatus for household and similar purposes that use electricity, as well as electric toys and electric tools, the rated voltage of the apparatus being not more than 250 V for single-phase apparatus to be connected to phase and neutral, and 480 V for other apparatus.

Apparatus may incorporate motors, heating elements or their combination, may contain electric or electronic circuitry, and may be powered by the mains, by transformer, by batteries, or by any other electrical power source.

Apparatus not intended for household use, but which nevertheless may require the immunity level, such as apparatus intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard, as far as they are included in CISPR 14-1. In addition, the following are also included in the scope of this standard:

- microwave ovens for domestic use and catering;
- cooking hobs and cooking ovens, heated by means of r.f. energy;
- (single- and multiple-zone) induction cooking appliances;
- appliances for personal care equipped with radiators in the range from UV to IR, inclusive (this includes visible light);
- power supplies and battery chargers provided with or intended for apparatus within the scope of this standard.

1.2 This standard does not apply to:

- equipment for lighting purposes;
- apparatus designed exclusively for heavy industrial purposes;
- apparatus intended to be part of the fixed electrical installation of buildings (such as fuses, circuit breakers, cables and switches);
- apparatus intended to be used in locations where special electromagnetic conditions prevail, such as the presence of high electromagnetic fields (for example in the vicinity of a broadcast transmitting station), or where high pulses occur on the power network (such as in a power generator station);
- radio and television receivers, audio and video equipment, and electronic music instruments other than toys;
- medical electrical appliances;
- personal computers and similar equipment other than toys;
- radio transmitters;
- apparatus designed to be used exclusively in vehicles;
- babies surveillance systems.

- **1.3** Immunity requirements in the frequency range 0 Hz to 400 GHz are covered.
- **1.4** The effects of electromagnetic phenomena relating to the safety of apparatus are excluded from this standard and are covered by other standards, for example in the IEC 60335 series.

Abnormal operation of the apparatus (such as simulated faults in the electric circuitry for testing purposes) is not taken into consideration.

NOTE 1 Attention is drawn to the fact that additional requirements can be necessary for apparatus intended to be used on board ships or aircraft.

1.5 The object of this standard is to specify the immunity requirements for apparatus defined in the scope in relation to continuous and transient, conducted and radiated electromagnetic disturbances, including electrostatic discharges.

These requirements represent essential electromagnetic compatibility immunity requirements.

NOTE 2 In special cases, situations will arise where the level of disturbances may exceed the test values specified in this standard. In these instances special mitigation measures may have to be employed.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), International Electrotechnical Vocabulary (IEV) (available at www.electropedia.org)

IEC 61000-4-2:2008, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test

IEC 61000-4-3:2006, Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test IEC 61000-4-3:2006/AMD1:2007 IEC 61000-4-3:2006/AMD2:2010

IEC 61000-4-4:2012, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-5:2014, Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

IEC 61000-4-6:2013, Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields

IEC 61000-4-11:2004, Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests

IEC 61000-4-22:2010, Electromagnetic compatibility (EMC) – Part 4-22: Testing and measurement techniques – Radiated emissions and immunity measurements in fully anechoic rooms (FARs)