

Aerospace series - Cables, electrical, for general purpose - Operating temperatures between -55 °C and 200 °C - Part 008: DRP (pair) DRT (3 cores) DRQ (4 cores) family, multicore UV laser printable jacketed cable - Product standard

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 2266-008:2015 sisaldab Euroopa standardi EN 2266-008:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 2266-008:2015 consists of the English text of the European standard EN 2266-008:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.07.2015.	Date of Availability of the European standard is 22.07.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 49.060

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 49.060

English Version

**Aerospace series - Cables, electrical, for general purpose -
Operating temperatures between -55 °C and 200 °C - Part 008:
DRP (pair) DRT (3 cores) DRQ (4 cores) family, multicore UV
laser printable jacketed cable - Product standard**

Série aérospatiale - Câbles, électriques, d'usage général -
Températures de fonctionnement comprises entre -55 °C et
200 °C - Partie 008: DRP (paire) DRT (tierce) DRQ (quarte)
multiconducteurs gainés marquables au laser UV - Norme
de produit

Luft- und Raumfahrt - Leitungen, elektrisch, für allgemeine
Verwendung - Betriebstemperaturen zwischen -55 °C und
200 °C - Teil 008: DRP- (zweiadrig), DRT- (dreiadrig), DRQ-
(vieradrig) Leitungsfamilie, mehradrige, UV-Laser-
bedruckbare, ummantelte Leitungen - Produktnorm

This European Standard was approved by CEN on 7 February 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
European foreword	3
1 Scope	4
2 Normative references	4
3 Terms, definitions and symbols	5
4 Materials and construction	5
5 Required characteristics	7
6 Quality assurance	8
7 Designation	9
8 Identification and marking	9
9 Packaging, labelling and delivery lengths	9
10 Technical specification	9

European foreword

This document (EN 2266-008:2015) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this European Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2016, and conflicting national standards shall be withdrawn at the latest by January 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the characteristics of UV laser printable multicore jacketed electrical cables for use in the on-board electrical systems of aircraft at operating temperatures between -55°C and 200°C .

It shall also be possible to mark these cables by qualified compatible marking. These markings shall be in accordance with EN 3838.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2083, *Aerospace series — Copper and copper alloys conductors for electrical cables — Product standard*

EN 2235, *Aerospace series — Single and multicore electrical cables, screened and jacketed*

EN 2267-002, *Aerospace series — Cables, electrical, for general purpose — Operating temperatures between -55°C and 260°C — Part 002: General*

EN 2267-009, *Aerospace series — Cables, electrical, for general purpose — Operating temperatures between -55°C and 260°C — Part 009: DRA family, single and multicore assembly — Product standard*

EN 3475-100, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 100: General*

EN 3475-201, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 201: Visual examination*

EN 3475-202, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 202: Mass*

EN 3475-203, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 203: Dimensions*

EN 3475-301, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 301: Ohmic resistance per unit length*

EN 3475-302, *Aerospace series — Cable, electrical, aircraft use — Test methods — Part 302: Voltage proof test*

EN 3475-303, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 303: Insulation resistance*

EN 3475-304, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 304: Surface resistance*

EN 3475-306, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 306: Continuity of conductors*

EN 3475-401, *Aerospace series — Cables, electrical, aircraft use — Test Methods — Part 401: Accelerated ageing*

EN 3475-402, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 402: Shrinkage and delamination*

EN 3475-403, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 403: Delamination and blocking*

EN 3475-404, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 404: Thermal shock*

EN 3475-405, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 405: Bending at ambient temperature*

- EN 3475-406, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 406: Cold bend test*
- EN 3475-407, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 407 : Flammability*
- EN 3475-411, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 411: Resistance to fluids*
- EN 3475-412, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 412: Humidity resistance*
- EN 3475-505, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 505: Tensile test on conductors and strands*
- EN 3475-506, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 506: Plating continuity*
- EN 3475-507, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 507: Adherence of plating*
- EN 3475-508, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 508: Plating thickness*
- EN 3475-601, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 601: Smoke density*
- EN 3475-602, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 602: Toxicity*
- EN 3475-701, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 701: Strippability and adherence of insulation to the conductor*
- EN 3475-703, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 703: Permanence of manufacturer's marking*
- EN 3475-705, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 705: Contrast measurement*
- EN 3475-706, *Aerospace series — Cables, electrical, aircraft use — Test methods — Part 706: Laser markability*
- EN 3838, *Aerospace series — Requirements and tests on user-applied markings on aircraft electrical cables*
- EN 4434, *Aerospace series — Copper or copper alloy lightweight conductors for electrical cables — Product standard (Normal and tight tolerances)*
- EN 9133, *Aerospace series — Quality management systems — Qualification procedure for aerospace standard parts*

3 Terms, definitions and symbols

For the purposes of this document, the terms, definitions and symbols given in EN 3475-100 apply.

4 Materials and construction

4.1 Materials

These cables shall consist of the following:

- cores according to EN 2267-009,
- number of cores 2 to 4.