

Spectator facilities - Part 8: Safety Management

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 13200-8:2017 sisaldab Euroopa standardi EN 13200-8:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 13200-8:2017 consists of the English text of the European standard EN 13200-8:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 03.05.2017.	Date of Availability of the European standard is 03.05.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.040.10, 97.200.10, 97.220.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Spectator facilities - Part 8: Safety Management

Installations pour spectateurs - Partie 8: Management
de la sécurité

Zuschaueranlagen - Teil 8: Sicherheitsmanagement

This European Standard was approved by CEN on 3 March 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 General principles.....	9
4.1 General.....	9
4.1.1 Introduction	9
4.1.2 Safety personnel.....	9
4.1.3 Senior management	9
4.1.4 Safety Officers.....	10
4.1.5 Supervisors.....	10
4.1.6 Senior Stewards	11
4.1.7 Stewards	11
4.2 Safety policy	12
4.2.1 General.....	12
4.2.2 Territorial plan	12
4.2.3 Spectator Facilities plan	13
4.2.4 Risk assessment.....	13
4.2.5 Management plan.....	14
4.3 Safety procedures for the event.....	14
4.3.1 General.....	14
4.3.2 Planning before the event.....	15
4.3.3 Safety Advisory Group (SAG).....	16
4.3.4 Operations manual	17
4.3.5 Medical plan	17
4.3.6 Traffic management plan	18
4.3.7 Emergency plan	19
4.3.8 Contingency plan.....	20
4.3.9 Spectator facilities regulation	21
4.3.10 Safety briefing	22
4.3.11 Checks and controls before the events.....	23
4.3.12 Checks and controls during the events	24
Annex A (informative) Content of an operations manual.....	26
A.1 Introduction	26
A.2 Current plans/layout drawings of the facilities.....	26
A.3 Spectator Facility Management documents.....	26
A.3.1 General.....	26
A.3.2 Recruitment and training policies and procedures – job descriptions of safety personnel	27
A.3.2.1 Spectator safety policy statement.....	27
A.3.2.2 Safety management structure	27

A.3.2.3 Capacity calculations	27
A.3.2.4 Stewarding plan	28
A.3.2.5 Medical plan.....	28
A.3.2.6 Fire safety plan	28
A.3.2.7 Contingency plans	29
A.3.2.8 Generic risk assessment for activities	29
A.3.2.9 Ticketing strategy/segregation policy.....	29
A.3.2.10 Traffic management plan.....	30
A.4 Event management plan.....	30
A.4.1 General	30
A.4.2 Ingress and egress.....	30
A.4.3 Structures and installations.....	31
A.4.4 Spectators.....	31
A.4.5 Planned preventative maintenance/tests/inspections.....	31
A.4.6 Exercises or simulations	32
A.4.7 Specific risk assessments.....	32
A.4.8 Event specific risk assessments.....	32
A.4.9 Communication strategy	33
Annex B (informative) Briefing and de-briefing.....	34
B.1 Points to be considered when preparing a scripted briefing	34
B.2 Points to consider when conducting a de-brief	36
Annex C (informative) Safety personnel provisions	37
Annex D (informative) Safety operating organigram	38
Annex E (informative) Steward equipment.....	39
Annex F (informative) Safety personnel pocket book.....	40
Annex G (informative) Territorial Plan	41
Annex H (informative) Spectator Facilities Plan	42
Bibliography	43

European foreword

This document (EN 13200-8:2017) has been prepared by Technical Committee CEN/TC 315 "Spectator facilities", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2017, and conflicting national standards shall be withdrawn at the latest by November 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

EN 13200, *Spectator facilities*, consists of the following parts:

- Part 1: General characteristics for spectator viewing area;
- Part 2 ¹⁾: Characteristics;
- Part 3: Separating elements - Requirements;
- Part 4: Seats -Product characteristics;
- Part 5: Telescopic stands;
- Part 6: Demountable (temporary) stands;
- Part 7: Entry and exit elements and routes;
- Part 8: Safety Management;
- Part 9 ²⁾: Communications systems in spectator facilities.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1) Draft in preparation.

2) Draft in preparation.

Introduction

This European Standard has been prepared in order to specify the general criteria for spectator safety management.

Attention is drawn to the fact that in certain Countries additional/different requirements may be applicable due to existing national regulations or equivalent.

This European Standard starts from the council of the European Union Resolution of 4 December 2006 and has been prepared in order to specify the technical general criteria for the planning and safety of the management in spectator facilities.

The fundamental principles contained in this document are appropriate to all events regardless of size, activity or audience profile.

The extent by which these details are adopted will vary and all of the processes and procedures will not be appropriate, dependent on the size of the event. However all events should strive to achieve the highest possible standards highlighted by this document.

1 Scope

This European Standard specifies general characteristics of safety management in spectator facilities.

It specifies the layout and the planning of the management, the criteria to maintain this planning before, during and after any event.

It covers the following:

- the safety personnel;
- safety policy;
- safety procedures.

This European Standard does not apply for the roles and responsibilities of those who are part of the security system (police and security companies).

2 Normative references

Not applicable.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

activity area

area where the event takes place

[SOURCE: EN 13200-1:2012, 3.2]

3.2

barrier

any element of a spectator facility permanent or temporary, intended to prevent people from falling, and to retain, stop or guide people

Note 1 to entry: Types of barriers used at spectator facilities are further defined in EN 13200-3 *Spectator facilities - Part 3: Separating elements – Requirements*.

3.3

circulation

free movement of spectators within spectator facilities

3.4

competent person

person with sufficient training and experience to meet the national occupational standards relevant to the tasks within the identified role

3.5

contingency plan

organising document setting out the actions to be taken in response to incidents occurring at the venue which might prejudice public safety or disrupt normal operations (for example, the loss of power to CCTV or PA systems)