

**Winter and road service area maintenance equipment -
Data acquisition and transmission -
Part 1: In-vehicle data acquisition**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 15430-1:2015 sisaldab Euroopa standardi EN 15430-1:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 15430-1:2015 consists of the English text of the European standard EN 15430-1:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.08.2015.	Date of Availability of the European standard is 05.08.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 35.240.60, 43.160

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Winter and road service area maintenance equipments - Data
acquisition and transmission - Part 1: In-vehicle data acquisition**

Matériels de viabilité hivernale et d'entretien des
dépendances routières - Acquisition et transmission des
données - Partie 1 : Acquisition des données véhiculaires

Winterdienst- und Straßenbetriebsdienstausstattung -
Datenerfassung und -übertragung - Teil 1: Datenerfassung
im Fahrzeug

This European Standard was approved by CEN on 28 May 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	3
Introduction	4
1 Scope	6
2 Normative references	6
3 Terms and abbreviations	6
4 Communication between vehicle/equipment and board-computer	7
4.1 General.....	7
4.2 Communication through RS232	7
4.2.1 RS232 interface on vehicle/equipment “Data transmission handler”	7
4.2.2 RS232 interface on “Board-computer”	7
4.2.3 Communication protocol	8
5 Definitions of variables, records and report	12
5.1 General.....	12
5.2 Data integrity check.....	12
5.3 Variable types.....	13
5.4 Recommended SLOTS for variable definitions.....	15
5.5 Definition of variables	18
5.5.1 General.....	18
5.5.2 General variables	18
5.5.3 General geographic position system variables	19
5.5.4 General vehicle and route variables	19
5.5.5 General road weather and road condition variables	20
5.5.6 Plough/Broom variables	21
5.5.7 Snow blower or cutter variables	21
5.5.8 Spreader/sprayer variables.....	22
5.5.9 Grass or branch cutting machine variables.....	24
5.5.10 Sweeper variables.....	25
5.5.11 Safety post cleaning machine variables	25
5.5.12 Boat plants cutter variables.....	26
5.6 Definition of records.....	26
5.6.1 General.....	26
5.6.2 Time synchronisation record (record code 0)	26
5.6.3 Standard header record (record code 1)	27
5.6.4 Standard footer record (record code 2).....	27
5.6.5 Trigger conditions for record code 3 and higher	27
5.6.6 Geographic position data record (record code 3)	28
5.6.7 Vehicle and route data record (record code 4)	29
5.6.8 Weather and road condition data record (record code 5)	30
5.6.9 Snowplough/broom data record (record code 6/7)	31
5.6.10 Spreader/sprayer data record (record code 8)	32
5.6.11 Snow blower/cutter data record (record code 9).....	34
5.6.12 Grass/branch cutter data record (record code 10).....	35
5.6.13 Sweeper data record (record code 11)	37
5.6.14 Safety post cleaning machine data record (record code 12)	38
5.6.15 Boat plants cutter data record (record code 13)	39
5.6.16 Free definable data record (record code 10000 and higher)	40
5.7 Report definition	42
Bibliography.....	43

European foreword

This document (EN 15430-1:2015) has been prepared by Technical Committee CEN/TC 337 "*Road operation equipment and products*", the secretariat of which is held by AFNOR.

This document supersedes EN 15430-1:2007+A1:2011.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2016, and conflicting national standards shall be withdrawn at the latest by February 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

The following changes have been implemented in this new edition:

- Modify variable no.127 in Table 12 by adding the sentence in bold:

Spreader mode (0=Idle or Transport, 1=Spreading or Spraying, 2=Unload Hopper, 3=Spreading and Spraying, 4 = Spreading, 5 = Spraying)

- Modify variable no.137 in Table 12 by adding the following remark:

NOTE For spraying and spreading (SprMode=3), the value applies to the brine percentage of the spreading dosage only.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This protocol is meant to be used for data acquisition in fleet management applications in the field of municipal vehicles. The purpose of the protocol is to define how data of a vehicle or equipment is generated, stored and transferred to a board-computer system in the vehicle and from the board-computer to the software application in the office (refer to Figure 1). On the equipment or vehicle the data is generated by a "Data generator". This data is stored, if present, into a buffer-memory. The "Data transmission handler" will send the data present in the buffer-memory to the "Board-computer" or "Data Acquisition System". The buffer-memory is there to ensure that data does not get lost in case there is no transmission possible. The size or type of the buffer is not defined in this proposal. If there is no buffer or the buffer is too small to store new data, data will get lost.

To synchronise time-stamps of the vehicle/equipment with the Board-computer, a special record for time synchronisation is defined.

In this part the data acquisition and communication from vehicle/equipment to the Board-computer is defined.




Figure 1 — Architecture

In general, the data is a semi-colon (";") separated ASCII text for separation of record codes and values of variables. CR+LF is used for separation of records (one record is one line of text).

Examples of an on-board system configuration.




Figure 2 — Diagram of possible connections

1 Scope

This European Standard specifies a standardized protocol for downloading data from the equipment control box to an in-vehicle board computer to ensure interchangeability between a vehicle and different equipment that the same vehicle can carry.

It specifies the interface connection as well as variables, records and reports which permit standardized protocol to cover applications with the greatest possible variety of equipment for performing winter maintenance and road service area maintenance.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8859-1, *Information technology — 8-bit single-byte coded graphic character sets — Part 1: Latin alphabet No. 1*

NMEA 0183, *Interface Standard*

TIA-232-F, *Interface between data terminal equipment and data circuit-terminating equipment employing serial binary data interchange (RS232)*

SAE J1939/71, *Recommended practice for serial control and communications vehicle network — Vehicle application layer*

3 Abbreviations

ACK	Acknowledge (ASCII control code 06 _h)
ASCII	American national Standard Code for Information Interchange
Bps	Bits per second
CRC-16	Cyclic Redundancy Code with 16 bits
CRC-32	Cyclic Redundancy Code with 32 bits
CR	Carriage Return (ASCII control code 0D _h)
EOT	End Of Transmission (ASCII control code 04 _h)
_h	Number before h is in hexadecimal notation
IEEE	Institute of Electrical and Electronics Engineers
LF	Line Feed (ASCII control code 0A _h)
NAK	Negative acknowledge (ASCII control code 15 _h)
SOH	Start Of Header (ASCII control code 01 _h)
TBD	To Be Defined
↵	CR + LF (carriage return + line feed)