INTERNATIONAL STANDARD

ISO 21528-1

First edition 2004-08-15

Microbiology of food and animal feeding stuffs — Horizontal methods for the detection and enumeration of Enterobacteriaceae —

Part 1:

Detection and enumeration by MPN technique with pre-enrichment

Microbiologie des aliments — Méthodes horizontales pour la recherche et le dénombrement des Enterobacteriaceae —

Partie 1: Recherche et dénombrement à l'aide de la technique NPP avec préenrichissement



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview denetated by this

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents Page

| Forewo | ord | . iv |
|------------|--|------|
| Introdu | ction | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Principle | 2 |
| 4.1 4.2 | Detection of Enterobacteriaceae (see Annex A) | 2 |
| | Enumeration by the MPN technique (see Annex B) | |
| 5 | | |
| 6 | Apparatus and glassware | 7 |
| 7 | Sampling | 7 |
| 8 | Preparation of test sample | 7 |
| 9 | Procedure | 7 |
| 9.1 9.2 | Detection method | / |
| 9.3 | Enumeration method (MPN method) | 8 |
| 9.4 | Isolation and selection for confirmation | 9 |
| 9.5 | Subculturing selected colonies | 9 |
| 9.6 | Biochemical confirmation tests | 9 |
| 10 | Expression of results | 9 |
| 10.1 | Confirmed positive tubes Detection method | 9 |
| 10.2 | Detection method | 10 |
| 10.3 | Enumeration method: Calculation of the most probable number (MPN) | 10 |
| 11 | Precision | 10 |
| 12 | Precision | 10 |
| Annex | A (normative) Diagram of procedure of the detection method | 11 |
| Annex | B (normative) Diagram of procedure for MPN technique | 12 |
| | A (normative) Diagram of procedure of the detection method B (normative) Diagram of procedure for MPN technique | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

This first edition of ISO 21528-1, together with \$\ \colon 21528-2, cancels and replaces the following standards:

- ISO 5552:1997, Meat and meat products etection and enumeration of Enterobacteriaceae without resuscitation — MPN technique and colony-coupetechnique;
- ISO 7402:1993, Microbiology General guidance or the enumeration of Enterobacteriaceae without resuscitation MPN technique and colony-count technique;
- ISO 8523:1991, Microbiology General guidance for the detection of Enterobacteriaceae with preenrichment.

ISO 21528-1 was prepared by Technical Committee ISO/TC 30 Food products, Subcommittee SC 9, *Microbiology*.

ISO 21528 consists of the following parts, under the general title *Microbiology of food and animal feeding stuffs* — *Horizontal methods for the detection and enumeration of Enterobacteriaceae*:

- Part 1: Detection and enumeration by MPN technique with pre-enrichment
- Part 2: Colony-count method

Introduction

This part of ISO 21528 is intended to provide general guidance for the examination of products not dealt with by existing International Standards and to be taken into account by organizations preparing microbiological test methods for application to foods or animal feeding stuffs. Because of the large variety of products within this field of application, these guidelines may not be appropriate in every detail for certain products, and for some other products it may be necessary to use different methods. Nevertheless, it is hoped that in all cases every attempt will be made to apply the guidelines provided as far as possible and that deviations from them will only be made if appointed in application.

When this part of ISO 21528 is next reviewed, account will be taken of all information then available regarding the extent to which the guidelines have been followed and the reasons for deviation from them in the case of particular products.

The harmonization of test methods cannot be immediate, and for certain groups of products International Standards and/or national standards may already exist that do not comply with this horizontal method. It is hoped that when such standards are reviewed they will be changed to comply with this part of ISO 21528 so that eventually the only remaining departures from this horizontal method will be those necessary for well-established technical reasons.

© ISO 2004 – All rights reserved

Inis document is a preview denetated by EUS

Microbiology of food and animal feeding stuffs — Horizontal methods for the detection and enumeration of Enterobacteriaceae —

Part 1: Detection and enumeration by MPN technique with pre-enrichment

1 Scope

This part of ISO 21528 specifies a method, with pre-enrichment, for the detection of Enterobacteriaceae. It is applicable to

- products intended for human consumption and the feeding of animals, and
- environmental samples in the area of food production and food handling.

Enumeration is carried out by calculation of the most probable number (MPN) after incubation at 37 °C (or 30 °C)¹⁾ in liquid medium.

This method is applicable

- when the microorganisms sought are expected to newsuscitation before enrichment, and
- when the number sought is expected to be in the range 1 to 100 per millilitre or per gram of test sample.

A limitation on the applicability of this part of ISO 21528 is imposed by the susceptibility of the method to a large degree of variability (see Clause 11).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6887-1:1999, Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 1: General rules for the preparation of the initial suspension and decimal dilutions

© ISO 2004 – All rights reserved

¹⁾ The temperature of 37 °C is generally used when the enumeration of Enterobacteriaceae is for a hygienic indicator. Alternatively, a temperature of 30 °C can be chosen when the enumeration of Enterobacteriaceae is conducted for technological purposes and includes psychrotrophic Enterobacteriaceae.

ISO 6887-2, Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 2: Specific rules for the preparation of meat and meat products

ISO 6887-3, Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 3: Specific rules for the preparation of fish and fishery products

ISO 6887-4, Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 4: Specific rules for the preparation of products other than milk and milk products, meat and meat products, and fish and fishery products

ISO 7218:1996, Microbiology of food and animal feeding stuffs — General rules for microbiological examinations

ISO 8261, Milk and milk products — General guidance for the preparation of test samples, initial suspensions and decimal dilutions for microbiological examination

ISO/TS 11133-1, Microbiology of food and animal feeding stuffs — Guidelines on preparation and production of culture media — Part 1: General guidelines on quality assurance for the preparation of culture media in the laboratory

ISO/TS 11133-2:2003, Microbiology of food and animal feeding stuffs — Guidelines on preparation and production of culture media — Part 2: Practical guidelines on performance testing of culture media

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

Enterobacteriaceae

microorganisms that form characteristic colonies on violet reduce glucose agar and that ferment glucose and show a negative oxidase reaction when the tests are carried out in accordance with the methods specified in this part of ISO 21528

3.2

detection of Enterobacteriaceae

determination of the presence or absence of these bacteria, in a particular quantity of product, when tests are carried out in accordance with this part of ISO 21528

3.3

enumeration of Enterobacteriaceae

most probable number of Enterobacteriaceae found per millilitre or per gram of the jest sample when the test is carried out according to the method specified in this part of ISO 21528

4 Principle

4.1 Detection of Enterobacteriaceae (see Annex A)

4.1.1 Pre-enrichment in non-selective medium

Buffered peptone water (BPW) is inoculated with the test portion, then incubated at 37 °C (or 30 °C)¹⁾ for 18 h \pm 2 h.