

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 18: Equipment protection by encapsulation “m”**

**Atmosphères explosives –
Partie 18: Protection du matériel par encapsulage “m”**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60079-18

Edition 4.0 2014-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 18: Equipment protection by encapsulation “m”**

**Atmosphères explosives –
Partie 18: Protection du matériel par encapsulage “m”**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

W

ICS 29.260.20

ISBN 978-2-8322-1994-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	5
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 General	10
4.1 Level of protection (equipment protection level (EPL))	10
4.2 Additional requirements for levels of protection “ma” and “mb”	10
4.3 Additional requirements for level of protection “ma”	10
4.4 Rated voltage and prospective short circuit current	11
5 Requirements for compounds	11
5.1 General	11
5.2 Specification	11
5.3 Properties of the compound	11
5.3.1 Water absorption	11
5.3.2 Dielectric strength	11
6 Temperatures	12
6.1 General	12
6.2 Determination of the limiting temperatures	12
6.2.1 Maximum surface temperature	12
6.2.2 Temperature of the compound	12
6.3 Temperature limitation	12
7 Constructional requirements	12
7.1 General	12
7.2 Determination of faults	13
7.2.1 Fault examination	13
7.2.2 Components considered as not subject to fail	13
7.2.3 Isolating components	14
7.2.4 Infallible separation distances	14
7.3 Free space in the encapsulation	15
7.3.1 Group III “m” equipment	15
7.3.2 Group I and Group II “m” equipment	16
7.4 Thickness of the compound	17
7.4.1 “m” equipment	17
7.4.2 Windings for electrical machines	19
7.4.3 Rigid, multi-layer printed wiring boards with through connections	19
7.5 Switching contacts	20
7.5.1 General	20
7.5.2 Level of protection “ma”	21
7.5.3 Level of protection “mb”	21
7.5.4 Level of protection “mc”	21
7.6 External connections	21
7.6.1 General	21
7.6.2 Additional requirements for “ma” equipment	21
7.7 Protection of bare live parts	21
7.8 Cells and batteries	21
7.8.1 General	21

7.8.2	Prevention of gassing	22
7.8.3	Protection against inadmissible temperatures and damage to the cells or batteries	22
7.8.4	Reverse current	22
7.8.5	Current limitation	23
7.8.6	Protection against the polarity inversion and deep discharge of the cells	23
7.8.7	Charging of cells or batteries	23
7.8.8	Requirements for control safety devices for cells or batteries	24
7.9	Protective devices	24
7.9.1	General	24
7.9.2	Electrical protective devices	25
7.9.3	Thermal protective devices	25
7.9.4	Built-in protective devices	26
8	Type tests	26
8.1	Tests on the compound	26
8.1.1	Water absorption test	26
8.1.2	Dielectric strength test	26
8.2	Tests on the apparatus	26
8.2.1	Test sequence	26
8.2.2	Maximum temperature	27
8.2.3	Thermal endurance test	27
8.2.4	Dielectric strength test	28
8.2.5	Cable pull test	28
8.2.6	Pressure test for Group I and Group II electrical equipment	29
8.2.7	Test for resettable thermal protective device	30
8.2.8	Sealing test for built-in protective devices	30
9	Routine verifications and tests	30
9.1	Visual inspections	30
9.2	Dielectric strength test	30
10	Marking	31
Annex A (informative)	Basic requirements for compounds for “m” equipment	32
Annex B (informative)	Allocation of test samples	33
Bibliography		34
Figure 1	– Dimensional key for thickness through the compound	18
Figure 2	– Minimum distances for multi-layer printed wiring boards	20
Figure 3	– Fitting of blocking diodes	23
Figure A.1	– Basic requirements for compounds for “m” equipment	32
Table 1	– Distances through the compound	15
Table 2	– Minimum thickness of compound adjacent to free space for Group III “m” equipment	16
Table 3	– Minimum thickness of compound adjacent to free space for Group I and Group II “m” equipment	17
Table 4	– Thickness of the compound	19

Table 5 – Minimum distances for multi-layer printed wiring boards	20
Table 6 – Test pressure	29
Table B.1 – Allocation of test samples	33

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 18: Equipment protection by encapsulation “m”

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Standard IEC 60079-18 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This fourth edition cancels and replaces the third edition of IEC 60079-18 (2009), and constitutes a technical revision.

This International Standard is to be used in conjunction with IEC 60079-0, *Explosive atmospheres – Part 0: Equipment-General requirements*.

This edition includes the following significant technical changes with respect to the previous edition:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Definitions deleted and moved to IEC 60079-0	3	X		
Heading modified /added to clarify which requirements are additional requirements for "ma" level of protection only	4	X		
Thermal conductivity added	5.2		X	
Note added that it is not a requirement of this standard that conformity to the manufacturer's specification of the compound needs to be verified	5.3.2	X		
Clarification added	6.2.2	X		
Clarification added	7.1	X		
For the determination of faults options added and clarification given	7.2		X	
Additional information included in Figure 1	7.4.1	X		
"Varnish and similar coatings are not considered to be solid insulation." was added in this section and deleted in the definition on 3.8	7.4.2	X		
For rigid, multi-layer printed wiring boards with through connections additional standards added	7.4.3.1		X	
Protection against inadmissible temperatures and damage to the cells	7.8.3			C1
Electrical protective devices clarified and additional possibilities added	7.9.2		X	
Thermal protective devices clarified and additional possibilities added	7.9.3		X	
2/3 voltage limitation deleted	7.9.3		X	
Determination of the maximum temperature for "Da" fixed	8.2.2			C2
Stabilization of the temperature	8.2.2			C3
Thermal endurance to heat	8.2.3.1		X	
Temperature fixed as reference service temperatures and tests given as alternatives	8.2.3.1.1		X	
For the dielectric strength test procedure alternative possibilities added	8.2.4.1		X	
Alternative test methods for the required pressure test for Group I and Group II electrical equipment added	8.2.6		X	
Sealing test for build-in protective devices	8.2.8		X	
For the dielectric strength test procedure alternative possibilities added	9.2		X	
Marking	10	X	X	

Explanation of the Types of Significant Changes:**A) Definitions****1. Minor and editorial changes:**

- Clarification
- Decrease of technical requirements
- Minor technical change
- Editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

2. Extension:

- Addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

3. Major technical changes:

- addition of technical requirements
- increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in item B) below.

Note These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

B) Information about the background of 'Major technical changes'

C1 Clause 7.8.3 modified and additional requirements added for cells or batteries

C2 The flexibility given in IEC 60079-0 is replaced by a min. requirement. For level of protection "ma" equipment, designed for EPL "Da" the maximum surface temperature shall be determined with the equipment mounted in accordance with the manufacturer's instructions, and surrounded on all available surfaces by dust with a layer thickness of at least 200 mm

C3 The increase of the temperature during the test can be a very slow process. The final temperature shall be considered to have been reached when the rate of rise of temperature does not exceed 1 K/24 h

The text of this standard is based on the following documents:

FDIS	Report on voting
31/1152/FDIS	31/1168/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60079 series, published under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

EXPLOSIVE ATMOSPHERES –

Part 18: Equipment protection by encapsulation “m”

1 Scope

This part of IEC 60079 gives the specific requirements for the construction, testing and marking of electrical equipment, parts of electrical equipment and Ex components with the type of protection encapsulation “m” intended for use in explosive gas atmospheres or explosive dust atmospheres.

This part applies only for encapsulated electrical equipment, encapsulated parts of electrical equipment and encapsulated Ex components (hereinafter always referred to as “m” equipment) where the rated voltage does not exceed 11 kV.

The application of electrical equipment in atmospheres, which may contain explosive gas as well as combustible dust simultaneously, may require additional protective measures.

This standard does not apply to dusts of explosives, which do not require atmospheric oxygen for combustion, or to pyrophoric substances

This standard does not take account of any risk due to an emission of flammable or toxic gas from the dust.

This standard supplements and modifies the general requirements of IEC 60079-0. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard takes precedence.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety “e”*

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety “i”*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection “n”*

IEC 60079-26, *Explosive atmospheres – Part 26: Equipment with equipment protection level (EPL) Ga*

IEC 60079-31, *Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure “t”*

IEC 60127 (all parts), *Miniature fuses*

IEC 60243-1, *Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60691, *Thermal-links – Requirements and application guide*

IEC 60730-2-9, *Automatic electrical controls for household and similar use – Part 2-9: Particular requirements for temperature sensing controls*

IEC 60738-1, *Thermistors – Directly heated positive temperature coefficient – Part 1: Generic specification*

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

IEC 61558-1, *Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests*

IEC 61558-2-6, *Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers*

IEC 62326-4-1, *Printed boards – Part 4: Rigid multilayer printed boards with interlayer connections – Sectional specification – Section 1: Capability detail specification – Performance levels A, B and C*

ANSI/UL 248 (all parts), *Standard for low-voltage fuses*

ANSI/UL 746B, *Standard for polymeric materials – Long term property evaluations*

ANSI/UL 796, *Printed-Wiring Boards*

IPC-A-600, *Acceptability of Printed Boards*

IPC-6012, *Qualification and Performance Specification for Rigid Printed Boards*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60079-0 and the following definitions apply.

NOTE Additional definitions applicable to explosive atmospheres can be found in IEC 60050-426.

3.1

encapsulation “m”

type of protection whereby parts that are capable of igniting an explosive atmosphere by either sparking or heating are fully enclosed in a compound or other non-metallic enclosure with adhesion in such a way as to avoid ignition of a dust layer or explosive atmosphere under operating or installation conditions

3.2

temperature range of the compound

range of temperatures within which the properties of the compound, in either operation or storage, permit compliance with the requirements of IEC 60079-18