Fire resistance tests for loadbearing elements - Part 5: Balconies and walkways

Fire resistance tests for loadbearing elements - Part 5: Balconies and walkways



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev dokument on jõustatud 25.01.2005 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 1365-5:2005 consists of the English text of the European standard EN 1365-5:2004.

This document is endorsed on 25.01.2005 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This Part of EN 1365 specifies a method for determining the fire resistance, in respect with loadbearing capacity and with no separating function, of: — balconies exposed to the fire from either outside or inside the building; and — walkways exposed to the fire from either outside or inside the building.

Scope:

This Part of EN 1365 specifies a method for determining the fire resistance, in respect with loadbearing capacity and with no separating function, of: – balconies exposed to the fire from either outside or inside the building; and – walkways exposed to the fire from either outside or inside the building.

ICS 13.220.50

Võtmesõnad: booms (gymnastic equipment), fire, fire protection, fire tests, fire-resistant time, flame propagation, gymnastic equipment, loadbearing, part of buildings, structural fire protection, surface spread of flame, test reports, testing, testing conditions, walkways

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 1365-5

November 2004

ICS 13.220.50

English version

Fire resistance tests for loadbearing elements - Part 5: Balconies and walkways

Essais de résistance au feu des éléments porteurs - Partie 5: Balcons et passerelles Feuerwiderstandsprüfungen für tragende Bauteile - Teil 5: Balkone und Laubengänge

This European Standard was approved by CEN on 9 July 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	O,	page
	vord	
ntrod	uction	4
I	Scope	5
2	Normative references	5
3	Terms and definitions	5
1	Test equipment	7
5	Test conditions	7
5.1 5.2	FurnaceLoading conditions	
0.2	Test specimen	
5.1	l est specimenGeneral	7 7
5.2	Size	7
6.3 6.4	Number Design	
6.4.1	General	9
6.4.2 6.5	Floor Exposure	
6.6	Construction	9
6.7	Verification	
7 7.1	Installation of test specimen	
7.2	Loading and restraint	
3	Conditioning	10
)	Application of instrumentation	10
9.1	Furnace thermocouples (plate thermometers)	
9.2 9.3	Pressure Deflection	
10	Test procedure	10
11	Performance criteria	
12	Test report	11
13	Field of direct application of test results	11
. •	Tiold of direct approach of test results	

Foreword

This document (EN 1365-5:2004) has been prepared by Technical Committee CEN/TC 127 "Fire safety in buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2005, and conflicting national standards shall be withdrawn at the latest by May 2005.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the Construction Products Directive.

EN 1365 'Fire resistance tests for loadbearing elements' consists of the following parts:

Part 1: Walls,

Part 2: Floors and roofs,

Part 3: Beams,

Part 4: Columns,

Part 5: Balconies and walkways,

Part 6: Stairs.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

The purpose of this test is to measure the ability of a representative specimen of a balcony or walkway or a part of those to maintain its loadbearing capacity when exposed to fire according to EN 1363-1.

Caution

The attention of all persons concerned with managing and carrying out this fire resistance test is drawn to the fact that fire testing can be hazardous and that there is a possibility that toxic and/or harmful smoke and gases can be evolved during the test. Mechanical and operational hazards can also arise during the construction of the test elements or structures, their testing and disposal of test residues.

An assessment of all potential hazards and risks to health should be made and safety precautions should be identified and provided. Written safety instructions should be issued. Appropriate training should be given to relevant personnel. Laboratory personnel should ensure that they follow written safety instructions at all times. A Dreview od and alice of the

1 Scope

This Part of EN 1365 specifies a method for determining the fire resistance, in respect with loadbearing capacity and with no separating function, of:

- balconies exposed to the fire from either outside or inside the building; and
- walkways exposed to the fire from either outside or inside the building.

This standard is used in conjunction with EN 1363-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1363-1:1999, Fire resistance tests — Part 1: General requirements.

EN 1365-2, Fire resistance tests for loadbearing elements — Part 3: Floors and roofs.

EN 1365-3, Fire resistance tests for loadbearing elements — Part 3: Beams.

EN 1365-4, Fire resistance tests for loadbearing elements — Part 4: Columns.

EN ISO 13943:2000, Fire safety — Vocabulary (ISO 13943:2000).

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1363-1:1999 and EN ISO 13943:2000 and the following apply.

3.1

balcony

platform on the inside or outside of the building, usually balustrated, with access from an upper floor window or door. It may be integrated in the building structure or free standing. It may consist of floor, beams, columns, walls, tension bars and balustrades. It does not serve as a separating building element

3.2

walkway

raised passage or pass for pedestrian access connecting different sections of a building. It may be inside or outside the building and may be integrated in building structure or free standing. It does not serve as a separating building element

3.3

balcony or walkway floor

horizontal loadbearing element

3.4

balustrade

railing supported by posts or pillars forming a parapet to a balcony or walkway and designed to prevent the user falling over the side

NOTE Examples of sections of different type of balconies and walkways are given in Figure 1.