

---

---

**Safety of toys —**

**Part 1:**

**Safety aspects related to mechanical  
and physical properties**

*Sécurité des jouets —*

*Partie 1: Aspects de sécurité relatifs aux propriétés mécaniques et  
physiques*



This document is a preview generated by EBS



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword .....	vii
Introduction .....	viii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>3</b>
<b>3 Terms and definitions .....</b>	<b>3</b>
<b>4 Requirements .....</b>	<b>13</b>
4.1 Normal use .....	13
4.2 Reasonably foreseeable abuse .....	13
4.3 Material .....	13
4.3.1 Material quality .....	13
4.3.2 Expanding materials .....	13
4.4 Small parts .....	13
4.4.1 For children under 36 months .....	14
4.4.2 For children 36 months and over but under 72 months .....	14
4.5 Shape, size and strength of certain toys .....	14
4.5.1 Squeeze toys, rattles, fasteners, and certain other toys and components of toys .....	14
4.5.2 Small balls .....	17
4.5.3 Pompoms .....	18
4.5.4 Pre-school play figures .....	18
4.5.5 Toy pacifiers .....	18
4.5.6 Balloons .....	19
4.5.7 Marbles .....	19
4.5.8 Hemispheric-shaped toys .....	19
4.6 Edges .....	22
4.6.1 Accessible sharp edges of glass or metal .....	22
4.6.2 Functional sharp edges .....	22
4.6.3 Edges on metal toys .....	23
4.6.4 Edges on moulded toys .....	23
4.6.5 Edges on exposed bolts or threaded rods .....	23
4.7 Points .....	23
4.7.1 Accessible sharp points .....	23
4.7.2 Functional sharp points .....	23
4.7.3 Wooden toys .....	24
4.8 Projections .....	24
4.8.1 General requirements .....	24
4.8.2 Special considerations for bath toy projections .....	24
4.9 Metal wires and rods .....	24
4.10 Plastic film or plastic bags in packaging and in toys .....	25
4.11 Cords and elastics .....	26
4.11.1 Cords and elastics in toys intended for children under 18 months .....	26
4.11.2 Self-retracting pull cords in toys intended for children under 18 months .....	26
4.11.3 Cords for pull toys intended for children under 36 months .....	26
4.11.4 Cords on toy bags .....	26
4.11.5 Crib or playpen toys and mobiles .....	26
4.11.6 Crib gyms and similar toys .....	26
4.11.7 Cords, strings and lines for flying toys .....	26
4.12 Folding mechanisms .....	27
4.12.1 Toy pushchairs, perambulators and similar toys .....	27
4.12.2 Other toys with folding mechanisms .....	28
4.12.3 Hinge-line clearance .....	28

4.13	Holes, clearances and accessibility of mechanisms .....	28
4.13.1	Circular holes in rigid materials .....	28
4.13.2	Accessible clearances for movable segments .....	29
4.13.3	Chains or belts in ride-on toys .....	29
4.13.4	Other driving mechanisms .....	30
4.13.5	Winding keys .....	30
4.14	Springs .....	30
4.15	Stability and overload requirements .....	31
4.15.1	Stability of ride-on toys and seats .....	31
4.15.2	Overload requirements for ride-on toys and seats .....	31
4.15.3	Stability of stationary floor toys .....	31
4.16	Enclosures .....	32
4.16.1	Ventilation .....	32
4.16.2	Closures .....	32
4.16.3	Toys that enclose the head .....	33
4.17	Simulated protective equipment, such as helmets, hats and goggles .....	33
4.18	Projectile toys .....	33
4.18.1	General .....	33
4.18.2	Projectiles .....	34
4.18.3	Projectile toys with stored energy .....	36
4.18.4	Projectile toys without stored energy .....	38
4.19	Rotors and propellers .....	39
4.20	Aquatic toys .....	40
4.21	Braking .....	40
4.22	Toy bicycles .....	40
4.22.1	Instructions for use .....	41
4.22.2	Determination of maximum saddle height .....	41
4.22.3	Braking requirements .....	41
4.23	Speed limitation of electrically driven ride-on toys .....	42
4.24	Toys containing a heat source .....	42
4.25	Liquid-filled toys .....	42
4.26	Mouth-actuated toys .....	42
4.27	Toy roller skates, toy inline skates and toy skateboards .....	43
4.28	Percussion caps .....	43
4.29	Acoustic requirements .....	43
4.30	Toy scooters .....	44
4.30.1	General .....	44
4.30.2	Warnings and instructions for use .....	44
4.30.3	Strength .....	44
4.30.4	Stability .....	44
4.30.5	Adjustable and folding steering tubes and handlebars .....	44
4.30.6	Braking .....	45
4.30.7	Wheel size .....	45
4.30.8	Protruding parts .....	45
4.31	Magnets and magnetic components .....	45
4.31.1	Magnetic/electrical experimental sets intended for children 8 years and over .....	45
4.31.2	All other toys with magnets and magnetic components .....	45
<b>5</b>	<b>Test methods .....</b>	<b>46</b>
5.1	General .....	46
5.2	Small parts test .....	47
5.3	Test for shape and size of certain toys .....	48
5.4	Small balls test .....	49
5.5	Test for pompoms .....	50
5.6	Test for pre-school play figures .....	50
5.7	Accessibility of a part or component .....	50
5.7.1	Principle .....	50
5.7.2	Apparatus .....	51
5.7.3	Procedure .....	51

5.8	Sharp-edge test.....	52
5.8.1	Principle .....	52
5.8.2	Apparatus.....	52
5.8.3	Procedure.....	53
5.9	Sharp-point test.....	54
5.9.1	Principle .....	54
5.9.2	Apparatus.....	54
5.9.3	Procedure.....	55
5.10	Determination of thickness of plastic film and sheeting.....	55
5.10.1	General.....	55
5.10.2	Apparatus.....	55
5.10.3	Procedure.....	55
5.11	Test for cords.....	56
5.11.1	Determination of cord thickness.....	56
5.11.2	Self-retracting pull cords.....	56
5.11.3	Electric resistance of cords.....	56
5.12	Stability and overload tests.....	56
5.12.1	General.....	56
5.12.2	Sideways stability test, feet available for stabilization.....	56
5.12.3	Sideways stability test, feet unavailable for stabilization.....	57
5.12.4	Fore and aft stability test.....	57
5.12.5	Overload test for ride-on toys and seats.....	58
5.12.6	Stability test of stationary floor toys.....	58
5.13	Test for closures and toy chest lids.....	58
5.13.1	Closures.....	58
5.13.2	Toy chest lids.....	58
5.14	Impact test for toys that cover the face.....	59
5.15	Kinetic energy and wall impact test.....	59
5.15.1	Kinetic energy of projectiles.....	59
5.15.2	Wall impact test for projectiles.....	62
5.16	Free-wheeling facility and brake performance test.....	62
5.16.1	Determination of free-wheeling facility.....	62
5.16.2	Brake performance for mechanically or electrically powered ride-on toys other than toy bicycles.....	63
5.16.3	Brake performance for toy bicycles.....	63
5.17	Determination of speed of electrically driven ride-on toys.....	63
5.18	Determination of temperature increases.....	64
5.19	Leakage of liquid-filled toys.....	64
5.20	Durability of mouth-actuated toys.....	64
5.21	Expanding materials.....	64
5.22	Folding or sliding mechanisms.....	65
5.22.1	Loads.....	65
5.22.2	Toy pushchairs and perambulators.....	65
5.22.3	Other toys with folding mechanisms.....	66
5.23	Washable toys.....	66
5.24	Reasonably foreseeable abuse tests.....	66
5.24.1	General.....	66
5.24.2	Drop test.....	67
5.24.3	Tip-over test for large and bulky toys.....	67
5.24.4	Dynamic strength test for wheeled ride-on toys other than toy scooters.....	67
5.24.5	Torque test.....	67
5.24.6	Tension test.....	68
5.24.7	Compression test.....	71
5.24.8	Flexure test.....	71
5.25	Determination of sound pressure levels.....	72
5.25.1	Installation and mounting conditions.....	72
5.25.2	Measurement procedure.....	73
5.26	Static strength for toy scooters.....	77

5.27	Dynamic strength for toy scooters.....	78
5.27.1	Principle.....	78
5.27.2	Load.....	78
5.27.3	Procedure.....	79
5.28	Brake performance for toy scooters.....	80
5.28.1	Toy scooters with handbrake.....	80
5.28.2	Toy scooters with foot brake.....	81
5.29	Strength of toy scooter steering tubes.....	81
5.29.1	Resistance to downward forces.....	81
5.29.2	Resistance to upward forces.....	82
5.30	Resistance to separation of handlebar.....	82
5.31	Tension test for magnets.....	83
5.31.1	Principle.....	83
5.31.2	Toys with magnets or magnetic components.....	83
5.31.3	Toys that contain one magnet only and a mating metal component.....	84
5.31.4	Toys that contain one magnet only and no mating metal component.....	84
5.32	Magnetic flux index.....	84
5.32.1	General.....	84
5.32.2	Principle.....	84
5.32.3	Apparatus.....	84
5.32.4	Procedure.....	84
5.32.5	Calculation of magnetic flux index.....	85
5.33	Impact test for magnets.....	85
5.34	Soaking test for magnets.....	85
5.35	Determination of projectile range.....	86
5.36	Tip assessment of rigid projectiles.....	87
5.37	Length of suction cup projectiles.....	87
<b>Annex A (informative) Age-grading guidelines.....</b>		<b>89</b>
<b>Annex B (informative) Safety-labelling guidelines and manufacturer's markings.....</b>		<b>92</b>
<b>Annex C (informative) Design guidelines for toys attached to cribs or playpens.....</b>		<b>98</b>
<b>Annex D (informative) Toy gun marking.....</b>		<b>99</b>
<b>Annex E (informative) Rationale.....</b>		<b>100</b>
<b>Annex F (informative) Bath toy projection design guidelines.....</b>		<b>119</b>
<b>Bibliography.....</b>		<b>120</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8124-1 was prepared by Technical Committee ISO/TC 181, *Safety of toys*.

This fourth edition cancels and replaces the third edition (ISO 8124-1:2012), of which it constitutes a minor revision. It also incorporates the amendments ISO 8124-1:2012/Amd.1:2014 and ISO 8124-1:2012/Amd.2:2014.

ISO 8124 consists of the following parts, under the general title *Safety of toys*:

- *Part 1: Safety aspects related to mechanical and physical properties*
- *Part 2: Flammability*
- *Part 3: Migration of certain elements*
- *Part 4: Swings, slides and similar activity toys for indoor and outdoor family domestic use*
- *Part 6: Certain phthalate esters in toys and children's products*
- *Part 8: Age determination guidelines (Technical Report)*

The following parts are under preparation:

- *Part 5: Determination of total concentration of certain elements in toys*
- *Part 7: Finger paints – Requirements and test methods*

## Introduction

This part of ISO 8124 is largely based upon existing standards in the European Union (EN 71-1 and in the United States of America (ASTM F963).

However, it should not be construed that a toy manufactured in compliance with this part of ISO 8124 will be in full compliance with relevant national toy safety requirements in the market where the product is intended to be distributed. The user of this part of ISO 8124 is therefore advised to be aware of relevant national requirements.

Compliance with the requirements of this part of ISO 8124 will minimize potential hazards associated with toys resulting from their use in their intended play modes (normal use) as well as unintended play modes (reasonably foreseeable abuse).

This part of ISO 8124 will not, nor is it intended to, eliminate parental responsibility in the appropriate selection of toys. In addition, this part of ISO 8124 will not eliminate the need for parental supervision in situations where children of various ages may have access to the same toy(s).

Although [Annexes A, B, C, D, E and F](#) are for information purposes only, they are crucial for the correct interpretation of this part of ISO 8124.

The safety of electric toys is described in IEC 62115.

When age indications are required for safety labelling purposes, they may be given in either months or years.



# Safety of toys —

## Part 1:

## Safety aspects related to mechanical and physical properties

### 1 Scope

The requirements in this part of ISO 8124 apply to all toys, i.e. any product or material designed or clearly intended for use in play by children under 14 years of age. They are applicable to a toy as it is initially received by the consumer and, in addition, they apply after a toy is subjected to reasonably foreseeable conditions of normal use and abuse unless specifically noted otherwise.

The requirements of this part of ISO 8124 specify acceptable criteria for structural characteristics of toys, such as shape, size, contour, spacing (e.g. rattles, small parts, sharp points and edges, and hinge-line clearances) as well as acceptable criteria for properties peculiar to certain categories of toy (e.g. maximum kinetic energy values for non-resilient-tipped projectiles and minimum tip angles for certain ride-on toys).

This part of ISO 8124 specifies requirements and test methods for toys intended for use by children in various age groups from birth to 14 years. The requirements vary according to the age group for which a particular toy is intended. The requirements for a particular age group reflect the nature of the hazards and the expected mental and/or physical abilities of a child to cope with them.

This part of ISO 8124 also requires that appropriate warnings and/or instructions for use be given on certain toys or their packaging. Due to linguistic problems which may occur in different countries, the wording of these warnings and instructions is not specified but given as general information in [Annex B](#). It should be noted that different legal requirements exist in many countries with regard to such marking.

This part of ISO 8124 does not purport to cover or include every conceivable potential hazard of a particular toy or toy category. Except for labelling requirements indicating the functional hazards and the age range for which the toy is intended, this part of ISO 8124 has no requirements for those characteristics of toys which represent an inherent and recognized hazard which is integral to the function of the toy.

**EXAMPLE 1** An example of such a hazard is the sharp point necessary for the proper function of a needle. The needle is a hazard which is well understood by the purchaser of a toy sewing kit, and the functional sharp-point hazard is communicated to the user as part of the normal educational process of learning to sew as well as at the point of purchase by means of cautionary labelling on the product's packaging.

**EXAMPLE 2** As a further example, a two-wheeled toy scooter has inherent and recognized hazards associated with its use (e.g. instability during use, especially while learning). The potential hazards associated with its structural characteristics (sharp edges, pinch hazards, etc.) will be minimized by compliance with the requirements of this part of ISO 8124.

Products not included within the scope of this part of ISO 8124 are:

- a) bicycles, except for those considered to be toys, i.e. those having a maximum saddle height of 435 mm (see [E.1](#), general);
- b) slingshots;

**NOTE** "Slingshots" are also known as "catapults" and are usually held in the hand; examples are given in [Figure 1](#). Toy versions of medieval catapults and trebuchets are not exempt from this part of ISO 8124; an example is given in [Figure 2](#).



**Figure 1 — Examples of slingshots (not within the scope of this part of ISO 8124)**



**Figure 2 — Medieval toy catapult (within the scope of this part of ISO 8124)**

- c) darts with metal points;
- d) home and public playground equipment;
- e) compressed air- and gas-operated guns and pistols (see [E.1](#));
- f) kites (except for the electric resistance of their strings, which is included);
- g) model kits, hobby and craft items, in which the finished item is not primarily of play value;
- h) sporting goods and equipment, camping goods, athletic equipment, musical instruments and furniture; however, toys which are their counterparts are included.

It is recognized that there is often a fine distinction between, for example a musical instrument or a sporting item and its toy counterpart. The intention of the manufacturer or distributor, as well as normal use and reasonably foreseeable abuse, determines whether the item is a toy counterpart or not;

- i) models of aircraft, rockets, boats and land vehicles powered by combustion engines; however, toys which are their counterparts are included (see [E.1](#));
- j) collectible products not intended for children under 14 years of age;
- k) holiday decorations that are primarily intended for ornamental purposes;
- l) aquatic equipment intended to be used in deep water, swimming-learning devices and flotation aids for children such as swim-seats and swim-aids;
- m) toys installed in public places (e.g. arcades and shopping centres);
- n) puzzles having more than 500 pieces or without a picture, for specialists;
- o) fireworks including percussion caps, except percussion caps specifically designed for toys;

- p) products containing heating elements intended for use under the supervision of an adult in a teaching context;
- q) steam engines;
- r) video toys that can be connected to a video screen and operated at a nominal voltage greater than 24 V;
- s) babies' pacifiers (dummies);
- t) faithful reproduction of firearms;
- u) electric ovens, irons or other functional products operated at a nominal voltage greater than 24 V;
- v) bows for archery with an overall relaxed length exceeding 120 cm;
- w) fashion jewellery for children (see [E.1](#)).

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 868, *Plastics and ebonite — Determination of indentation hardness by means of a durometer (Shore hardness)*

ISO 3746:2010, *Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Survey method using an enveloping measurement surface over a reflecting plane*

ISO 4287, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters*

ISO 6508-1, *Metallic materials — Rockwell hardness test — Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T)*

ISO 11201, *Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections*

ISO 11202, *Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions applying approximate environmental corrections*

ISO 11204, *Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions applying accurate environmental corrections*

IEC 61672-1, *Electroacoustics — Sound level meters — Part 1: Specifications*

IEC 61672-2, *Electroacoustics — Sound level meters — Part 2: Pattern evaluation tests*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

**NOTE** The requirements in this part of ISO 8124 are applicable to certain age ranges. For interpretation of these age ranges, see [E.43](#) (age-break terminology).

### 3.1

#### **accessible**

(part or component) any area of the toy that can be contacted by any portion forward of the collar of the accessibility probe as described in [5.7](#) (accessibility of a part or component)