



Edition 1.0 2014-12





# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00 info@iec.ch www.iec.ch

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

## About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

## IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

## IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

## Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

## Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.


#### Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.







Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale


# CONTENTS

FOREWORD	3
1 Scope and object	5
2 Normative references	5
3 Acronyms and abbreviations	6
4 Optical power and gain test method	6
5 Optical power and gain parameters	6
6 Test results	11
Bibliography	14
Figure 1 – Typical behaviour of the gain as a function of the input signal power	7
Figure 2 – Typical behaviour of the gain as a function of the wavelength	7
Figure 3 – Typical behaviour of the gain as a function of the temperature	8
Figure 4 – Typical behaviour of the gain as a function of the wavelength	9
Figure 5 – Typical behaviour of the gain fluctuation as a function of time	9
Figure C. Turical hebeview of the effect never fluctuation as a function of time	10

Figure 6 – Typical benaviour c	t the output power fluctuation as a function of time	10
Figure 7 – Typical behaviour c	f the gain as a function of the input signal power	11
Figure 8 – Typical behaviour c	f the output power as a function of the input signal	
		11

a fur. power a. With Open Reference of the open of the

# INTERNATIONAL ELECTROTECHNICAL COMMISSION



- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61290-1 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

CDV	Report on voting
86C/1188/CDV	86C/1258/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61290 series, published under the general title Optical amplifiers -Test methods, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed, •
- withdrawn, •
- Cumentis a preview of new of new of the track of the trac replaced by a revised edition, or
- amended.

# OPTICAL AMPLIFIERS – TEST METHODS –

# Part 1: Power and gain parameters



1 Scope and object

This part of 61290 applies to all commercially available optical amplifiers (OAs) and optically amplified subsystems. It applies to OAs using optically pumped fibres (OFAs based on either rare-earth doped fibres or on the Raman effect), semiconductors (SOAs), and waveguides (POWAs).

NOTE 1 The applicability of the test methods described in the present standard to distributed Raman amplifiers is still under study.

The object of this standard is to establish uniform requirements for accurate and reliable measurements of the following OA parameters, as defined in Clause 3 of IEC 61291-1:2012:

- a) nominal output signal power;
- b) gain;
- c) reverse gain;
- d) maximum gain;
- e) maximum gain wavelength;
- f) maximum gain variation with temperature,
- g) gain wavelength band;
- h) gain wavelength variation;
- i) gain stability;
- j) polarization-dependent gain;
- k) large-signal output stability;
- saturation output power;
- m) maximum output signal power;
- n) maximum total output power.

NOTE 2 All numerical values followed by (‡).are suggested values for which the measurement is assured. Other values are acceptable if verified.

The object of this standard is specifically directed to single-channel amplifiers. For multichannel amplifiers, one should refer to the IEC 61290-10 series.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61290-1-1, Optical amplifiers – Test methods – Part 1-1: Power and gain parameters – Optical spectrum analyzer method

IEC 61290-1-2, Optical amplifiers – Test methods – Part 1-2: Power and gain parameters – *Electrical spectrum analyzer method* 

IEC 61290-1-3, Optical amplifiers – Test methods – Part 1-3: Power and gain parameters – Optical power meter method

IEC 61291-1:2012, Optical amplifiers – Part 1: Generic specification

# 3 Acronyms and abbreviations

- ASE **V** amplified spontaneous emission
- OA optical amplifier
- OFA optical fibre amplifier
- SOA semiconductor optical amplifier
- FWHM full width at half maximum
- OSA optical spectrum analyzer

# 4 Optical power and gain test method

Three commonly practised procedures for quantifying the optical power and gain of an OA are considered in this standard.

The aim of the first procedure (see IEC 61290-1-1) is to determine the optical power and gain by means of the optical spectrum analyzer test method.

The aim of the second procedure (see IEC 61290-1-2) is to determine the optical power and gain by means of an optical detector and an electrical spectrum analyzer.

The aim of the third procedure (see IEC 61290-1-3) is to determine the optical power and gain by means of an optical power meter and an optical bandpass filter.

# 5 Optical power and gain parameters

The parameters listed below are required for gain and power:

- a) Nominal output signal power: The nominal output signal power is given by the minimum output signal optical power, for an input signal optical power specified in the relevant detail specification, and under nominal operating conditions, given in the relevant detail specification. To find this minimum value, input and output signal power levels shall be continuously monitored for a given duration of time and in presence of changes in the state of polarization and other instabilities, as specified in the relevant detail specification. The measurement procedures and calculations are described in each test method.
- b) Gain: The measurement procedures and calculations are described in each test method.
- c) *Reverse gain:* As in b), but with the OA operating with the input port used as output port and vice-versa.
- d) *Maximum gain:* As in b), but use a wavelength-tuneable optical source, repeat all procedures at different wavelengths in a way to cover the wavelength range specified in the relevant detail specification.

Unless otherwise specified, the wavelength should be changed by steps smaller than 1 nm (‡) around the wavelength where the ASE spectral profile, observed (e.g. with an optical spectrum analyzer or a monochromator) without the input signal, takes its maximum value.

NOTE 1 A wavelength measurement accuracy of  $\pm 0,01$  nm, within the operating wavelength range of the OA, is attainable with commercially available wavelength meters based on interference-fringes counting techniques. Some tuneable external-cavity laser-diode instruments provide a wavelength measurement accuracy of  $\pm 0,2$  nm.

The gain values are measured at the different wavelengths as described in b) above. The maximum gain shall be given by the highest of all these gain values at nominal operating