

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Household refrigerating appliances – Characteristics and test methods –
Part 3: Energy consumption and volume**

**Appareils de réfrigération à usage ménager – Caractéristiques et méthodes
d'essai –
Partie 3: Consommation d'énergie et volume**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Household refrigerating appliances – Characteristics and test methods –
Part 3: Energy consumption and volume**

**Appareils de réfrigération à usage ménager – Caractéristiques et méthodes
d'essai –
Partie 3: Consommation d'énergie et volume**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 97.030

ISBN 978-2-8322-2229-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	11
1 Scope.....	12
2 Normative references	12
3 Terms, definitions and symbols.....	12
3.1 Terms and definitions.....	12
3.2 Symbols.....	13
4 Applicable test steps for determination of energy and volume.....	13
4.1 Setup for energy testing.....	13
4.2 Steady state power consumption.....	13
4.3 Defrost and recovery energy and temperature change	13
4.4 Defrost frequency	13
4.5 Number of test points and interpolation	13
4.6 Load processing efficiency.....	14
4.7 Specified auxiliaries.....	14
4.8 Volume determination	14
5 Target temperatures for energy determination	14
5.1 General.....	14
5.2 Temperature control settings for energy consumption test	15
6 Determination of energy consumption.....	15
6.1 General.....	15
6.2 Objective	16
6.3 Number of test runs	17
6.4 Steady state power consumption.....	17
6.5 Defrost and recovery energy and temperature change	17
6.6 Defrost interval	18
6.7 Specified auxiliaries.....	18
6.8 Calculation of energy consumption	18
6.8.1 General	18
6.8.2 Daily energy consumption.....	18
6.8.3 Interpolation	19
6.8.4 Specified auxiliaries.....	19
6.8.5 Total energy consumption.....	20
7 Circumvention devices.....	20
8 Uncertainty of measurement	21
9 Test report.....	21
Annex A (normative) Set up for energy testing	22
A.1 General.....	22
A.2 Additional set up requirements for energy testing.....	22
A.2.1 Ice making trays	22
A.2.2 User adjustable controls	22
A.2.3 Ambient temperature	22
A.2.4 Accessories and shelves	22
A.2.5 Anti-condensation heaters	23
A.2.6 Automatic icemakers – ice storage bins	23

Annex B (normative) Determination of steady state power and temperature	26
B.1 General.....	26
B.2 Setup for testing and data collection	26
B.3 Case SS1: no defrost control cycle or where stability is established for a period between defrosts	26
B.3.1 Case SS1 approach.....	26
B.3.2 Case SS1 acceptance criteria.....	29
B.3.3 Case SS1 calculation of values.....	30
B.4 Case SS2: steady state determined between defrosts	30
B.4.1 Case SS2 approach.....	30
B.4.2 Case SS2 acceptance criteria.....	32
B.4.3 Case SS2 calculation of values.....	33
B.5 Correction of steady state power.....	34
Annex C (normative) Defrost and recovery energy and temperature change	36
C.1 General.....	36
C.2 Setup for testing and data collection	36
C.3 Case DF1: where steady state operation can normally be established before and after defrosts.....	37
C.3.1 Case DF1 approach.....	37
C.3.2 Case DF1 acceptance criteria.....	39
C.3.3 Case DF1 calculation of values.....	40
C.4 Number of valid defrost and recovery periods	42
C.5 Calculation of representative defrost energy and temperature.....	42
Annex D (normative) Defrost interval	44
D.1 General.....	44
D.2 Elapsed time defrost controllers	44
D.3 Compressor run time defrost controllers.....	45
D.4 Variable defrost controllers	47
D.4.1 General	47
D.4.2 Variable defrost controllers – declared defrost intervals.....	48
D.4.3 Variable defrost controllers – no declared defrost intervals (demand defrost).....	48
D.4.4 Variable defrost controllers – non compliant	49
Annex E (normative) Interpolation of results.....	50
E.1 General.....	50
E.2 Temperature adjustment prior to interpolation	51
E.3 Case 1: linear interpolation – two test points	51
E.3.1 General	51
E.3.2 Requirements	51
E.3.3 Calculations.....	51
E.4 Case 2: triangulation – three (or more) test points.....	55
E.4.1 General	55
E.4.2 Requirements for two (or more) compartment triangulation	56
E.4.3 Calculations for two compartment triangulation – manual interpolation	59
E.4.4 Calculations for two compartment triangulation – matrices.....	60
E.4.5 Checking temperature validity where there are more than two compartments for triangulation.....	62
E.4.6 Calculations for three compartment triangulation – matrices	63
Annex F (normative) Energy consumption of specified auxiliaries	67

F.1	Purpose	67
F.2	Ambient controlled anti-condensation heaters	67
F.2.1	Outline of the method	67
F.2.2	Measurement procedure	67
F.2.3	Data requirements	68
F.2.4	Regional weather data	68
F.2.5	Calculation of power consumption	68
F.2.6	Where anti-condensation heater(s) cannot be disabled but their power consumption can be measured directly	69
F.2.7	Where anti-condensation heater(s) cannot be disabled and their power consumption cannot be measured directly	70
F.2.8	Where anti-condensation heater(s) has a user-adjustable setting	70
F.3	Automatic icemakers – energy to make ice	70
F.3.1	General	70
F.3.2	Tank type automatic icemakers	70
Annex G (normative)	Determination of load processing efficiency	77
G.1	Purpose	77
G.2	General description	77
G.3	Setup, equipment and preparation	78
G.3.1	General	78
G.3.2	Equipment	79
G.3.3	Quantity of water to be processed	79
G.3.4	Position of the water load in compartments	80
G.3.5	Temperature of the water to be processed	83
G.4	Load processing efficiency test method	84
G.4.1	Commencement of the load processing efficiency test	84
G.4.2	Placement of the load	84
G.4.3	Measurements to be taken	85
G.4.4	Conclusion of load processing efficiency test	85
G.5	Determination of load processing efficiency	86
G.5.1	General	86
G.5.2	Quantification of input energy	87
G.5.3	Quantification of additional energy used to process the load	88
G.5.4	Load processing efficiency	89
G.5.5	Load processing multiplier	90
G.5.6	Addition of user related loads into daily energy	91
Annex H (normative)	Determination of volume	93
H.1	Scope	93
H.2	Total volume	93
H.2.1	Volume measurements	93
H.2.2	Determination of volume	93
H.2.3	Volume of evaporator space	93
H.2.4	Two-star sections and/or compartments	94
H.3	Key for Figures H.1 through H.5	94
Annex I (informative)	Worked examples of energy consumption calculations	98
I.1	Example calculation of daily energy consumption	98
I.2	Variable defrost – calculation of defrost intervals	99
I.3	Examples of Interpolation	100
I.3.1	General	100

I.3.2	Linear interpolation	100
I.3.3	Two compartments – manual triangulation	109
I.3.4	Two compartments – triangulation using matrices	113
I.3.5	Three compartments – triangulation using matrices	115
I.4	Calculating the energy impact of internal temperature changes	117
I.4.1	General	117
I.4.2	One compartment	117
I.4.3	Triangulation	118
I.5	Automatically controlled anti-condensation heater(s)	119
I.6	Calculation of load processing efficiency	121
I.7	Determination of annual energy consumption	123
I.8	Examples of determination of power and temperature from raw data	124
I.8.1	Manual review of data	124
I.8.2	Review of data and selection of minimum spread using bespoke software	144
Annex J (informative)	Development of the IEC global test method for refrigerating appliances	146
J.1	Purpose	146
J.2	Overview	146
J.3	Test method objective	146
J.4	Description of key components of energy consumption	147
Annex K (normative)	Analysis of a refrigerating appliance without steady state between defrosts	149
K.1	Purpose	149
K.2	Products with regular characteristics but without steady state operation	149
K.2.1	General	149
K.2.2	Special case DF2 approach	149
K.2.3	Case DF2 acceptance criteria	150
K.2.4	Case DF2 calculation of values	150
Annex L (informative)	Derivation of ambient temperature correction formula	152
L.1	Purpose	152
L.2	Background	152
L.3	Approach	153
Figure B.1	– Illustration of a test period made of blocks of 5 temperature control cycles – temperatures for Case SS1	27
Figure B.2	– Illustration of a test period made of blocks of 5 temperature control cycles – power for Case SS1	28
Figure B.3	– Case SS2 – typical operation of a refrigerating appliance with a defrost control cycle	31
Figure C.1	– Conceptual illustration of the additional energy associated with a defrost and recovery period	37
Figure C.2	– Case DF1 with steady state operation before and after a defrost	38
Figure E.1	– Interpolation where temperatures change in multiple compartments (compartment D critical)	54
Figure E.2	– Interpolation with valid results in both Compartment A and B	54
Figure E.3	– Interpolation with no valid results	55
Figure E.4	– Schematic representation of interpolation by triangulation	57
Figure G.1	– Conceptual illustration of the load processing efficiency test	78

Figure G.2 – Shelf locations and loading sequence (example showing 10 PET bottles).....	81
Figure G.3 – Ice cube tray locations and clearances	83
Figure G.4 – Representation of the additional energy to process the added load	87
Figure G.5 – Case where a defrost and recovery period occurs during load processing	89
Figure H.1 – Basic view of top mounted freezer appliance	95
Figure H.2 – Automatic ice-maker dispenser and chute.....	96
Figure H.3 – Automatic ice-making compartment	96
Figure H.4 – Rail of drawer type shelves or baskets.....	97
Figure H.5 – Rotary divider of fresh food compartment for French Doors	97
Figure I.1 – Example linear interpolation two compartments (Compartment B critical)	102
Figure I.2 – Example linear interpolation two compartments (Compartment B critical)	103
Figure I.3 – Example Interpolation where both test points have both compartments below target (two valid results)	104
Figure I.4 – Example Interpolation where both test points have both compartments below target (two valid results)	105
Figure I.5 – Example Interpolation where neither test point has both compartments below target (no valid results)	106
Figure I.6 – Example Interpolation where neither test point has both compartments below target (no valid results)	107
Figure I.7 – Example Interpolation for 4 compartments	109
Figure I.8 – Example of triangulation (temperatures).....	111
Figure I.9 – Example of triangulation (temperature and energy)	112
Figure I.10 – An example of power and temperature data	125
Figure I.11 – Example of finding a test period with minimum spread in power	145
Figure K.1 – Special Case SS2 – where steady state operation is never reached between defrost and recovery periods and Annex C stability may not be established	149
Table 1 – Target temperatures for energy determination by compartment type.....	15
Table B.1 – Assumed ΔCOP adjustment.....	35
Table F.1 – Format for temperature and humidity data – ambient controlled anti- condensation heaters.....	69
Table I.1 – Example of linear interpolation, single compartment.....	100
Table I.2 – Example 1 of linear interpolation, two compartments	101
Table I.3 – Example 2 of linear interpolation, two compartments	103
Table I.4 – Example 3 of linear interpolation, two compartments	105
Table I.5 – Example of linear interpolation, test data for four compartments.....	107
Table I.6 – Example of linear interpolation, results for four compartments.....	109
Table I.7 – Example of triangulation, two compartments.....	110
Table I.8 – Example of triangulation, three compartments	115
Table I.9 – Example of population-weighted humidity probabilities and heater wattages at 16 °C, 22 °C and 32 °C	120
Table I.10 – An example of calculation of energy, power and temperature for each temperature control cycle (TCC)	126
Table I.11 – An example of calculation of energy, power and temperature for all possible blocks (size = 3 TCC).....	128

Table I.12 – An example of calculation of energy, power and temperature for all possible test periods (3 blocks each of 3 TCC)	130
Table I.13 – An example of calculation of energy, power and temperature for all possible blocks (size = 5 TCC).....	133
Table I.14 – An example of calculation of energy, power and temperature for all possible blocks (size = 9 TCC).....	135
Table I.15 – An example of calculation of energy, power and temperature for all possible test periods (3 blocks each of 5 TCC)	137
Table I.16 – An example of calculation of energy, power and temperature for all possible test periods (3 blocks each of 9 TCC)	139
Table I.17 – Determination of defrost validity DF1	141
Table I.18 – Determination of steady state values using SS2	143
Table L.1 – Assumed relative insulation value for multi-compartment products	155

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD REFRIGERATING APPLIANCES – CHARACTERISTICS AND TEST METHODS –

Part 3: Energy consumption and volume

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62552-3 has been prepared by subcommittee 59M: Performance of electrical household and similar cooling and freezing appliances, of IEC technical committee 59: Performance of household and similar electrical appliances

IEC 62552-1, IEC 62552-2 and IEC 62552-3 cancel and replace the first edition of IEC 62552 published in 2007. IEC 62552-1, IEC 62552-2 and IEC 62552-3 together constitute a technical revision and include the following significant technical changes with respect to IEC 62552:2007:

- a) All parts of the standard have been largely rewritten and updated to cope with new testing requirements, new product configurations, the advent of electronic product controls and computer based test-room data collection and processing equipment.
- b) In Part 1 there are some changes to test room equipment specifications and the setup for testing to provide additional flexibility especially when testing multiple appliances in a single test room.

- c) For more efficient analysis and to better characterise the key product characteristics under different operating conditions, the test data from many of the energy tests in Part 3 (this part) is now split into components (such as **steady state** operation and defrost and recovery). The approach to determination of energy consumption has been completely revised, with many internal checks now included to ensure that data complying with the requirements of the standard is as accurate as possible and of high quality.
- d) Part 3 (this part) now provides a method to quantify each of the relevant energy components and approaches on how these can be combined to estimate energy under different conditions on the expectation that different regions will select components and weightings that are most applicable when setting both their local performance and energy efficiency criteria while using a single set of global test measurements.
- e) For energy consumption measurements in Part 3 (this part), no thermal mass (test packages) is included in any compartment and compartment temperatures are based on the average of air temperature sensors (compared to the temperature in the warmest test package). There are also significant differences in the position of temperature sensors in unfrozen compartments.
- f) The energy consumption test in Part 3 (this part) now has two specified ambient temperatures (16°C and 32°C).
- g) While, in Part 2 test packages are still used for the storage test to confirm performance in different operating conditions, in Part 1 they have been standardised to one size (100 mm × 100 mm × 50 mm) to simplify loading and reduce test variability. A clearance of at least 15 mm is now specified between test packages and the compartment liner.
- h) A load processing energy efficiency test has been added in Part 3 (this part).
- i) A tank-type ice making energy efficiency test has been added in Part 3 (this part).
- j) A cooling capacity test has been added in Part 2.
- k) A pull-down test has been added in Part 2.
- l) Shelf area and storage volume measurement methods are no longer included. In Part 3 the volume measurement has been revised to be the total internal volume with only components necessary for the satisfactory operation of the refrigeration system considered as being in place.
- m) Tests (both performance (Part 2) and energy (Part 3 – this part)) have been added for wine storage appliances.

The following print types are used in this international standard:

- requirements: in roman type;
- test specifications: in *italic type*;
- notes: in small roman type.
- Words in **bold** are defined in IEC 62552-1:2015, Clause 3 or in this part.

The text of this standard is based on the following documents:

FDIS	Report on voting
59M/63/FDIS	59M/66/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62252 series, published under the general title *Household refrigerating appliances – characteristics and test methods*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62552 is split into 3 parts as follows:

- IEC 62552-1: Scope, definitions, instrumentation, test room and set up of refrigerating products;
- IEC 62552-2: General performance requirements for **refrigerating appliances** and methods for testing them;
- IEC 62552-3: **Energy consumption** and **volume** determination (this part).

HOUSEHOLD REFRIGERATING APPLIANCES – CHARACTERISTICS AND TEST METHODS –

Part 3: Energy consumption and volume

1 Scope

This part of IEC 62552 specifies the essential characteristics of household and similar **refrigerating appliances** cooled by internal natural convection or forced air circulation, and establishes test methods for checking these characteristics.

This part of IEC 62552 describes the methods for the determination of **energy consumption** characteristics and defines how these can be assembled to estimate **energy consumption** under different usage and climate conditions. This part of IEC 62552 also defines the determination of **volume**.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62552-1:2015, *Household refrigerating appliances – Characteristics and test methods – Part 1: General requirements*

IEC 62552-2:2015, *Household refrigerating appliances – Characteristics and test methods – Part 2: Performance requirements*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62552-1, as well as the following apply.

3.1.1

specified auxiliaries

functions or features that affect the **energy consumption** of a **refrigerating appliance** and where their actual **energy consumption** depends on the conditions of use or operation

Note 1 to entry: This standard makes optional provision for determining the **energy consumption** impacts of these functions or features in accordance with regional requirements.

Note 2 to entry: Test requirements for specified auxiliaries, where applicable, are set out in Annex F and their application specified in 6.8.4. The only specified auxiliaries in this edition of the standard are ambient controlled anti-condensation heaters and tank type automatic icemakers.

3.1.2

defrost interval

the measured or estimated length of a **defrost control cycle**, starting from the point of initiation of one **defrost control cycle** to the point of initiation of the subsequent **defrost control cycle**, expressed in hours of elapsed (clock) time