
**Safety of machinery — Positioning of
protective equipment with respect to the
approach speeds of parts of the human
body**

*Sécurité des machines — Positionnement des dispositifs de protection par
rapport à la vitesse d'approche des parties du corps*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

Foreword.....	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Methodology	3
5 General formula for the calculation of minimum distances	5
6 Calculation of minimum distances for electro-sensitive protective equipment employing active opto-electronic protective devices	5
6.1 Direction of approach normal to the detection zone	7
6.2 Direction of approach parallel to the detection zone	9
6.3 Direction of approach angled to the detection zone	10
6.4 Dual position equipment	12
7 Method of calculating the minimum distances for ground level trip devices	13
7.1 General method	13
7.2 Floor mounting	13
7.3 Step mounting	13
8 Two-hand control devices	14
Annex A (informative) Worked examples	15
Annex B (informative) Walking speeds and stride lengths	18
Annex C (informative) Relationship between International Standards referenced in clause 2 and corresponding European Standards	19

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13855 was prepared by Technical Committee ISO/TC 199, *Safety of machinery*.

Annexes A, B and C of this International Standard are for information only.

Introduction

The effectiveness of certain types of protective equipment described in this International Standard to minimize risk relies, in part, on the relevant parts of that equipment being correctly positioned in relation to the danger zone. In deciding on these positions, a number of aspects are to be taken into account, such as:

- the need to identify hazards and to assess risks;
- the practical experiences of users, including accident statistics and existing national standards;
- the state of the art and possible future technical developments;
- the type of equipment to be used;
- the response times of protective equipment used;
- the time taken to ensure the safe condition of the machine following operation of the protective equipment, for example to stop the machine;
- the bio-mechanical and anthropometric data of body parts;
- the path taken by the body part when moving from the sensing or actuating means towards the danger zone;
- the possible presence of a person between the device and the danger zone;
- the possibility of undetected access to the danger zone.

If these aspects are further developed, the current state of the art, reflected in this International Standard, will be updated.

This International Standard gives guidance based on the assumption that the correct device has been chosen either by reference to the appropriate Type-C standard or by carrying out a risk assessment.

The calculated distances, when implemented, will provide sufficient protection for persons against the risks caused by approaching a danger zone which generate any of the following mechanical hazards, such as: crushing, shearing, cutting or severing, entanglement, drawing-in or trapping, friction or abrasion, stabbing or puncture and impact.

Protection against the risks from mechanical hazards arising from the ejection of solid or fluid materials and non-mechanical hazards such as toxic emissions, electricity, radiation etc. are not covered by this International Standard.

The distances are derived from data that take into account population groups likely to be found in European countries and are consequently applicable to those groups.

NOTE 1 If this International Standard is to be used for non-industrial purposes, then the designer should take into account that this data is based on industrial experience.

NOTE 2 Until specific data is available for approach speeds for children, this International Standard uses adult speeds and lower detection factors, where relevant, to calculate the distances that could be within the reach of children.

This International Standard has been prepared to be a harmonized standard in the sense of the Machinery Directive of the European Union and associated regulations of the European Free Trade Association (EFTA). This International Standard is based on EN 999:1998, published by the European Committee for Standardization (CEN).

Safety of machinery — Positioning of protective equipment with respect to the approach speeds of parts of the human body

1 Scope

This International Standard provides parameters based on values for hand/arm and approach speeds and the methodology to determine the minimum distances from sensing or actuating devices of protective equipment to a danger zone.

These specific devices are:

- a) trip devices as defined in EN 292-1:1991, 3.23.5 (specifically electro-sensitive protective equipment, pressure sensitive mats), including those used additionally to initiate operation;
- b) two-hand control devices as defined in EN 292-1:1991, 3.23.4 and covered by ISO 13851.

NOTE For the purposes of this International Standard, hold-to-run controls, which are designed to be actuated with one hand, are not considered to be protective equipment.

This International Standard does not apply to protective equipment which is intended to be moved, without tools, nearer to the danger zone than the calculated distance, e.g. pendant two-hand control devices.

The minimum distances derived from this International Standard do not apply to protective equipment used to detect the presence of persons within an area already protected by a guard or electro-sensitive protective equipment.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/TR 12100-1:1992, *Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology*

ISO/TR 12100-2:1992, *Safety of machinery — Basic concepts, general principles for design — Part 2: Technical principles and specifications*

ISO 13851¹⁾, *Safety of machinery — Two-hand control devices — Functional aspects and design principles*

ISO 13852:1996, *Safety of machinery — Safety distances to prevent danger zones being reached by the upper limbs*

ISO 14121:1999, *Safety of machinery — Principles of risk assessment*

IEC 61496-1:1997, *Safety of machinery — Electrosensitive protective equipment — Part 1: General requirements and tests*

1) To be published.