

**Raudteealased rakendused. Rattapaarid ja
pöördvankrid. Monoplokk rattad. Tehnilise heakskiidu
protseduur. Osa 1: Sepistatud ja valtsitud rattad
KONSOLIDEERITUD TEKST**

Railway applications - Wheelsets and bogies - Monobloc
wheels - Technical approval procedure - Part 1: Forged and
rolled wheels CONSOLIDATED TEXT

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 13979-1:2007+A2:2011 sisaldab Euroopa standardi EN 13979-1:2003+A2:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.03.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 16.03.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 13979-1:2007+A2:2011 consists of the English text of the European standard EN 13979-1:2003+A2:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.03.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 16.03.2011.

The standard is available from Estonian standardisation organisation.

ICS 45.040, 45.060.01

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

English Version

**Railway applications - Wheelsets and bogies - Monobloc wheels
- Technical approval procedure - Part 1: Forged and rolled
wheels**

Applications ferroviaires - Essieux montés et bogies -
Roues monobloc - Procédure d'homologation technique -
Partie 1: Roues forgées et laminées

Bahnanwendungen - Radsätze und Drehgestelle - Vollräder
- Technische Zulassungsverfahren - Teil 1: Geschmiedete
und gewalzte Räder

This European Standard was approved by CEN on 3 November 2003 and includes Amendment 1 approved by CEN on 24 February 2009 and Amendment 2 approved by CEN on 24 January 2011.

CEN members are bound to comply with the CEN-CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

1	Scope	6
2	Normative references	6
3	Parameters for the definition of the application covered	6
3.1	Parameters for geometrical interchangeability	6
3.1.1	Functional requirements	6
3.1.2	Assembly requirements	7
3.1.3	Maintenance requirements	7
3.2	Parameters for thermomechanical assessment	7
3.3	Parameters for mechanical assessment	7
3.4	Parameters for acoustic assessment	8
4	Description of the wheel to be approved	8
5	Assessment of the geometrical interchangeability	8
6	Assessment of the thermomechanical behaviour	8
6.1	General procedure	8
6.2	First stage – Braking bench test	9
6.2.1	Test procedure	9
6.2.2	Decision criteria	9
6.3	Second stage – Wheel fracture bench test	10
6.3.1	General	10
6.3.2	Test procedure	10
6.3.3	Decision criterion	10
6.4	Third stage – Field braking test	10
6.4.1	General	10
6.4.2	Test procedure	10
6.4.3	Decision criteria	10
7	Assessment of the mechanical behaviour	11
7.1	General procedure	11
7.2	First stage - Calculation	11
7.2.1	Applied forces	11
7.2.2	Calculation procedure	12
7.2.3	Decision criteria	13
7.3	Second stage – Bench test	13
7.3.1	General	13
7.3.2	Definition of bench loading and of the test procedure	13
7.3.3	Decision criteria	13
8	Assessment of the acoustical behaviour	13
8.1	General procedure	13
8.2	Calculation procedure	14
8.3	Field measurements	14
8.4	Decision criteria	14
9	Technical approval documents	15
Annex A (normative)	Assessment of the thermomechanical behaviour	17
A.1	Assessment organigram	17
A.2	Braking bench test procedure	18
A.2.1	Principle of the test	18
A.2.2	Definition of braking	18
A.2.3	Method of measuring the decision criteria	18

A.2.4	Tests and measurements	20
A.2.5	Anomalies.....	21
A.3	Wheel fracture bench test procedure	21
A.3.1	Principle of the test	21
A.3.2	Definition of drag braking.....	21
A.3.3	Pre-cracking of the rim	22
A.3.4	Special measurement methods required for this test	22
A.3.5	Tests and measurements	22
A.3.6	Anomalies.....	23
A.4	Field braking test procedure	23
A.4.1	Principle of the test	23
A.4.2	Definition of braking.....	23
A.4.3	Method of measurement of the decision criteria	24
A.4.4	Standard test run.....	24
A.4.5	Tests and measurements	25
A.4.6	Anomalies.....	26
Annex B (normative)	Organigram of the mechanical behaviour assessment	27
Annex C (informative)	Mechanical behaviour – Finite element code assessment.....	28
Annex D (informative)	Mechanical behaviour – Bench loading and test procedure.....	29
D.1	Principle of bench loading and test procedure.....	29
D.2	Definition of loading.....	29
D.2.1	General	29
D.2.2	Measurement of the stresses during field tests.....	30
D.3	Fatigue bench test.....	30
D.3.1	Method 1 – Random fatigue test.....	30
D.3.2	Method 2 – Single-stage fatigue test.....	31
Annex E (informative)	Assessment of the acoustical behaviour	34
E.1	Assessment organigram.....	34
E.2	Calculation procedure.....	35
E.2.1	Preliminary comment	35
E.2.2	Calculation of the wheel modal basis	35
E.2.3	Selection of the reference track model	35
E.2.4	Definition of the calculation parameters.....	35
E.2.5	Power calculation	35
E.2.6	Insertion.....	36
E.2.7	Calculations of the decision criteria for acoustical technical approval of the wheel	37
E.2.8	Optional calculations	37
E.3	Field measurement procedure	37
E.3.1	Objective and preliminary remark	37
E.3.2	Recommendations for the operating conditions	38
E.3.3	Measurement procedure.....	41
E.3.4	Analysis of results.....	43
Annex F (informative)	 Drag braking values for interoperability 	46
	Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2008/57/EC 	47
Bibliography		50

Foreword

This document (EN 13979-1:2003+A1:2009) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by 30 September 2011, and conflicting national standards shall be withdrawn at the latest by 30 September 2011.

This document includes Amendment 1, approved by CEN on 2009-02-24.

This document supersedes EN 13979-1:2003.

The start and finish of text introduced or altered by amendment is indicated in the text by tags **A1** **A1**.

Annexes A and B are normative.

A1 Annexes C, D, E and F are informative. **A1**

This document contains a bibliography.

This European Standard is part of a series of two EN 13979 standards, Part 2 of which is:

A1 Part 2: Cast wheels. **A1**

A2 This document has been created under a mandate granted to CEN/CENELEC/ETSI by the European Commission and the European Free Trade Association and supports the essential requirements of Directive 2008/57/EC. **A2**

A2 For the relationship with Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document. **A2**

Introduction

To date, UIC regulations specified that for a wheel to be used in Europe:

- its design had to be standardized;
- it had to conform to the quality requirements of UIC leaflet 812-3.

In order to be able to adapt to new railway working conditions, on the one hand, and to facilitate the introduction of new technical solutions, on the other, it has been necessary to replace the concept of standardization with the definition of specifications that a wheel design shall meet to be accepted on a European network.

The standard covers these specifications and describes precisely how to assess the wheel design.

To be able to apply these specifications, it is essential to define the use of the wheel; this standard also states how to define this use.

At least four aspects are described with different purposes:

- a geometrical aspect: to allow interchangeability of different solutions for the same application;
- a thermomechanical aspect: to manage wheel deformations and to ensure that braking will not cause wheels to break;
- a mechanical aspect: to ensure that no fatigue cracks occur in the web;
- an acoustical aspect: to ensure that the solution chosen is as good as the reference wheel, for the use in question.

For each of these three latter aspects, the rules proposed tend to limit the procedure, the easier the objectives are to attain by the wheel under study.

This standard does not cover assessment of the hub nor of the static mechanical dimensioning of the wheel.

1 Scope

The aim of this European Standard is to define the requirements that a monobloc wheel of a freight or passenger railway vehicle non-powered axle shall meet in order to be able to be used on a European network.

For wheels of powered axles or wheels with noise dampers, the requirements may be amended or supplemented.

For light vehicles and tramways, other standards or documents accepted by the customer and supplier may be used.

This European Standard only applies to wheels of new design.

These requirements are intended to assess the validity of the design choice for the proposed use.

The assessment of these requirements is the technical approval procedure.

This European Standard is applicable to forged and rolled wheels for which the quality requirements are defined in ^{A1}EN 13262 ^{A1}.

2 Normative references

^{A1}The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. ^{A1}

EN 12668-3, *Non-destructive testing – Characterization and verification of ultrasonic examination equipment – Part 3: Combined equipment*

EN 13103, *Railway applications – Wheelsets and bogies – Non-powered axles – Design* ^{A1} guide ^{A1}

^{A1}EN 13262 ^{A1}, *Railway applications – Wheelsets and bogies – Wheels – Product requirements*

3 Parameters for the definition of the application covered

The application for which the wheel is to be approved shall be defined by the following parameters.

If the application parameters are changed for an approved wheel, the customer and supplier shall review the assessments.

3.1 Parameters for geometrical interchangeability

The application shall be defined by geometrical interchangeability parameters divided into three categories according to whether they are linked to functional, assembly or maintenance requirements.

3.1.1 Functional requirements

- the nominal tread diameter that influences the buffer height and the loading gauge;
- the maximum rim width linked to the points and crossing and the track brakes;
- the tread profile outside the conical part of the tread;