## **INTERNATIONAL STANDARD**

**ISO** 15589-1

> Second edition 2015-03-01

## Petroleum, petrochemical and natural gas industries — Cathodic protection of pipeline systems —

## Part 1: **On-land pipelines**

Industries du pétrole, de la pétrochimie et du gaz naturel ie, lique \ aites terres Protection cathodique des systèmes de transport par conduites —

Partie 1: Conduites terrestres





roduced or utilized fie internet or an or ISO's memi All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Co	Contents		
Fore	word		vi
Intr	oductio	n	vii
1	Scon	e	1
2		native references	
3	Tern	is and definitions	2
4	Symbols and abbreviations		
	4.1	Symbols	
	4.2	Abbreviations	
5	CP p	ersonnel competence	7
6	Cath	odic protection criteria	
	6.1	General	
	6.2	Protection potentials	
	6.3	Alternative methods 6.3.1 100 mV cathodic potential shift	
		6.3.2 Other methods	
	6.4	Criteria in the presence of a.c.	
7	Pre-requisites for the application of cathodic protection		
,	7.1	General	
	7.2	Electrical continuity	
	7.3	Electrical isolation	
		7.3.1 General	
		7.3.2 Locations	
		7.3.3 Isolating joints	
		<ul><li>7.3.4 Internal corrosion risks at isolating joints</li><li>7.3.5 Contacts between metallic structures</li></ul>	
		7.3.6 Electrical earthing system	
	7.4	Lightning and overvoltage protection	
	7.5	Coating	15
		7.5.1 General	
		7.5.2 Factory-applied coatings	
		7.5.3 Field joint coatings	
		<ul><li>7.5.4 Coating for trenchless pipelines</li><li>7.5.5 Air to electrolyte interface</li></ul>	15 16
		7.5.6 Compatibility of coatings and wraps with cathodic protection	16
		7.5.7 Thermal insulation	
		7.5.8 Reinforced concrete weight coating	17
	7.6	Selection of pipe trench backfill material	17
	7.7	Buried casings for pipelines	
		7.7.1 General	17
		<ul><li>7.7.2 Casings that shield cathodic protection current</li><li>7.7.3 Casings that pass cathodic protection current</li></ul>	1 / 1 Ω
	7.8	Equipment for the reduction of a.c. interference	18
	7.9	Equipment for the mitigation of d.c. interference	

## ISO 15589-1:2015(E)

Ø	Basic	requirements for cathodic protection design	
	8.1	General	18
	8.2	Basic information for cathodic protection design	19
	8.3	Contents of cathodic protection design report	20
	8.4	Cathodic protection current demand	
		8.4.1 Calculation of the theoretical total current demand	20
		8.4.2 Current demand based on coating breakdown factors	
		8.4.3 Current demand based on current density values for coated pipelines	
	8.5	Cathodic protection equipment	
	0.0	8.5.1 Cathodic protection cables	23
		8.5.2 Cable connection	
		8.5.3 Precautions to respect for distribution boxes and test stations	
	8.6	Temporary protection	
	8.7	Specific case of existing pipelines	
	0.7	8.7.1 General	
		8.7.2 Parallel pipelines	
		8.7.3 Parallelism or crossing with a.c. power systems	
	8.8	Trenchless installation methods	
9	Impre	essed current stations	
	9.1	General	
	9.2	Power supply	28
	9.3	Groundbeds	29
		9.3.1 General	29
		9.3.2 Deep-well groundbeds	29
		9.3.3 Shallow groundbeds	
		9.3.4 Impressed-current anodes and conductive backfill	
	9.4	Output control	
		9.4.1 General	
		9.4.2 Current distribution for multiple pipelines	
		9.4.3 Potential control	33
10	Calma	nic anode systems	
10			
	10.1	General	
	10.2	Design requirements	
	10.3	Zinc anodes	
	10.4	Magnesium anodes	
	10.5	Design of the anode system	
	10.6	Anode backfill	
	10.7	Cables and cable connections	
	10.8	Anode installation	
11	Monit	oring facilities	39
	11.1	General	39
	11.2	Locations of test stations	
	11.3	Description of test stations	
	11.4	Use of probes and coupons	
	11.5	Bonding to other pipelines	
	11.6	Test facilities at cased crossings	
	11.7	Test facilities at isolating joints	
	11.7	Line current monitoring test stations	
	11.9	Drain-point test facilities	
		Miscellaneous monitoring facilities	
	11.10	- 110001141100 40 Information in 5 Identities	* ±

12	Commissioning		
	12.1	General	
	12.2	Preliminary tests	
	12.3	Start up	
	3.	12.3.1 Impressed current stations	
		12.3.2 Galvanic anodes 12.3.3 Drainage stations	
	3	12.3.4 Test stations	
	12.4	Verification of cathodic protection effectiveness	
		12.4.1 General	44
		12.4.2 Measurements of d.c. potential and a.c. voltage	
		12.4.3 Current measurements	
	12.5	12.4.4 Adjustments	
	12.5	Commissioning report 12.5.1 Installation documentation	
		12.5.2 Commissioning measurements	
40			
13		toring, inspection, and maintenance	
	13.1 13.2	General Implementation of inspection	
	13.3	Periodicities of inspection	
	13.4	Remote monitoring	
	13.5	Specialized surveys	
	13.6	Monitoring plan	
	13.7	Monitoring equipment	
	13.8	Maintenance and repair	
<b>14</b>	Documentation		
	14.1	Design documentation	
		14.1.1 General	
	112	14.1.2 Construction details and installation procedures	52
	14.2 14.3	Commissioning documentation	
	14.5	14.3.1 General	
		14.3.2 Inspection and monitoring data	
		14.3.3 Maintenance records	
Anne	<b>x A</b> (no	rmative) Cathodic protection measurements	55
		rmative) Electrical interference	
	_	ormative) Fault detection of impressed-current systems during operation	
	-	formative) <b>Description of specialized surveys</b>	
Anne	x E (inf	ormative) <b>Attenuation of protection</b>	76
		ormative) Electrical tests for isolating joints before installation	
		y	
	- o r-*,		

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 67, *Materials, equipment and offshore structures for* petroleum, petrochemical and natural gas industries, Subcommittee SC 2, Pipeline transportation systems.

This second edition cancels and replaces the first edition (ISO 15589-1:2003), which has been technically revised with the following changes:

- cathodic protection criteria have been extended with further clarification on the application of the criteria:
- requirements for design have been more detailed and periodicities for inspection of cathodic equipment have been enlarged, and the option for remote monitoring added;
- requirements for measurements and testing during commissioning have been further detailed.

ISO 15589 consists of the following parts, under the general title Petroleum, petrochemical and natural *gas industries* — *Cathodic protection of pipeline systems*: 

- Part 1: On-land pipelines
- Part 2: Offshore pipelines

#### Introduction

Pipeline cathodic protection is achieved by the supply of sufficient direct current to the external pipe surface, so that the steel-to-electrolyte potential is lowered to values at which external corrosion is reduced to an insignificant rate.

Cathodic protection is normally used in combination with a suitable protective coating system to protect the external surfaces of steel pipelines from corrosion.

It is necessary that users of this part of ISO 15589 be aware that further or differing requirements can be needed for individual applications. This part of ISO 15589 is not intended to inhibit the use of al angin innovat.
s from this alternative equipment or engineering solutions for the individual application. This can be particularly applicable where there is innovative or developing technology. It is necessary that, where an alternative is offered, any variations from this part of ISO 15589 be identified and documented.

This document is a previous generated by tills

# Petroleum, petrochemical and natural gas industries — Cathodic protection of pipeline systems —

### Part 1:

## **On-land pipelines**

#### 1 Scope

This part of ISO 15589 specifies requirements and gives recommendations for the pre-installation surveys, design, materials, equipment, installation, commissioning, operation, inspection, and maintenance of cathodic protection systems for on-land pipelines, as defined in ISO 13623 or EN 14161 for the petroleum, petrochemical, and natural gas industries, and in EN 1594 or EN 12007-1 and EN 12007-3 used by gas supply industries in Europe.

All contents of this part of ISO 15589 are applicable to on-land pipelines and piping systems used in other industries and transporting other media such as industrial gases, waters, or slurries.

This part of ISO 15589 applies to buried pipelines, landfalls of offshore pipeline sections protected by on-shore based cathodic protection installations, and to immersed sections of on-land pipelines such as river or lake crossings.

This part of ISO 15589 specifies requirements for pipelines of carbon steel, stainless steel, cast iron, galvanized steel, or copper. If other pipeline materials are used, the criteria to apply are defined under the responsibility of the pipeline operator.

This part of ISO 15589 does not apply to pipelines made of reinforced concrete for which EN 12696 can be applied.

NOTE Special conditions sometimes exist where cathodic protection is ineffective or only partially effective. Such conditions can include shielding (e.g. disbonded coatings, thermal-insulating coatings, rocky soil, etc.) and unusual contaminants in the electrolyte.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8044, Corrosion of metals and alloys — Basic terms and definitions

 ${\it ISO~10012}$ , Measurement management systems — Requirements for measurement processes and measuring equipment

ISO 13623, Petroleum and natural gas industries — Pipeline transportation systems

ISO 13847, Petroleum and natural gas industries — Pipeline transportation systems — Welding of pipelines

ISO 21809 (all parts), Petroleum and natural gas industries — External coatings for buried or submerged pipelines used in pipeline transportation systems

IEC 60079-10-1, Explosive atmospheres — Part 10-1: Classification of areas — Explosive gas atmospheres

IEC 60529, Degrees of protection provided by enclosures (IP Code)

EN 1594, Gas infrastructure — Pipelines for maximum operating pressure over 16 bar — Functional requirements