

JÄÄTISE KÜLMLETID. KLASSIFIKATSIOON, NÕUDED JA  
KATSETINGIMUSED

Refrigerated display scooping cabinets for gelato -  
Classification, requirements and test conditions

## ESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 16838:2016 sisaldab Euroopa standardi EN 16838:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 16838:2016 consists of the English text of the European standard EN 16838:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.07.2016.	Date of Availability of the European standard is 27.07.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 97.130.20

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN 16838

July 2016

ICS 97.130.20

English Version

Refrigerated display scooping cabinets for gelato -  
Classification, requirements and test conditions

Vitrines réfrigérées de vente de glace - Classification,  
exigences et conditions d'essai

Verkaufskühlmöbel für Speiseeis - Klassifizierung,  
Anforderungen und Prüfbedingungen

This European Standard was approved by CEN on 29 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## Contents

	Page
<b>European foreword.....</b>	<b>5</b>
<b>1 Scope.....</b>	<b>6</b>
<b>2 Normative references.....</b>	<b>6</b>
<b>3 Terms and definitions .....</b>	<b>6</b>
<b>4 Symbols and abbreviations .....</b>	<b>7</b>
<b>5 Requirements .....</b>	<b>8</b>
<b>5.1 Construction.....</b>	<b>8</b>
<b>5.1.1 General.....</b>	<b>8</b>
<b>5.1.2 Materials.....</b>	<b>9</b>
<b>5.1.3 Refrigerating system.....</b>	<b>9</b>
<b>5.1.4 Electrical components.....</b>	<b>9</b>
<b>5.1.5 Temperature display .....</b>	<b>10</b>
<b>5.2 Operating characteristics.....</b>	<b>10</b>
<b>5.2.1 Absence of odour and taste.....</b>	<b>10</b>
<b>5.2.2 Classification according to temperature .....</b>	<b>11</b>
<b>Table 1 — Temperature classes.....</b>	<b>11</b>
<b>Figure 1 — Relevant temperature curves of M-Test gelato tubs.....</b>	<b>12</b>
<b>5.2.3 Defrosting .....</b>	<b>13</b>
<b>5.2.4 Water vapour condensation.....</b>	<b>13</b>
<b>5.2.5 Energy consumption .....</b>	<b>13</b>
<b>5.2.6 Specific Energy Consumption .....</b>	<b>13</b>
<b>6 Test condition.....</b>	<b>13</b>
<b>6.1 General.....</b>	<b>13</b>
<b>Table 2 — Test summary.....</b>	<b>13</b>
<b>6.2 Tests outside test room.....</b>	<b>14</b>
<b>Table 3 — Examples of gelato tubs dimensions .....</b>	<b>14</b>
<b>6.3 Tests inside test room .....</b>	<b>14</b>
<b>6.3.1 General.....</b>	<b>14</b>
<b>6.3.2 Test room — General design, walls, floor and radiant heat .....</b>	<b>15</b>
<b>Table 4 — Climate classes .....</b>	<b>16</b>
<b>Figure 2 — Climate measuring point for gelato scooping cabinets.....</b>	<b>17</b>
<b>Table 5 — Ingredients of the reference test mixture .....</b>	<b>17</b>
<b>Figure 3 — Positioning of the measuring probes .....</b>	<b>18</b>
<b>Table 6 — Temperature and specific enthalpy of filler test gelato tub .....</b>	<b>19</b>
<b>Table 7 — Temperature and increase in specific enthalpy of filler test gelato tubs .....</b>	<b>19</b>
<b>Figure 4 — Thermal characteristics of filler test gelato tubs.....</b>	<b>20</b>
<b>6.3.3 Preparation of test Gelato scooping cabinet and general test procedures .....</b>	<b>20</b>
<b>Figure 5 — Gelato scooping cabinet position.....</b>	<b>22</b>
<b>Figure 6 — Position of M-test gelato tubs in the display section .....</b>	<b>22</b>

<b>Figure 7 — Position of M-test gelato tubs in the storage section.....</b>	<b>23</b>
<b>6.3.4 Temperature test.....</b>	<b>24</b>
<b>Figure 8 — Warmest M-test gelato tub temperatures (curve a) Coldest M-test gelato tub temperatures (curve b) .....</b>	<b>26</b>
<b>Figure 9 — Arithmetic mean temperature of M- test gelato tubs (curve d) .....</b>	<b>27</b>
<b>6.3.5 Water vapour condensation test.....</b>	<b>27</b>
<b>Figure 10 — Condensation code .....</b>	<b>28</b>
<b>6.3.6 Electrical energy consumption test.....</b>	<b>29</b>
<b>6.3.7 Heat extraction rate measurement when condensing unit is remote from Gelato scooping cabinet .....</b>	<b>29</b>
<b>Figure 11 — Gelato scooping cabinets intended for connection to compression-type refrigerating systems .....</b>	<b>32</b>
<b>Figure 12 — Refrigeration cycle — Constant evaporating pressure — No cycling .....</b>	<b>35</b>
<b>Figure 13 — Refrigeration cycle — Cycling including pump down .....</b>	<b>36</b>
<b>7 Test report .....</b>	<b>36</b>
<b>7.1 General .....</b>	<b>36</b>
<b>7.2 Tests outside test room .....</b>	<b>36</b>
<b>Table 8 — Linear dimensions, areas and volumes .....</b>	<b>37</b>
<b>7.3 Tests inside test room .....</b>	<b>37</b>
<b>7.3.1 General test conditions.....</b>	<b>37</b>
<b>Table 9 — Conditions for tests inside test room.....</b>	<b>37</b>
<b>7.3.2 Cabinet preparation.....</b>	<b>37</b>
<b>Table 10 — Gelato scooping Cabinet preparation for tests inside test room .....</b>	<b>37</b>
<b>7.3.3 Temperature test.....</b>	<b>38</b>
<b>Table 11 — Temperature test for tests inside test room .....</b>	<b>38</b>
<b>7.3.4 Water vapour condensation test.....</b>	<b>38</b>
<b>Table 12 — Water vapour condensation test .....</b>	<b>38</b>
<b>7.3.5 Electrical energy consumption test.....</b>	<b>39</b>
<b>Table 13 — Electrical energy consumption test .....</b>	<b>39</b>
<b>7.3.6 Heat extraction rate measurement when the condensing unit is remote from the Gelato scooping cabinet.....</b>	<b>39</b>
<b>Table 14 — Heat extraction rate measurement when the condensing unit is remote from the Gelato scooping cabinet .....</b>	<b>40</b>
<b>8 Marking .....</b>	<b>40</b>
<b>8.1 Marking plate .....</b>	<b>40</b>
<b>8.2 Information to be supplied by the manufacturer .....</b>	<b>41</b>
<b>Annex A (informative) Test for absence of odour and taste.....</b>	<b>43</b>
<b>A.1 Preparation and testing .....</b>	<b>43</b>
<b>A.1.1 Ambient temperature .....</b>	<b>43</b>
<b>A.1.2 Cleaning.....</b>	<b>43</b>
<b>A.1.3 Thermostat setting.....</b>	<b>43</b>
<b>A.1.4 Samples .....</b>	<b>43</b>
<b>A.1.5 Test period .....</b>	<b>43</b>

A.2	Examination of samples.....	44
A.2.1	Conditions.....	44
A.2.2	Evaluation.....	44
Annex B (normative)	Data requirements for performance and energy rating of gelato scooping cabinets.....	45
B.1	Scope.....	45
B.2	Terms and definitions .....	45
Table B.1 — Designation of Gelato scooping cabinet families .....	46	
B.3	Data Requirements for rating of gelato Scooping Cabinets with incorporated condensing unit .....	46
B.3.1	General.....	46
B.3.2	Evaluation of DEC .....	46
B.3.3	Evaluation of FEC.....	47
B.3.4	Evaluation of LEC.....	47
B.3.5	Evaluation of AEC .....	47
B.3.6	Evaluation of DFEC.....	47
B.3.7	Evaluation of PEC.....	48
B.3.8	Other Electric Energy Consumption .....	48
B.3.9	Alternate Components - Effect on DEC.....	48
B.4	Data Requirements for rating of gelato Scooping Cabinets with remote condensing unit .....	48
B.4.1	General.....	48
Bibliography.....	49	

## European foreword

This document (EN 16838:2016) has been prepared by Technical Committee CEN/TC 44 "Commercial and Professional Refrigerating Appliances and Systems, Performance and Energy Consumption", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by January 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies requirements for the construction, characteristics and performance of refrigerated display scooping cabinets for gelato used to sale and display artisan and self made gelato, hereafter called "gelato scooping cabinets". It specifies test conditions and methods for checking that the requirements have been satisfied, as well as classification of the cabinets, their marking and the list of their characteristics to be declared by the manufacturer.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60335-1, *Household and similar electrical appliances — Safety — Part 1: General requirements (IEC 60335-1)*

EN 60335-2-89, *Household and similar electrical appliances - Safety - Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant condensing unit or compressor*

ISO 5149-2, *Refrigerating systems and heat pumps — Safety and environmental requirements — Part 2: Design, construction, testing, marking and documentation*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **gelato scooping cabinets**

cabinet cooled by a refrigerating system which enables, to store, to display and to scoop artisan and self made gelato contained in tubs, within prescribed temperature limits

Note 1 to entry: Artisan and self made gelato are hereafter called "gelato".

### 3.2

#### **storage section**

non-visible part of the gelato scooping cabinet used only to store the product, separated from the display volume and with a different access

### 3.3

#### **display section**

visible part of the gelato scooping cabinet used only to display and to scoop the product

### 3.4

#### **covers**

sliding door or night curtain or swivel panes

### 3.5

#### **gelato Tub**

container intended to store gelato