Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of mycobactericidal activity of chemical disinfectants and antiseptics used in the veterinary area - Test method and requirements a protion general area of the (phase 2, step 1)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 14204:2012 consists of the English text of the European standard EN 14204:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
	Date of Availability of the European standard is 14.11.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 71.100.35

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 14204

NORME EUROPÉENNE EUROPÄISCHE NORM

November 2012

ICS 71.100.35

Supersedes EN 14204:2004

English Version

Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of mycobactericidal activity of chemical disinfectants and antiseptics used in the veterinary area - Test method and requirements (phase 2, step 1)

Antiseptiques et désinfectants chimiques - Essai quantitatif de suspension pour l'évaluation de l'activité mycobactéricide des antiseptiques et des désinfectants chimiques utilisés dans le domaine vétérinaire - Méthode d'essai et prescriptions (Phase 2, étape 1) Chemische Desinfektionsmittel und Antiseptika -Quantitativer Suspensionsversuch zur Bestimmung der mykobakteriziden Wirkung chemischer Desinfektionsmittel und Antiseptika für den Veterinärbereich - Prüfverfahren und Anforderungen (Phase 2, Stufe 1)

This European Standard was approved by CEN on 22 September 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Conter	nts F	age
Forewo	ord	3
Introdu	uction	4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Requirements	
· 5	Test method	
5 5.1	Principle	
5.2	Materials and reagents	
5.2.1	Test organisms	
5.2.1	Culture media and reagents	
5.2.2 5.3	Apparatus and glassware	
5.3.1	GeneralGeneral	
5.3.2	Usual microbiological laboratory equipment and, in particular, the following:	
5.4	Preparation of mycobacterial test suspension and product test solutions	11
5.4.1	Mycobacterial test suspensions (test and validation suspension)	
5.4.2	Product test solutions	13
5.5	Procedure for assessing the mycobactericidal activity of the product	
5.5.1	General	
5.5.2	Test procedure - Dilution-neutralization method	15
5.5.3	Test procedure - Membrane filtration method	17
5.6	Experimental data and calculation	19
5.6.1	Explanation of terms and abbreviations	
5.6.2	Calculation	
5.7	Verification of methodology	
5.7.1	General	
5.7.1 5.7.2	Control of weighted mean counts	
5.7.2 5.7.3	Basic limits	
5.7.3 5.8	Expression of results	
	Reduction	
5.8.1		
5.8.2	Control of active and non-active product test solution (5.4.2)	
5.8.3	Mycobactericidal concentration	
5.9	Interpretation of results - conclusion	
5.9.1	General	
5.9.2	Mycobactericidal activity for general purposes	
5.9.3	Qualification for certain fields of application	24
5.10	Test report	25
Annex	A (informative) Referenced strain in national collections	27
Annex	B (informative) Examples of neutralizers of the residual antimicrobial activity of chemical disinfectants and antiseptics and rinsing liquids	28
Annex	C (informative) Graphical representations of dilution-neutralization method	30
	D (informative) Example of a typical test report	
	graphy	
אַטווטוב	μαριιγ	50

Foreword

This document (EN 14204:2012) has been prepared by Technical Committee CEN/TC 216 "Chemical disinfectants and antiseptics", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2013, and conflicting national standards shall be withdrawn at the latest by May 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14204:2004.

Data obtained using the former version of EN 14204 may still be used.

This document was revised to correct obvious errors and ambiguities, to harmonize the structure and wording with other quantitative suspension tests of CEN/TC 216 (existing or in preparation), and to improve the readability of the standard and thereby make it more understandable.

The following technical changes have been made: Membrane filtration (5.5.3) method and associated media and equipment have been added.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard specifies a suspension test for establishing whether a chemical disinfectant or antiseptic has mycobactericidal activity in the area and fields described in the scope.

This laboratory test takes into account practical conditions of application of the product including contact time, temperature, test organisms and interfering substances, i.e. conditions which may influence its action in practical situations.

g antrat, ntal cont, dditional tes. The conditions are intended to cover general purposes and to allow reference between laboratories and product types. Each utilization concentration of the chemical disinfectant or antiseptic, found by this test corresponds to the chosen experimental conditions. However, for some applications the instructions of use of a product may differ and therefore additional test conditions need to be used.

1 Scope

This European Standard specifies a test method and the minimum requirements for mycobactericidal activity of chemical disinfectant and antiseptic products that form a homogeneous, physically stable preparation when diluted with hard water or — in the case of ready-to-use-products — with water.

Products can only be tested at a concentration of 80 % or less, as some dilution is always produced by adding the test organisms and interfering substance.

This European Standard applies to products that are used in the veterinary area - i.e. in the breeding, husbandry, production, transport and disposal of all animals except when in the food chain following death and entry to the processing industry.

EN 14885 specifies in detail the relationship of the various tests to one another and to "use recommendations".

NOTE 1 The method described is intended to determine the activity of commercial formulations or active substances under the conditions in which they are used.

NOTE 2 This method corresponds to a phase 2 step 1 test.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12353, Chemical disinfectants and antiseptics — Preservation of test organisms used for the determination of bactericidal, mycobactericidal, sporicidal and fungicidal activity

EN 14885, Chemical disinfectants and antiseptics — Application of European Standards for chemical disinfectants and antiseptics

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 14885 apply.

4 Requirements

The product shall demonstrate at least a 4 decimal log (lg) reduction when tested in accordance with Table 1 and Clause 5 under simulated low level (3,0 g/l bovine albumin) or high level soiling (10 g/l yeast extract and 10 g/l bovine albumin).