

INTERNATIONAL
STANDARD

ISO
4156-2

First edition
2005-10-01

**Straight cylindrical involute splines —
Metric module, side fit —**

**Part 2:
Dimensions**

Cannelures cylindriques droites à flancs en développante — Module métrique, à centrage sur flancs —

Partie 2: Dimensions



Reference number
ISO 4156-2:2005(E)

© ISO 2005

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	2
5 Geometry and inspection dimensions.....	3
5.1 30° pressure angle, module 0,5	3
5.2 30° pressure angle, module 0,75	7
5.3 30° pressure angle, module 1	11
5.4 30° pressure angle, module 1,25	15
5.5 30° pressure angle, module 1,5	19
5.6 30° pressure angle, module 1,75	23
5.7 30° pressure angle, module 2	27
5.8 30° pressure angle, module 2,5	31
5.9 30° pressure angle, module 3	35
5.10 30° pressure angle, module 4	39
5.11 30° pressure angle, module 5	43
5.12 30° pressure angle, module 6	47
5.13 30° pressure angle, module 8	51
5.14 30° pressure angle, module 10	55
5.15 37,5° pressure angle, module 0,5	59
5.16 37,5° pressure angle, module 0,75	63
5.17 37,5° pressure angle, module 1	67
5.18 37,5° pressure angle, module 1,25	71
5.19 37,5° pressure angle, module 1,5	75
5.20 37,5° pressure angle, module 1,75	79
5.21 37,5° pressure angle, module 2	83
5.22 37,5° pressure angle, module 2,5	87
5.23 37,5° pressure angle, module 3	91
5.24 37,5° pressure angle, module 4	95
5.25 37,5° pressure angle, module 5	99
5.26 37,5° pressure angle, module 6	103
5.27 37,5° pressure angle, module 8	107
5.28 37,5° pressure angle, module 10	111
5.29 45° pressure angle, module 0,25	115
5.30 45° pressure angle, module 0,5	119
5.31 45° pressure angle, module 0,75	123
5.32 45° pressure angle, module 1	127
5.33 45° pressure angle, module 1,25	131
5.34 45° pressure angle, module 1,5	135
5.35 45° pressure angle, module 1,75	139
5.36 45° pressure angle, module 2	143
5.37 45° pressure angle, module 2,5	147
Annex A (informative) Inspection dimensions for span measurement	151

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 4156-2 was prepared by Technical Committee ISO/TC 14, *Shafts for machinery and accessories*.

This first edition of ISO 4156-2, together with ISO 4156-1 and ISO 4156-3, cancels and replaces ISO 4156:1981 and ISO 4156:1981/Amd 1:1992, of which it constitutes a technical revision. The values and tables are the same as in ISO 4156:1981; however, some explanations and definitions have been clarified.

ISO 4156 consists of the following parts, under the general title *Straight cylindrical involute splines — Metric module, side fit*:

- *Part 1: Generalities*
- *Part 2: Dimensions*
- *Part 3: Inspection*

Introduction

ISO 4156 provides the data and indications necessary for the design, manufacture and inspection of straight (non-helical) side-fitting cylindrical involute splines.

Straight cylindrical involute splines manufactured in accordance with ISO 4156 are used for clearance, sliding and interference connections of shafts and hubs. They contain all the necessary characteristics for the assembly, transmission of torque, and economic production.

The nominal pressure angles are 30° , $37,5^\circ$ and 45° . For electronic data processing purposes, the form of expression $37,5^\circ$ has been adopted instead of $37^\circ 30'$. ISO 4156 establishes a specification based on the following modules:

- for pressure angles of 30° and $37,5^\circ$ the module increments are
0,5; 0,75; 1; 1,25; 1,5; 1,75; 2; 2,5; 3; 4; 5; 6; 8; 10
- for pressure angle of 45° the module increments are
0,25; 0,5; 0,75; 1; 1,25; 1,5; 1,75; 2; 2,5

This document is a preview generated by EVS

Straight cylindrical involute splines — Metric module, side fit —

Part 2: Dimensions

1 Scope

This part of ISO 4156 specifies geometry and inspection dimensions for the design and manufacture of straight (non-helical) side-fitting cylindrical involute splines.

Limiting dimensions, tolerances, manufacturing errors and their effects on the fit between connecting coaxial spline elements are defined and tabulated. Linear dimensions are expressed in millimetres and angular dimensions in degrees.

The specified diameters for external splines in the geometry tables and the values in the inspection dimension tables are only valid for fundamental deviation "h".

For fundamental deviations other than "h", diameters and tooth thicknesses are calculated for external splines according to the formulae in ISO 4156-1 and inspection dimensions according to the formulae in ISO 4156-3.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4156-1:2005, *Straight cylindrical involute splines — Metric module, side fit — Part 1: Generalities*

ISO 4156-3:2005, *Straight cylindrical involute splines — Metric module, side fit — Part 3: Inspection*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4156-1 apply.