

TECHNICAL SPECIFICATION



**Marine energy – Wave, tidal and other water current converters –
Part 10: Assessment of mooring system for marine energy converters (MECs)**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

Document generated by EVS

TECHNICAL SPECIFICATION



**Marine energy – Wave, tidal and other water current converters –
Part 10: Assessment of mooring system for marine energy converters (MECs)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.140

ISBN 978-2-8322-2431-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|---|----|
| FOREWORD..... | 6 |
| INTRODUCTION..... | 8 |
| 1 Scope..... | 9 |
| 2 Normative references | 9 |
| 3 Terms and definitions | 9 |
| 4 Abbreviated terms | 11 |
| 5 Principal element..... | 12 |
| 5.1 General..... | 12 |
| 5.2 Mooring and anchor systems | 12 |
| 5.3 Design considerations | 12 |
| 5.4 Safety and risk consideration..... | 13 |
| 5.5 Analysis procedure..... | 13 |
| 5.6 Inspection and maintenance requirements | 13 |
| 6 Types of moorings and anchoring systems | 13 |
| 6.1 General..... | 13 |
| 6.2 Mooring systems | 13 |
| 6.2.1 General | 13 |
| 6.2.2 Spread moorings (catenary, taut-line and semi-taut-line)..... | 13 |
| 6.2.3 Single point moorings (SPM)..... | 14 |
| 6.3 Mooring line components..... | 15 |
| 6.3.1 General | 15 |
| 6.3.2 Chain..... | 15 |
| 6.3.3 Wire rope..... | 16 |
| 6.3.4 Synthetic rope..... | 17 |
| 6.3.5 Clump weights | 17 |
| 6.3.6 Buoyancy aids | 17 |
| 6.3.7 Connectors and accessories..... | 17 |
| 6.4 Anchors types | 18 |
| 6.4.1 General | 18 |
| 6.4.2 Drag embedment anchor | 18 |
| 6.4.3 Pile anchor | 19 |
| 6.4.4 Suction anchor..... | 19 |
| 6.4.5 Gravity installed anchor..... | 20 |
| 6.4.6 Gravity anchor | 20 |
| 6.4.7 Plate anchor | 21 |
| 6.4.8 Screw anchor..... | 21 |
| 7 Design consideration | 22 |
| 7.1 General..... | 22 |
| 7.2 Limit states | 22 |
| 7.2.1 Ultimate limit state (ULS) | 22 |
| 7.2.2 Accidental limit state (ALS) | 22 |
| 7.2.3 Serviceability limit state (SLS)..... | 22 |
| 7.2.4 Fatigue limit state (FLS)..... | 22 |
| 7.3 External conditions..... | 23 |
| 7.3.1 General | 23 |
| 7.3.2 Metocean conditions | 23 |

| | | |
|-------|--|----|
| 7.3.3 | Marine growth | 23 |
| 7.3.4 | Marine life | 23 |
| 7.3.5 | Environmentally sensitive and protected areas and marine animals | 23 |
| 7.3.6 | Nearshore impact | 23 |
| 7.3.7 | Vandalism and misuse | 23 |
| 7.3.8 | Marine traffic | 24 |
| 7.4 | Assorted loading | 24 |
| 7.4.1 | General | 24 |
| 7.4.2 | Low frequency loads | 24 |
| 7.4.3 | Wave frequency loads on mooring components | 24 |
| 7.4.4 | Wave frequency loads on MEC | 25 |
| 7.4.5 | High frequency loading | 25 |
| 7.5 | Mooring line components | 25 |
| 7.5.1 | Component strength | 25 |
| 7.5.2 | Component fatigue life | 25 |
| 7.5.3 | Redundancy | 25 |
| 7.5.4 | Clearance | 25 |
| 7.6 | Umbilical considerations | 26 |
| 7.6.1 | Umbilical response | 26 |
| 7.6.2 | Umbilical strength | 26 |
| 7.6.3 | Umbilical offset and clearance limits | 26 |
| 7.7 | Anchors | 26 |
| 7.7.1 | Type selection | 26 |
| 7.7.2 | Holding capacity | 26 |
| 7.7.3 | Sediment and rock conditions | 26 |
| 7.7.4 | Fluke setting | 27 |
| 7.7.5 | Installation | 27 |
| 7.7.6 | Proof loading | 27 |
| 7.7.7 | Directional anchor loading | 27 |
| 7.7.8 | Failure mode | 27 |
| 7.7.9 | Environmental loading | 27 |
| 8 | Safety and risk considerations | 27 |
| 8.1 | Overview | 27 |
| 8.2 | Risk | 27 |
| 8.2.1 | General | 27 |
| 8.2.2 | Definition | 28 |
| 8.2.3 | Consequence types | 28 |
| 8.2.4 | General risk mitigation | 28 |
| 8.2.5 | ALARP principle | 28 |
| 8.3 | Risk assessment methodology | 28 |
| 8.3.1 | General | 28 |
| 8.3.2 | Methodology flowchart | 29 |
| 8.3.3 | Basic considerations | 30 |
| 8.3.4 | Probability assessment | 31 |
| 8.3.5 | Consequence classification assessment | 31 |
| 8.4 | Consequence considerations for mooring failure | 31 |
| 8.5 | Consequence classification | 31 |
| 8.5.1 | General | 31 |
| 8.5.2 | Consequence impact considerations | 32 |

| | | |
|-----------------------|---|----|
| 8.5.3 | Waterway navigation impacts | 33 |
| 8.5.4 | Environmentally sensitive and protected sites | 33 |
| 8.5.5 | Archaeological sites | 33 |
| 8.6 | Risk mitigation considerations | 33 |
| 8.6.1 | Mitigation overview | 33 |
| 8.6.2 | Probability reduction | 33 |
| 8.6.3 | Consequence reduction | 33 |
| 8.7 | Risk acceptance | 34 |
| 8.7.1 | Acceptance overview | 34 |
| 8.7.2 | Documentation | 34 |
| 9 | Analysis procedure | 34 |
| 9.1 | General | 34 |
| 9.2 | Basic considerations | 34 |
| 9.3 | Analysis procedure overview | 35 |
| 9.4 | Modelling consideration | 36 |
| 9.4.1 | General | 36 |
| 9.4.2 | Mooring and umbilical models | 36 |
| 9.4.3 | Floating unit numerical models | 36 |
| 9.4.4 | Coupled and uncoupled analysis | 37 |
| 9.5 | Analysis procedure considerations | 37 |
| 9.5.1 | Metoccean directionality | 37 |
| 9.5.2 | Resonant response | 37 |
| 9.5.3 | Dynamic mooring analysis | 37 |
| 9.5.4 | Design situations of ULS | 38 |
| 9.5.5 | Design situations of ALS | 38 |
| 9.5.6 | Design situations of FLS | 38 |
| 9.5.7 | Design situations of SLS | 38 |
| 9.6 | Mooring design criteria | 38 |
| 9.6.1 | Design return period | 38 |
| 9.6.2 | Consequence class design factor | 38 |
| 9.6.3 | Mooring line component failure | 39 |
| 9.6.4 | Anchor holding capacity | 39 |
| 10 | In-service inspection, monitoring, testing, and maintenance | 40 |
| 10.1 | General | 40 |
| 10.2 | Mooring system proof loading | 41 |
| 10.3 | Component replacement | 41 |
| 10.4 | In air and splash zone mooring line sections | 41 |
| 10.5 | Submerged mooring line sections | 41 |
| 10.6 | Commissioning and decommissioning procedures | 42 |
| Annex A (informative) | Sample mooring design | 43 |
| A.1 | General | 43 |
| A.2 | Problem layout | 43 |
| A.3 | Consequence class identification | 44 |
| A.4 | Mooring design process | 47 |
| Bibliography | | 50 |

Figure 1 – Spread mooring configuration 14

Figure 2 – Catenary anchor leg mooring configuration 14

| | |
|--|----|
| Figure 3 – Single anchor leg mooring configuration | 15 |
| Figure 4 – Turret mooring configuration | 15 |
| Figure 5 – Studless and studlink chain | 16 |
| Figure 6 – Typical wire rope construction | 16 |
| Figure 7 – Types of connectors | 18 |
| Figure 8 – HHP drag embedment anchor | 19 |
| Figure 9 – Pile anchor | 19 |
| Figure 10 – Suction anchor | 20 |
| Figure 11 – Gravity installed anchor | 20 |
| Figure 12 – Gravity anchor | 21 |
| Figure 13 – Plate anchor | 21 |
| Figure 14 – Screw anchor | 22 |
| Figure 15 – General risk methodology flowchart | 30 |
| Figure 16 – Conceptual mooring analysis procedure | 35 |
| Figure A.1 – Potential tidal current MEC installation locations A, B; artificial reef C; fish farm D; marine traffic corridor E | 43 |
| Figure A.2 – Mooring line component minimum ASF for each return period environment 5, 10, 20, 50, and 100 plotted to determine mooring ULS return period | 48 |
| Figure A.3 – Anchor minimum ASF for each return period environment 5, 10, 20, 50, and 100 plotted to determine anchor ULS return period | 48 |
| Table 1 – Potential nearshore impacts | 23 |
| Table 2 – Consequence categories | 31 |
| Table 3 – Consequence class | 32 |
| Table 4 – Consequence class associated design factors | 39 |
| Table 5 – Safety factors for ULS and ALS conditions | 39 |
| Table 6 – Safety factors for holding capacity of drag anchors factors | 40 |
| Table 7 – Safety factors for holding capacity of anchor piles and suction piles | 40 |
| Table 8 – Safety factors for holding capacity of gravity and plate anchors | 40 |
| Table A.1 – Consequence classification matrix: location A | 45 |
| Table A.2 – Consequence classification matrix: location B | 46 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARINE ENERGY –
WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –****Part 10: Assessment of mooring system
for marine energy converters (MECs)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62600-10, which is a technical specification, has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters.

The text of this technical specification is based on the following documents:

| | |
|---------------|------------------|
| Enquiry draft | Report on voting |
| 114/140/DTS | 114/150A/RVC |

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This technical specification defines rules and assessment procedures for the design, installation and maintenance of mooring system with respect to technical requirements for floating marine energy converters.

The proposed work will aim to bring together expert knowledge from the marine energy power and offshore engineering industries in order to formulate a guideline specification of the design, installation and maintenance requirements for mooring system of floating MECs.

In addition to safety and ocean environmental requirements, this technical specification focuses on the strength requirements of mooring systems for MECs.

This document is a preview generated by EVS

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 10: Assessment of mooring system for marine energy converters (MECs)

1 Scope

The purpose of this Technical Specification is to provide uniform methodologies for the design and assessment of mooring systems for floating MECs (as defined in TC114 scope). It is intended to be applied at various stages, from mooring system assessment to design, installation and maintenance of floating MEC plants.

This technical specification is applicable to mooring systems for floating MEC units of any size or type in any open water conditions. Some aspects of the mooring system design process are more detailed in existing and well-established mooring standards. The intent of this technical specification is to highlight the different requirements of MECs and not duplicate existing standards or processes.

While requirements for anchor holding capacity are indicated, detailed geotechnical analysis and design of anchors are beyond the scope of this technical specification.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62600-1, *Marine energy – Wave, tidal and other water current converters – Part 1: Terminology*

ISO 17776:2000, *Petroleum and natural gas industries – Offshore production installations – Guidelines on tools and techniques for hazard identification and risk assessment*

ISO 19901-1:2005, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 1: Metocean design and operating considerations*

ISO 19901-7:2013, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 7: Stationkeeping systems for floating offshore structures and mobile offshore units*

API RP 2SK, *Design and Analysis of Station keeping Systems for Floating Structures*, 3rd Edition, October 2005

API RP 2I, *In-Service Inspection of Mooring Hardware for Floating Structures*, 3rd Edition, 2008

3 Terms and definitions

For the purposes of this document, the following terms and definitions as well as those given in IEC TS 62600-1 apply.