

Cryogenic vessels - Large transportable non-vacuum insulated vessels - Part 2: Design, fabrication, inspection and testing

Cryogenic vessels - Large transportable non-vacuum insulated vessels - Part 2: Design, fabrication, inspection and testing

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 14398-2:2003 sisaldab Euroopa standardi EN 14398-2:2003+AC:2006 ingliskeelset teksti. Käesolev dokument on jõustatud 17.09.2003 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes. Standard on kättesaadav Eesti standardiorganisatsioonist.	This Estonian standard EVS-EN 14398-2:2003 consists of the English text of the European standard EN 14398-2:2003+AC:2006. This document is endorsed on 17.09.2003 with the notification being published in the official publication of the Estonian national standardisation organisation. The standard is available from Estonian standardisation organisation.
--	---

Käsitlusala: This European Standard specifies requirements for the design, fabrication, inspection and testing of large transportable non vacuum insulated cryogenic vessels of more than 1 000 l volume, which are permanently (fixed tanks) or not permanently (demountable tanks) attached to a vehicle, for carriage by road. However, it can be used for other mode of transport providing the specific regulations/requirements are complied with. This European Standard applies to large transportable non vacuum insulated cryogenic vessels for fluids specified in prEN 14398-1 and does not apply to vessels designed for toxic fluids. This European Standard does not include the general vehicle requirements e.g. running gear, brakes, lighting etc. that shall be in accordance with the relevant standards/regulations.	Scope: This European Standard specifies requirements for the design, fabrication, inspection and testing of large transportable non vacuum insulated cryogenic vessels of more than 1 000 l volume, which are permanently (fixed tanks) or not permanently (demountable tanks) attached to a vehicle, for carriage by road. However, it can be used for other mode of transport providing the specific regulations/requirements are complied with. This European Standard applies to large transportable non vacuum insulated cryogenic vessels for fluids specified in prEN 14398-1 and does not apply to vessels designed for toxic fluids. This European Standard does not include the general vehicle requirements e.g. running gear, brakes, lighting etc. that shall be in accordance with the relevant standards/regulations.
---	---

ICS 23.020.40

Võtmesõnad: coolers, gas cylinders, nondestructive tests, pressure vessels, properties, quality assurance, safety requirements, sample surveys, specification (approval), specifications, surveillance (approval), symbols, temperature, testing, toughness, transport boxes, volumes

ICS 23.020.40

English version

Cryogenic vessels - Large transportable non-vacuum insulated vessels - Part 2: Design, fabrication, inspection and testing

Réipients cryogéniques - Grands réipients transportables
non isolés sous vide - Partie 2: Conception, fabrication,
inspection et essais

Kryo-Behälter - Große ortsbewegliche, nicht vakuum-
isolierte Behälter - Teil 2: Bemessung, Herstellung,
Überwachung und Prüfung

This European Standard was approved by CEN on 10 July 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

page

Foreword	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and symbols	7
3.1 Terms and definitions	7
3.2 Symbols	8
4 Design	9
4.1 Design options	9
4.1.1 General	9
4.1.2 Design by calculation	9
4.1.3 Design by calculation and pressure strengthening	9
4.1.4 Design by calculation supplemented with experimental methods	9
4.2 Common design requirements	10
4.2.1 General	10
4.2.2 Design specification	10
4.2.3 Design loads	11
4.2.4 Fatigue	13
4.2.5 Corrosion allowance	13
4.2.6 Inspection openings	13
4.2.7 Pressure relief	14
4.2.8 Valves	14
4.2.9 Insulation	14
4.2.10 Degree of filling	14
4.2.11 Electrical continuity	15
4.3 Design by calculation	15
4.3.1 General	15
4.3.2 Vessel	15
4.3.3 Attachments	17
4.3.4 Piping and accessories	18
4.3.5 Calculation formulae	18
4.3.6 Calculations for operating loads	26
5 Fabrication	52
5.1 General	52
5.2 Cutting	52
5.3 Cold forming	52
5.3.1 Austenitic stainless steel	52
5.3.2 Ferritic steel	52
5.4 Hot forming	53
5.4.1 General	53
5.4.2 Austenitic stainless steel	53
5.4.3 Ferritic steel	53
5.5 Manufacturing tolerances	53
5.5.1 Plate alignment	53
5.5.2 Thickness	55
5.5.3 Dished ends	55
5.5.4 Cylinders	55
5.6 Welding	58
5.6.1 General	58
5.6.2 Qualification	58
5.6.3 Temporary attachments	58
5.6.4 Welded joints	58
5.7 Non-welded joints	59

6	Inspection and testing.....	59
6.1	Quality plan	59
6.1.1	Inspection stages during manufacture of a vessel.....	59
6.1.2	Additional inspection stages during manufacture of a large transportable cryogenic vessel ...	60
6.2	Production control test plates.....	60
6.2.1	Requirements.....	60
6.2.2	Extent of testing.....	60
6.3	Non-destructive testing.....	61
6.3.1	General.....	61
6.3.2	Extent of examination for surface imperfections.....	61
6.3.3	Extent of examination for volumetric imperfections.....	61
6.3.4	Acceptance levels.....	62
6.4	Rectification	63
6.5	Pressure testing.....	64
Annex A	(informative) Elastic stress analysis.....	65
A.1	General.....	65
A.2	Terminology	65
A.2.1	Stress intensity	65
A.2.2	Gross structural discontinuity	66
A.2.3	Local structural discontinuity	66
A.2.4	Normal stress.....	66
A.2.5	Shear stress	66
A.2.6	Membrane stress	66
A.2.7	Primary stress.....	67
A.2.8	Primary local membrane stress	67
A.2.9	Secondary stress.....	67
A.2.10	Peak stress.....	67
A.3	Limit for longitudinal compressive general membrane stress	67
A.4	Stress categories and stress limits for general application	68
A.4.1	General.....	68
A.4.2	General primary membrane stress category	68
A.4.3	Local primary membrane stress category	68
A.4.4	General or local primary membrane plus primary bending stress category.....	68
A.4.5	Primary plus secondary stress category	68
A.4.6	Thermal stress	69
A.5	Specific criteria, stress categories and stress limits for limited application	69
A.5.1	General.....	69
A.5.2	Attachments and supports	69
A.5.3	Nozzles and openings	70
A.5.4	Additional stress limits	70
Annex B	(normative) Additional requirements for 9 % Ni steel.....	74
B.1	Introduction	74
B.2	Specific requirements	74
Annex C	(normative) Pressure strengthening of vessels from austenitic stainless steels	76
C.1	Introduction	76
C.2	Scope	76
C.3	Definitions and units of measurement	76
C.4	Materials	77
C.5	Design	78
C.5.1	General.....	78
C.5.2	Design for internal pressure.....	78
C.6	Manufacturing and inspection.....	81
C.6.1	Strengthening procedure.....	81
C.6.2	Procedure record	81
C.6.3	Welding	81
C.6.4	Pressure vessel drawing.....	82
C.6.5	Data plate	82
C.7	Comments	82
C.7.1	Strengthening theory.....	82
C.7.2	Work-hardened material.....	83
C.7.3	Derivation of formulae.....	84

C.7.4	Deformations at strengthening.....	85
Annex D	(informative) Specific weld details	88
D.1	Field of application	88
D.2	Weld detail	88
D.2.1	Joggle joint	88
D.2.2	Intermediate ends	88
D.2.3	Backing strip	89
D.2.4	End plate closure	89
D.2.5	Non full penetration nozzle weld	89
D.2.6	Non continuous fillet weld on attachments	89
D.3	Oxygen service requirements.....	89
Annex E	(normative) Increased material property for austenitic stainless steel	92
Bibliography		93

Foreword

This document (EN 14398-2:2003) has been prepared by Technical Committee CEN/TC 268 "Cryogenic vessels", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2004, and conflicting national standards shall be withdrawn at the latest by February 2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports the objectives of the framework Directives on Transport of Dangerous Goods.

The standard has been submitted for reference into the RID and/or in the technical annexes of the ADR. Therefore the standards listed in the normative references and covering basic requirements of the RID/ADR not addressed within the present standard are normative only when the standards themselves are referred to in the RID and/or in the technical annexes of the ADR.

EN 14398 consists of the following parts under the general title, *Cryogenic vessels – Large transportable non-vacuum insulated vessels* :

- *Part 1: Fundamental requirements*
- *Part 2: Design, fabrication, inspection and testing*
- *Part 3: Operational requirements*

Annexes A, D and E are informative. Annexes B and C are normative.

This document includes a Bibliography.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies requirements for the design, fabrication, inspection and testing of large transportable non vacuum insulated cryogenic vessels of more than 1000 l volume, which are permanently (fixed tanks) or not permanently (demountable tanks) attached to a vehicle, for carriage by road. However, it can be used for other mode of transport providing the specific regulations/requirements are complied with.

This European Standard applies to large transportable non vacuum insulated cryogenic vessels for fluids specified in EN 14398-1 and does not apply to vessels designed for toxic fluids.

This European Standard does not include the general vehicle requirements e.g. running gear, brakes, lighting etc. that shall be in accordance with the relevant standards/regulations.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 287-1, *Approval testing of welders - Fusion welding - Part 1 : Steels.*

EN 287-2, *Approval testing of welders - Fusion welding - Part 2 : Aluminium and aluminium alloys.*

EN 288-3:1992, *Specification and approval of welding procedures for metallic materials - Part 3 : Welding procedure tests for the arc welding of steels.*

EN 288-4, *Specification and approval of welding procedures for metallic materials - Part 4 : Welding procedure tests for the arc welding of aluminium and its alloys.*

EN 288-8, *Specification and approval of welding procedures for metallic materials - Part 8 : Approval by a pre-production welding test.*

EN 473, *Non destructive testing - Qualification and certification of NDT personnel - General principles.*

EN 875, *Destructive tests on welds in metallic materials - Impact tests - Test specimen location, notch orientation and examination.*

EN 895, *Destructive tests on welds in metallic materials - Transverse tensile test.*

EN 910, *Destructive tests on welds in metallic materials – Bend tests.*

EN 1252-1:1998, *Cryogenic vessels - Materials - Part 1 : Toughness requirements for temperatures below - 80 °C.*

EN 1252-2, *Cryogenic vessels - Materials - Part 2 : Toughness requirements for temperatures between - 80 °C and -20 °C.*

EN 1418, *Welding personnel – Approval testing of welding operators for fusion welding and resistance weld setters for fully mechanised and automatic welding of metallic materials.*

EN 1435, *Non-destructive examination of welds – Radiographic examination of welded joints.*

EN 1626, *Cryogenic vessels - Valves for cryogenic service.*

EN 1797, *Cryogenic vessels - Gas/material compatibility.*

EN 10028-4, *Flat products made of steels for pressure purposes – Part 4 : Nickel alloy steels with specified low temperature properties.*

EN 10028-7:2000, *Flat products made of steels for pressure purposes - Part 7 : Stainless steels.*

EN 13068-3, *Non-destructive testing – Radioscopic testing – Part 3 : General principles of radioscopic testing of metallic materials by X – and gamma rays.*

EN 13445-3, *Unfired pressure vessels – Part 3 : Design.*

EN 13648-3, *Cryogenic vessels - Safety devices for protection against excessive pressure - Part 3 : Determination of required discharge - Capacity and sizing.*

EN 14398-1:2003, *Cryogenic vessels - Large transportable non-vacuum insulated vessels - Part 1 : Fundamental requirements.*

EN 14398-3, *Cryogenic vessels – Large Transportable non-vacuum insulated vessels – Part 3 Operational requirements.*

EN ISO 6520-1, *Welding and allied processes - Classification of geometric imperfections in metallic materials - Part 1 : Fusion welding (ISO 6520-1:1998).*

ISO 1106-1, *Recommended practice for radiographic examination of fusion welded joints - Part 1 : Fusion welded butt joints in steel plates up to 50 mm thick.*

3 Terms, definitions and symbols

For the purposes of this European Standard, the following terms, definitions and symbols apply.

3.1 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN 14398-1:2003 and the following apply.

3.1.1

large transportable non vacuum insulated vessel

vessel of more than 1000 l volume intended for one or more cryogenic fluids, consisting of an inner vessel, an insulation, all of the valves and accessories and additional framework

3.1.2

fixed tank (tank vehicle)

large transportable vessel permanently attached to a vehicle or to units of running gear used in its stead

3.1.3

demountable tank

large transportable vessel non permanently attached to a vehicle. When attached to the carrier vehicle, the demountable tank meets the requirements prescribed for a fixed tank. It is designed to be lifted only when empty

3.1.4

inner vessel

pressure vessel proper intended to contain the cryogenic fluid

3.1.5

insulation

to protect the vessel against heat transfer from the outside atmospheric temperature

3.1.6

automatic welding

welding in which the parameters are automatically controlled. Some of these parameters can be adjusted to a limited extent, either manually or automatically, during welding to maintain the specified welding conditions