TIKES Hose fittings with clamp units - Part 2: Hose side parts of hose tail



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14420-2:2013 sisaldab		
Euroopa standardi EN 14420-2:2013 ingliskeelset	consists of the English text of the European standard	
teksti.	EN 14420-2:2013.	
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.	
	Date of Availability of the European standard is 10.07.2013.	
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.	

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 23.040.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 14420-2

NORME EUROPÉENNE EUROPÄISCHE NORM

July 2013

ICS 23.040.70

Supersedes EN 14420-2:2004

English Version

Hose fittings with clamp units - Part 2: Hose side parts of hose tail

Raccords pour flexibles avec demi-coquille - Partie 2:
Douilles pour flexibles

Schlaucharmaturen mit Klemmfassungen - Teil 2: Schlauchseitige Stutzenteile

This European Standard was approved by CEN on 15 May 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

	ntents	Page
Ore	eword	
	Scope	
2	Normative references	
	Terms and definitions	
	Dimensions	
	Materials	
	Marking	10
	Type testing and quality control	10
ibli	iography	11

Foreword

This document (EN 14420-2:2013) has been prepared by Technical Committee CEN/TC 218 "Rubber and plastics hoses and hose assemblies", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2014, and conflicting national standards shall be withdrawn at the latest by January 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14420-2:2004.

In comparison to EN 14420-2:2004, the following changes have been made:

- In Clause 2 the normative references have been updated.
- A new Clause 3 "Terms and definitions" has been added.
- Subclause 3.2 "Surface finish" has been deleted.
- In Clause 5, the list of materials appropriate for use in hose fittings has been supplemented by aluminium and hastelloy.
- Clause 7 on type testing and quality control has been added.
- The Bibliography has been reviewed.
- The standard has been revised editorially.

EN 14420, Hose fittings with clamp units consists of the following parts:

- Part 1: Requirements, types of fixing and connection, designation and testing
- Part 2: Hose side parts of hose tail
- Part 3: Clamp units, bolted or pinned
- Part 4: Flange connections
- Part 5: Threaded connections
- Part 6: TW tank truck couplings
- Part 7: Cam locking couplings
- Part 8: Symmetrical half coupling (Guillemin system)

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece,

aland, Ireland, Sloves, Sloves

1 Scope

This European Standard specifies requirements for the hose tail of hose fittings according to EN 14420-1 for use with clamp units according to EN 14420-3. Furthermore, it specifies materials for hose fittings with clamp units according to EN 14420-4 to EN 14420-8.

Maximum working pressure is 25 bar¹⁾; maximum working temperature is 65 °C.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 755-2, Aluminium and aluminium alloys — Extruded rod/bar, tube and profiles — Part 2: Mechanical properties

EN 1706, Aluminium and aluminium alloys — Castings — Chemical composition and mechanical properties

EN 1982, Copper and copper alloys — Ingots and castings

EN 10025-2, Hot rolled products of structural steels — Part 2: Technical delivery conditions for non-alloy structural steels

EN 10087, Free-cutting steels — Technical delivery conditions for semi-finished products, hot-rolled bars and rods

EN 10088-1, Stainless steels — Part 1: List of stainless steels

EN 10213, Steel castings for pressure purposes

EN 10217-1, Welded steel tubes for pressure purposes — Technical delivery conditions — Part 1: Non-alloy steel tubes with specified room temperature properties

EN 10283, Corrosion resistant steel castings

EN 12420, Copper and copper alloys — Forgings

EN 14420-1:2013, Hose fittings with clamp units — Part 1: Requirements, types of fixing and connection, designation and testing

EN 14420-4, Hose fittings with clamp units — Part 4: Flange connections

EN 14420-5, Hose fittings with clamp units — Part 5: Threaded connections

EN 14420-6, Hose fittings with clamp units — Part 6: TW tank truck couplings

EN 14420-7, Hose fittings with clamp units — Part 7: Cam locking couplings

EN 14420-8, Hose fittings with clamp units — Part 8: Symmetrical half coupling (Guillemin system)

EN ISO 8330:2008, Rubber and plastics hoses and hose assemblies — Vocabulary (ISO 8330:2007)

5

¹⁾ 1 bar = 0.1 MPa.