

Hose fittings with clamp units - Part 7: Cam locking couplings

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14420-7:2013 sisaldab Euroopa standardi EN 14420-7:2013 ingliskeelset teksti.	This Estonian standard EVS-EN 14420-7:2013 consists of the English text of the European standard EN 14420-7:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 10.07.2013.	Date of Availability of the European standard is 10.07.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Hose fittings with clamp units - Part 7: Cam locking couplings

Raccords pour flexibles avec demi-coquille - Partie 7:
Raccords à cames

Schlaucharmaturen mit Klemmfassungen - Teil 7:
Hebelarmkupplungen

This European Standard was approved by CEN on 15 May 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword.....	3
Introduction.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	7
4 Requirements.....	7
4.1 Construction.....	7
4.2 Temperatures.....	7
5 Survey.....	8
6 Types of connection.....	10
7 Designation.....	11
8 Dimensions.....	11
8.1 General.....	11
8.2 Coupler types.....	11
8.3 Cam arm (item No. 2).....	14
8.4 Pin (item No. 3).....	17
8.5 Ring (item No. 4).....	17
8.6 Main gasket (item No. 5).....	18
8.7 Thread gasket (item No. 6).....	18
8.8 Adapter types.....	18
9 Materials.....	21
9.1 General.....	21
9.2 Coupler and adapter body.....	21
9.3 Cam arm (item No. 2).....	22
9.4 Pin (item No. 3).....	22
9.5 Ring (item No. 4).....	22
9.6 Main gasket (item No. 5).....	22
9.7 Thread gasket (item No. 6).....	22
10 Marking.....	23
11 Type testing and quality control.....	23
Annex A (normative) Gauges for cam-locking couplings.....	24
A.1 Dimensions and designation.....	24
A.2 Material.....	25
Bibliography.....	26

Foreword

This document (EN 14420-7:2013) has been prepared by Technical Committee CEN/TC 218 "Rubber and plastics hoses and hose assemblies", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2014, and conflicting national standards shall be withdrawn at the latest by January 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14420-7:2004+A1:2007.

In comparison to EN 14420-7:2004+A1:2007, the following changes have been made:

- In Clause 1, the maximum allowable working pressure when using aluminium-cast-materials has been limited to 10 bar.
- In Clause 1, the warning paragraph has been deleted.
- In Clause 2, the normative references have been updated.
- A new Clause 3 "Terms and definitions" has been added.
- The term "sealing ring" has been replaced by "gasket" (main gasket/thread gasket).
- In Table 3, the values for d_2 and d_7 have been corrected.
- In 8.3, requirements regarding the cam arm have been amended, e.g. the prevention against self-acting opening.
- In 9.2, the list of materials for coupler and adapter bodies has been revised.
- The requirements on main gasket materials in 9.6 and thread gasket materials in 9.7 have been revised.
- In Clause 10, the requirements for marking have been amended.
- The Bibliography has been reviewed.
- The standard has been revised editorially.

EN 14420, *Hose fittings with clamp units* consists of the following parts:

- *Part 1: Requirements, types of fixing and connection, designation and testing*
- *Part 2: Hose side parts of hose tail*
- *Part 3: Clamp units, bolted or pinned*
- *Part 4: Flange connections*

- *Part 5: Threaded connections*
- *Part 6: TW tank truck couplings*
- *Part 7: Cam locking couplings*
- *Part 8: Symmetrical half coupling (Guillemin system)*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Cam locking couplings are manufactured worldwide according to the American "military specification" MIL-C-27487. This American standard fixes the coupling side in a limited way, but not the connection side. Other parts like levers, bolts, ring and gaskets are not standardized.

1 Scope

This European Standard specifies the design, materials, dimensions and marking requirements for cam locking couplings that serve as the link between hoses and connections to transport liquids, solids and gases, except liquid gas and steam. The couplings are capable of operating the pressure range $-0,8 \text{ bar}^{1)}$ to 16 bar working pressure (for aluminium-cast-materials $-0,8 \text{ bar}$ to 10 bar) in a working temperature range of $-20 \text{ }^{\circ}\text{C}$ up to $+65 \text{ }^{\circ}\text{C}$.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 755-2, *Aluminium and aluminium alloys — Extruded rod/bar, tube and profiles — Part 2: Mechanical properties*

EN 1706, *Aluminium and aluminium alloys — Castings — Chemical composition and mechanical properties*

EN 1982, *Copper and copper alloys — Ingots and castings*

EN 10083-2, *Steels for quenching and tempering — Part 2: Technical delivery conditions for non alloy steels*

EN 10088-1, *Stainless steels — Part 1: List of stainless steels*

EN 10213, *Steel castings for pressure purposes*

EN 10226-1, *Pipe threads where pressure tight joints are made on the threads — Part 1: Taper external threads and parallel internal threads — Dimensions, tolerances and designation*

EN 12420, *Copper and copper alloys — Forgings*

EN 14420-1:2013, *Hose fittings with clamp units — Part 1: Requirements, types of fixing and connection, designation and testing*

EN 14420-2, *Hose fittings with clamp units — Part 2: Hose side parts of hose tail*

EN 14420-5, *Hose fittings with clamp units — Part 5: Threaded connections*

EN 22768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications (ISO 2768-1)*

EN 22768-2, *General tolerances — Part 2: Geometrical tolerances for features without individual tolerance indications (ISO 2768-2)*

EN ISO 228-1, *Pipe threads where pressure-tight joints are not made on the threads — Part 1: Dimensions, tolerances and designation (ISO 228-1)*

EN ISO 8330:2008, *Rubber and plastics hoses and hose assemblies — Vocabulary (ISO 8330:2007)*

ISO 272, *Fasteners — Hexagon products — Widths across flats*

1) 1 bar = 0,1 MPa.