

This document is a review generated by EVS

Fertilizers and liming materials - Determination of chromium(VI) by photometry (method A) and by ion chromatography with spectrophotometric detection (method B)

ESTI STANDARDI EESSÖNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16318:2013+A1:2016 sisaldb Euroopa standardi EN 16318:2013+A1:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 16318:2013+A1:2016 consists of the English text of the European standard EN 16318:2013+A1:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatjas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.02.2016.	Date of Availability of the European standard is 24.02.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 65.080

Standardite reproduktseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektronisse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 16318:2013+A1

February 2016

ICS 65.080

Supersedes EN 16318:2013

English Version

Fertilizers and liming materials - Determination of chromium(VI) by photometry (method A) and by ion chromatography with spectrophotometric detection (method B)

Engrais et amendements minéraux basiques - Dosage du chrome (VI) par spectrophotométrie (méthode A) et chromatographie ionique avec détection spectrophotométrique (méthode B)

Düngemittel und Kalkdünger - Bestimmung von Chrom (VI) mit Photometrie (Verfahren A) und mit Ionenchromatographie mit spektrometrischer Detektion (Verfahren B)

This European Standard was approved by CEN on 15 September 2013 and includes Amendment 1 approved by CEN on 19 December 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

	Page
European foreword.....	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Sampling and sample preparation.....	5
5 Method A: Determination by water extraction and spectrophotometric detection.....	6
5.1 Principle	6
5.2 Reagents	6
5.3 Apparatus.....	7
5.4 Procedure.....	7
5.4.1 Preparation of the test solution.....	7
5.4.2 Preparation of the blank test solution	8
5.4.3 Spectrophotometric measurement	8
5.5 Calculation and expression of the results	8
5.5.1 Calibration	8
5.5.2 Calculation of the element content in the sample	8
6 Method B: Determination by alkaline digestion and ion chromatography with spectrophotometric detection.....	9
6.1 Principle	9
6.1.1 Digestion	9
6.1.2 Determination	9
6.1.3 Interferences and sources of error.....	10
6.2 Reagents	10
6.3 Apparatus.....	12
6.4 Alkaline digestion procedure	13
6.4.1 General.....	13
6.4.2 Preparation of test solutions using a hotplate or heating block.....	13
6.5 Procedure.....	13
6.5.1 Instrumental set-up.....	13
6.5.2 Calibration	13
6.5.3 Test solution measurement.....	14
6.6 Quality control	14
6.6.1 General.....	14
6.6.2 Blank test solution	14
6.6.3 Verification of method.....	14
6.6.4 Duplicate samples.....	14
6.6.5 Cr(VI) spiked samples	15
6.6.6 Cr(III) spiked samples	15
6.6.7 Interpretation of Quality Control data	15
6.7 Calculation and expression of results.....	15
6.7.1 Calculation	15
6.7.2 Expression of results.....	16
7 A1 Precision— Inter-laboratory tests A1.....	16
8 Test report.....	16

Annex A (informative) Results of the inter-laboratory test performed by VDLUFA on method A.....	17
A.1 Inter-laboratory tests.....	17
A.2 Statistical results for the determination of chromium(VI) by photometry (method A)....	17
Annex B (informative) Results of a validation study on spiked water samples.....	18
Bibliography	19

European foreword

This document (EN 16318:2013+A1:2016) has been prepared by Technical Committee CEN/TC 260 "Fertilizers and liming materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2016, and conflicting national standards shall be withdrawn at the latest by August 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2015-12-19.

This document supersedes ~~EN 16318:2013~~.

The start and finish of text introduced or altered by amendment is indicated in the text by tags ~~(A1)~~ (A1).

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

~~(A1)~~ deleted text (A1)

~~(A1)~~ WARNING — Avoid any contact with the skin, ingestion or inhalation of Cr(VI) compounds. Cr(VI) compounds are genotoxic and potentially carcinogenic to humans. (A1)

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

A1 This European Standard specifies two methods for the determination of the content of soluble chromate in fertilizers and liming materials. **A1**

Method A specifies the determination of chromate after extraction with water by photometry. This method can be used to determine Cr(VI)-mass fractions in solids higher than 1 mg/kg.

Method B specifies the determination of chromate by alkaline digestion and ion chromatography with spectrophotometric detection. This method can be used to determine Cr(VI)-mass fractions in solids higher than 0,1 mg/kg.

A1 NOTE 1 **A1** In case of reducing or oxidizing fertilizer matrix, no valid Cr(VI) content can be reported.

A1 NOTE 2 The term fertilizer is used throughout the body of this European Standard and includes liming materials unless otherwise indicated. **A1**

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1482-2, *Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation*

EN 12944-1:1999, *Fertilizers and liming materials and soil improvers — Vocabulary — Part 1: General terms*

EN 12944-2:1999, *Fertilizers and liming materials and soil improvers — Vocabulary — Part 2: Terms relating to fertilizers*

A1 EN 12944-3:2001, *Fertilizers and liming materials — Vocabulary — Part 3: Terms relating to liming materials* **A1**

EN 15192:2006, *Characterisation of waste and soil — Determination of Chromium(VI) in solid material by alkaline digestion and ion chromatography with spectrophotometric detection*

EN ISO 3696, *Water for analytical laboratory use — Specification and test methods (ISO 3696)*

3 Terms and definitions

A1 For the purposes of this document, the terms and definitions given in EN 12944-1:1999, EN 12944-2:1999 and EN 12944-3:2001 apply. **A1**

4 Sampling and sample preparation

Sampling is not part of the methods specified in this European Standard. A recommended sampling method is given in EN 1482-1 [2].

Sample preparation shall be carried out in accordance with EN 1482-2.

Reasonable precautions have to be taken to prevent oxidation of chromate present in the sample. Samples shall be taken using appropriate devices and placed in containers that do not contain stainless steel (e.g. plastic, glass).

After digestion, the sample shall be analyzed as soon as possible.