

This document is a preview generated by EVS

**Kummiisolatsiooniga kaablid
nimipingega kuni 450/750 V. Osa 16:
Veekindlad polükloropreenvõi
samavärse elastomeermantliga kaablid**

Cables of rated voltages up to and including 450/750 V and having cross-linked insulation Part 16: Water resistant polychloroprene or equivalent synthetic elastomer sheathed cables

EESTI STANDARDI EESSÖNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-HD 22.16 S2:2007 sisaldb Euroopa standardi HD 22.16 S2:2007 ingliskeelset teksti.	This Estonian standard EVS-HD 22.16 S2:2007 consists of the English text of the European standard HD 22.16 S2:2007.
Käesolev dokument on jõustatud 27.04.2007 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.	This document is endorsed on 27.04.2007 with the notification being published in the official publication of the Estonian national standardisation organisation.
Standard on kätesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.

Käsitlusala:

This Part 16 of the HD details the particular specifications for water resistant EPR insulated, polychloroprene or other equivalent synthetic elastomer sheathed flexible cables of rated voltages up to and including 450/750 V, meant for applications in fresh water up to 10 m depth and water temperatures up to 40 °C.

Scope:

This Part 16 of the HD details the particular specifications for water resistant EPR insulated, polychloroprene or other equivalent synthetic elastomer sheathed flexible cables of rated voltages up to and including 450/750 V, meant for applications in fresh water up to 10 m depth and water temperatures up to 40 °C.

ICS 29.060.20

Võtmesõnad:

HARMONIZATION DOCUMENT
DOCUMENT D'HARMONISATION
HARMONISIERUNGSDOKUMENT

HD 22.16 S2

February 2007

ICS 29.060.20

Supersedes HD 22.16 S1:2000

English version

**Cables of rated voltages up to and including 450/750 V
and having cross-linked insulation -
Part 16: Water resistant polychloroprene
or equivalent synthetic elastomer sheathed cables**

Conducteurs et câbles isolés avec
des matériaux réticulés de tension
assignée au plus égale à 450/750 V -
Partie 16: Câbles sous gaine
en polychloroprène ou élastomère
synthétique résistant à l'eau

Starkstromleitungen mit vernetzter
Isolierhülle für Nennspannungen
bis 450/750 V -
Teil 16: Wasserbeständige schwere
Schlauchleitungen mit Mantel aus
Polychloropren oder gleichwertigem
synthetischen Elastomer

This Harmonization Document was approved by CENELEC on 2006-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for implementation of this Harmonization Document at national level.

Up-to-date lists and bibliographical references concerning such national implementations may be obtained on application to the Central Secretariat or to any CENELEC member.

This Harmonization Document exists in three official versions (English, French, German).

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This Harmonization Document was prepared by the Technical Committee CENELEC TC 20, Electric cables.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as HD 22.16 S2 on 2006-12-01.

This Harmonization Document supersedes HD 22.16 S1:2000.

The following dates were fixed:

- latest date by which the existence of the HD has to be announced at national level (doa) 2007-06-01
- latest date by which the HD has to be implemented at national level by publication of a harmonized national standard or by endorsement (dop) 2007-12-01
- latest date by which the national standards conflicting with the HD have to be withdrawn (dow) 2008-12-01

HD 22, *Cables of rated voltages up to and including 450/750 V and having cross-linked insulation*, now has the following parts:

HD 22.1 S4	General requirements
HD 22.2 S3 ¹⁾	Test methods
HD 22.3 S4	Heat resistant silicone rubber insulated cables
HD 22.4 S4	Cords and flexible cables
HD 22.5	(Spare)
HD 22.6 S2	Arc welding cables
HD 22.7 S2	Cables with increased heat resistance for internal wiring for a conductor temperature of 110 °C
HD 22.8 S2	Polychloroprene or equivalent synthetic elastomer sheathed cable for decorative chains
HD 22.9 S3	Single core halogen-free non-sheathed cables for fixed wiring having low emission of smoke
HD 22.10 S2	EPR insulated and polyurethane sheathed flexible cables
HD 22.11 S2	EVA cords and flexible cables
HD 22.12 S2	Heat resistant EPR cords and flexible cables
HD 22.13 S2	Halogen-free flexible cables having low emission of smoke
HD 22.14 S3	Cords for applications requiring high flexibility
HD 22.15 S2	Multicore cables insulated and sheathed with heat resistant silicone rubber
HD 22.16 S2	Water resistant polychloroprene or equivalent synthetic elastomer sheathed cables

¹⁾ HD 22.2 has been superseded by EN 50395 and EN 50396

Contents

	Page
1 Scope	4
2 Normative references	4
3 Water-resistant polychloroprene or other equivalent synthetic elastomer sheathed flexible cable	4
3.1 Code designation	4
3.2 Rated voltage	4
3.3 Construction	5
3.4 Tests	6
3.5 Guide to use (informative)	6
4 Water-resistant polychloroprene or other equivalent synthetic elastomer sheathed flexible cable with more than five conductors (Multicore cables)	11
4.1 Code designation	11
4.2 Rated Voltage	11
4.3 Construction	11
4.4 Tests	12
4.5 Guide to use (informative)	13
Annex A (normative) Requirements for compatibility test	15
Annex B (normative) Water resistance test for H07RN8-F flexible cables – Electrical test	16
Annex C (normative) Water resistance test for H07RN8-F flexible cables – Mechanical properties of sheath after water immersion	17
Bibliography	19
Table 1 - Dimensions of Type H07RN8-F	7
Table 2 - Tests for Type H07RN8-F	10
Table 3 - Dimensions of Type H07RN8-F	13
Table 4 - Tests for Type H07RN8-F	14
Table A.1 - Requirements	15
Table C.1 - Requirements for tensile strength and elongation at break	18

1 Scope

This Part 16 of the HD details the particular specifications for water resistant EPR insulated, polychloroprene or other equivalent synthetic elastomer sheathed flexible cables of rated voltages up to and including 450/750 V, meant for applications in fresh water up to 10 m depth and water temperatures up to 40 °C.

NOTE 1 Special regulations may apply to the use of cables in and around swimming pools and other locations, and to applications involving drinking water.

NOTE 2 In respect of external environmental conditions as codified in HD 384.3 this cable is classified "AD 8" – Submersion - Possibility of permanent and total covering by water.

Each cable shall comply with the appropriate requirements given in Part 1 of this HD and the particular requirements of this part.

NOTE 3 The overall dimensions of the cables in this part of HD 22 have been calculated in accordance with EN 60719.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50334	Marking by inscription for the identification of cores of electric cables
EN 50363-1	Insulating, sheathing and covering materials for low voltage energy cables – Part 1: Cross-linked elastomeric insulating compounds
EN 50363-2-1	Insulating, sheathing and covering materials for low voltage energy cables – Part 2-1: Cross-linked elastomeric sheathing compounds
EN 50395	Electrical test methods for low voltage energy cables
EN 50396	Non-electrical test methods for low voltage energy cables
EN 60228	Conductors of insulated cables (IEC 60228)
EN 60332-1-2	Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame (IEC 60332-1-2)
EN 60811 series	Insulating and sheathing materials of electric and optical fibre cables – Common test methods (IEC 60811 series)

3 Water-resistant polychloroprene or other equivalent synthetic elastomer sheathed flexible cable

3.1 Code designation

H07RN8-F.

3.2 Rated voltage

450/750 V.