

Building intercom systems - Part 1-1: System  
requirements - General

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 62820-1-1:2016 sisaldab Euroopa standardi EN 62820-1-1:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 62820-1-1:2016 consists of the English text of the European standard EN 62820-1-1:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.11.2016.	Date of Availability of the European standard is 18.11.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 13.320

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

ICS 13.320

English Version

**Building intercom systems - Part 1-1: System requirements -  
General  
(IEC 62820-1-1:2016)**

Systèmes d'interphone de bâtiment - Partie 1-1: Exigences  
du système - Généralités  
(IEC 62820-1-1:2016)

Gebäude-Sprechanlagen - Teil 1-1: Generelle  
Systemanforderungen  
(IEC 62820-1-1:2016)

This European Standard was approved by CENELEC on 2016-10-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## European foreword

The text of document 79/559/FDIS, future edition 1 of IEC 62820-1-1, prepared by IEC/TC 79 "Alarm and electronic security systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62820-1-1:2016.

The following dates are fixed:

- latest date by which the document has to be (dop) 2017-07-27  
implemented at national level by  
publication of an identical national  
standard or by endorsement
- latest date by which the national (dow) 2019-10-27  
standards conflicting with the  
document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 62820-1-1:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62676-4:2014

NOTE Harmonized as EN 62676-4:2015.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60065 (mod)	2014	Audio, video and similar electronic apparatus - Safety requirements	EN 60065	2014
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May 1993	
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60950-1 (mod)	2005	Information technology equipment - Safety - Part 1: General requirements	EN 60950-1	2006
-	-		+ A11	2009
-	-		+ A12	2011
-	-		+ AC	2011
IEC 61000-6-1	-	Electromagnetic compatibility (EMC) Part 6-1: Generic standards - Immunity standard for residential, commercial and light-industrial environments	FprEN 61000-6-1	-
IEC 61000-6-3	-	Electromagnetic compatibility (EMC) -- Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments	EN 61000-6-3	-
IEC 62262	-	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	-
IEC 62599-1	-	Alarm systems -- Part 1: Environmental test methods	-	-
IEC 62599-2	-	Alarm systems -- Part 2: Electromagnetic compatibility - Immunity requirements for components of fire and security alarm systems	-	-
ISO 12233	2014	Photography - Electronic still picture imaging - Resolution and spatial frequency responses	-	-
ITU-T P.501	-	Test signals for use in telephony	-	-
ITU-T P.50	-	Artificial voices	-	-
ITU-T P.51	1996	Artificial mouth	-	-
ITU-T P.79	2007	Calculation of loudness ratings for telephone sets	-	-

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms, definitions and abbreviations .....	9
3.1 Terms and definitions .....	9
3.2 Abbreviations .....	11
4 Functional requirements .....	11
4.1 Basic functional requirements.....	11
4.1.1 General .....	11
4.1.2 Requirements for building intercom system with SMU .....	12
4.2 Additional functions.....	13
5 Performance requirements.....	13
5.1 Audio characteristics .....	13
5.1.1 Acoustic pressure level .....	13
5.1.2 Overall loudness rating (OLR) .....	13
5.1.3 Overall sensitivity.....	13
5.1.4 Frequency response.....	15
5.1.5 Acoustic distortion.....	15
5.1.6 Channel S/N ratio.....	15
5.1.7 Sidetone masking rating (STMR).....	15
5.1.8 Idle channel noise .....	15
5.1.9 Ringtone sound pressure .....	15
5.1.10 Acoustic stability (Larsen effect).....	15
5.1.11 Acoustic safety .....	15
5.2 Video characteristics .....	16
5.2.1 Image resolution .....	16
5.2.2 Gray scale .....	16
5.2.3 Focus distance.....	16
5.2.4 Color reproduction .....	16
5.2.5 Environmental illuminance adaptability .....	16
5.3 Environmental adaptability requirements.....	16
5.3.1 Environmental classes .....	16
5.3.2 Environmental adaptability .....	16
5.4 Safety requirements .....	17
5.5 Additional protection under fault conditions.....	17
5.6 Electromagnetic compatibility requirements .....	18
5.6.1 Electromagnetic compatibility immunity requirements.....	18
5.6.2 Additional electromagnetic compatibility immunity requirements .....	18
5.6.3 Electromagnetic compatibility emission requirements.....	18
5.7 Markings and mechanical structural requirements .....	18
5.7.1 Markings.....	18
5.7.2 Mechanical structure .....	19
5.7.3 Enclosure protection capability .....	19
5.7.4 Anti-vandalism .....	19
6 Test methods.....	19

6.1	Test conditions.....	19
6.1.1	Test environmental conditions .....	19
6.1.2	Electrical connection .....	20
6.2	Function test .....	20
6.3	Audio characteristics test .....	20
6.4	Video characteristics test .....	20
6.5	Environmental adaptability test .....	20
6.6	Safety test .....	20
6.7	Protection under fault conditions test .....	20
6.8	Electromagnetic compatibility test.....	20
6.8.1	Electromagnetic compatibility immunity test .....	20
6.8.2	Additional electromagnetic compatibility immunity test .....	20
6.8.3	Electromagnetic compatibility emission test .....	21
6.9	Markings and mechanical structure test .....	21
6.9.1	Markings and scrub resistance test.....	21
6.9.2	Mechanical structure test .....	21
6.9.3	Enclosure protection capability test .....	21
6.9.4	Anti-vandalism test.....	21
7	Documentation .....	22
Annex A	(normative) Test of audio characteristics .....	23
A.1	Test conditions.....	23
A.2	Acoustic pressure level test.....	23
A.2.1	Methods.....	23
A.2.2	Calibration of test equipment.....	24
A.2.3	Test of the acoustic pressure level .....	24
A.3	Overall loudness rating (OLR) test.....	25
A.3.1	Measurement of sound pressure $P_m$ at the MRP.....	25
A.3.2	Measurement of output sound pressure $P_o$ of the hands-free EUT.....	25
A.3.3	Measurement of output sound pressure $P_e$ of the handset EUT .....	26
A.3.4	Calculations of the OLR .....	27
A.4	Overall sensitivity test .....	28
A.4.1	Test of the overall sensitivity at the hands-free EUT.....	28
A.4.2	Test of the overall sensitivity at the handset EUT.....	28
A.5	Frequency response test .....	28
A.6	Acoustic distortion test .....	29
A.7	Channel S/N ratio test .....	29
A.8	Sidetone masking rating (STMR) test.....	29
A.9	Idle channel noise test .....	30
A.10	Ringtone sound pressure test .....	30
A.11	Acoustic stability (Larsen Effect) test .....	30
A.12	Acoustic safety test .....	31
Annex B	(normative) Test of video characteristics .....	33
B.1	Test conditions.....	33
B.2	Connection of the tested system.....	33
B.3	Image resolution test.....	33
B.4	Gray scale test.....	34
B.5	Focus distance test .....	34
B.6	Color reproduction test.....	35
B.7	Environmental illumination adaptability test.....	36

Annex C (normative) Different requirements between grade 1 and grade 2 .....	37
Annex D (normative) Safety requirements correspondence in IEC 60065 or IEC 60950-1 .....	39
Bibliography .....	40
Figure 1 – Overall sensitivity at the hands-free unit .....	14
Figure 2 – Overall sensitivity at the handset unit.....	14
Figure A.1 – Measurement of sound pressure $P_m$ at the MRP .....	25
Figure A.2 – Measurement of output sound pressure $P_o$ when connected with the handset unit.....	25
Figure A.3 – Measurement of output sound pressure $P_o$ when connected with the hands-free unit .....	26
Figure A.4 – Measurement of output sound pressure $P_e$ when connected with the handset unit.....	26
Figure A.5 – Measurement of output sound pressure $P_e$ when connected with the hands-free unit .....	26
Figure A.6 – Measurement of STMR at the handset EUT .....	30
Figure A.7 – Measurement of ringtone sound pressure .....	30
Figure A.8 – Acoustic stability test for handset EUT.....	31
Figure A.9 – Acoustic stability test for hands-free EUT .....	31
Figure A.10 – Acoustic safety test .....	32
Figure B.1 – Connection diagram for test of video characteristics.....	33
Figure B.2 – TE170 test chart .....	34
Figure B.3 – TE83 test chart .....	34
Figure B.4 – Focus test chart .....	35
Figure B.5 – Position of the external ring area .....	35
Figure B.6 – TE106 test chart .....	36
Table 1 – Environmental adaptability requirements .....	17
Table A.1 – Factors for OLR .....	28
Table C.1 – Requirements of grade 1 and grade 2.....	37
Table D.1 – Correspondence between IEC 60065 and IEC 60950-1 .....	39



## INTRODUCTION

This part of IEC 62820 specifies the technical requirements for building intercom systems and equipment used for building entry. Building intercom systems can function independently and may be extendable to support building security management functions, e.g. extendable with security management unit (SMU) operated by security staff (door-man, concierge, security-guard, porter, etc.), or in conjunction with other systems as per the security requirements of the building. It may consist of: Visitor call unit (VCU), user receiver unit (URU), SMU, power supply, auxiliary device as well as interface-unit to other security-systems.

The IEC 62820 series of standards set out the technical requirements for the composition, functions, performance, test methods of building intercom systems for building entry and application guidelines and consist of five parts:

Part 1-1: System requirements – General

Part 1-2: System requirements – IP building intercom systems

Part 2: Requirements for advanced security building intercom systems

Part 3-1: Application guidelines – General

Part 3-2: Application guidelines – Advanced security building intercom systems

The Part 1-1 of IEC 62820 is based on Chinese standard GB/T 31070.1-2014 and European standard EN 50486:2008.

## BUILDING INTERCOM SYSTEMS –

### Part 1-1: System requirements – General

#### 1 Scope

This Part of IEC 62820 specifies the technical requirements for the composition, functions, performance, and test methods of general building intercom systems.

This part is applicable to the general intercom systems for building entry in residential or commercial buildings.

Door-Entry-System (DES) is a simple kind of convenient Building-Intercom-System (BIS) mainly for user's comfort. This document has classified the general building intercom systems into two grades in Part 1-1. Grade 1 adopts lower requirements to cover DES not used for relevant security applications while grade 2 adopts higher requirements for building intercom systems for security applications. Each grade may adopt different functional and performance requirements, test methods and normative references.

NOTE The different requirements between grade 1 and grade 2 are summarized in Table C.1.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60065:2014, *Audio, video and similar electronic apparatus – Safety requirements*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013

IEC 60950-1:2005, *Information technology equipment – Safety – Part 1: General requirements*

IEC 61000-6-1, *Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity for residential, commercial and light-industrial environments*

IEC 61000-6-3, *Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments*

IEC 62262, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62599-1, *Alarm systems – Part 1: Environmental test methods*

IEC 62599-2, *Alarm systems – Part 2: Electromagnetic compatibility – Immunity requirements for components of fire and security alarm systems*

ISO 12233:2014, *Photography – Electronic still picture imaging – Resolution and spatial frequency responses*