



IEC 62769-3

Edition 1.0 2015-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field Device Integration (FDI) –
Part 3: FDI Server**

**Intégration des appareils de terrain (FDI) –
Partie 3: Serveur FDI**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62769-3

Edition 1.0 2015-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Field Device Integration (FDI) —
Part 3: FDI Server

Intégration des appareils de terrain (FDI) —
Partie 3: Serveur FDI

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100

ISBN 978-2-8322-2639-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions, abbreviated terms and acronyms	9
3.1 Terms and definitions	9
3.2 Abbreviated terms and acronyms	9
4 Overview	9
5 Information Model	10
5.1 General	10
5.2 Online/Offline	11
5.2.1 Overview	11
5.2.2 Transfer to device	11
5.2.3 Transfer from device	11
5.3 Access privileges	12
5.4 Private Parameters	12
5.5 Locking	12
5.6 EditContext	13
5.6.1 Concept and usage model	13
5.6.2 Services	14
5.6.3 Nodelds	15
5.6.4 Reading	15
5.6.5 Writing	15
5.6.6 Writing dominant and dependent Variables	16
5.6.7 Actions (EDD METHODS)	16
5.6.8 UIDs	17
5.6.9 Synchronization	17
5.7 Reading	17
5.7.1 General	17
5.7.2 Reading offline variables	18
5.7.3 Reading online variables	19
5.8 Writing	20
5.8.1 General	20
5.8.2 Write offline variables	20
5.8.3 Writing online variables	21
5.8.4 Writing to an EditContext	23
5.9 Subscription	24
5.9.1 General	24
5.9.2 Subscription of offline variables	24
5.9.3 Subscription of online variables	25
5.10 Device topology	27
5.10.1 General	27
5.10.2 Connection Points	27
5.10.3 Topology management	28
5.10.4 Topology scanning	31
5.10.5 Use of SCAN function	32

5.10.6	Validation of defined topology	32
5.11	User Interface Elements	33
5.11.1	User Interface Descriptions	33
5.11.2	User Interface Plug-ins	34
5.12	Actions	34
5.12.1	FDI Server – FDI Client interaction	34
5.12.2	Action state machine	37
5.12.3	Actions Proxies	38
5.12.4	Actions, EDD Actions and Actions Proxies	39
6	OPC UA services	40
6.1	OPC UA profiles	40
6.2	Service error information	40
6.2.1	Overview	40
6.2.2	OPC UA services and their response	41
6.2.3	Mappings of EDDL response codes to OPC UA service response	41
6.3	Parameter value update during write service request	42
6.4	Localization	42
6.5	Audit events	43
7	Communication	43
7.1	Notation	43
7.2	General	43
7.2.1	Concepts	43
7.2.2	Terms	45
7.3	Communication Service processing	46
7.3.1	Communication Service invocation	46
7.3.2	Analyze communication path	46
7.3.3	Manage communication relations	47
7.3.4	Communication service request mapping	47
7.3.5	Communication service request propagation	48
7.3.6	Communication error handling	49
7.4	FDI Communication Server specific handling	49
7.4.1	Discovery	49
7.4.2	Information Model synchronization	50
8	Parallel Execution within the FDI Server	50
8.1	Motivation	50
8.2	Internal structure of the EDD interpreter	50
8.3	Rules for running an EDD entity	51
Annex A (informative)	FDI Server functional structure	52
A.1	FDI functional elements	52
A.2	FDI Server extension	53
Annex B (informative)	Access privileges and user roles	55
B.1	User roles and usage case	55
B.2	Private data usage	56
Annex C (informative)	Parallel execution within the FDI Server – Examples	57
C.1	Simple example for a synchronous execution	57
C.2	Example for a concurrent execution	57
C.3	Deadlock detection in concurrent execution	59
Bibliography	60	

Figure 1 – FDI architecture diagram	8
Figure 2 – Locking services	13
Figure 3 – EditContext models	14
Figure 4 – EditContext for EDD Methods	17
Figure 5 – Offline variable read	18
Figure 6 – Online variable read	19
Figure 7 – Offline variable write immediate	21
Figure 8 – Online variable write immediate	22
Figure 9 – Write with EditContext	23
Figure 10 – Offline variable subscription	25
Figure 11 – Online variable subscription	26
Figure 12 – Topology with Network objects (non-normative)	27
Figure 13 – Add Device to topology	29
Figure 14 – Remove Device from topology	30
Figure 15 – Scan topology	31
Figure 16 – Action execution	36
Figure 17 – Action state machine	37
Figure 18 – System communication integration example	43
Figure 19 – FDI Communication Server integration example	44
Figure 20 – Gateway integration example	45
Figure 21 – Message propagation example scenario	48
Figure A.1 – Functional components of an FDI Server	52
Figure A.2 – FDI Server extensions	53
Figure B.1 – User roles and access privileges	55
Figure C.1 – Synchronous execution of two triggers	57
Figure C.2 – Concurrent execution of two triggers (step1)	57
Figure C.3 – Concurrent execution of two triggers (step 2)	58
Figure C.4 – Concurrent execution of two triggers (step 3)	58
Figure C.5 – Concurrent execution of two triggers (step 4)	58
Figure C.6 – Concurrent execution of two triggers	59
Table 1 – Action states	37
Table 2 – Action state transitions	38
Table 3 – EDD Action types and the EDD constructs that use them	39
Table 4 – OPC UA severity bits and EDDL response codes TYPE	41

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE INTEGRATION (FDI) –**Part 3: FDI Server****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 62769-3 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this standard is based on the following documents:

CDV	Report on voting
65E/346/CDV	65E/423/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62769 series, published under the general title *Field Device Integration (FDI)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This document is a preview generated by EVS

INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning

- a) method for the Supplying and Installation of Device-Specific Functionalities, see Patent Family DE10357276;
- b) method and device for accessing a functional module of automation system, see Patent Family EP2182418;
- c) methods and apparatus to reduce memory requirements for process control system software applications, see Patent Family US2013232186;
- d) extensible device object model, see Patent Family US12/893,680.

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holders of these patent rights have assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

- a) ABB Research Ltd
Claes Rytoft
Affolterstrasse 4
Zurich, 8050
Switzerland
- b) Phoenix Contact GmbH & Co KG
Intellectual Property, Licenses & Standards
Flachsmarktstrasse 8, 32825 Blomberg
Germany
- c) Fisher Controls International LLC
John Dilger, Emerson Process Management LLLP
301 S. 1st Avenue, Marshalltown, Iowa 50158
USA
- d) Rockwell Automation Technologies, Inc.
1 Allen-Bradley Drive
Mayfield Heights, Ohio 44124
USA

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

FIELD DEVICE INTEGRATION (FDI) –

Part 3: FDI Server

1 Scope

This part of IEC 62769 specifies the FDI Server. The overall FDI architecture is illustrated in Figure 1. The architectural components that are within the scope of this document have been highlighted in this figure.




Figure 1 – FDI architecture diagram

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61804 (all parts), *Function blocks (FB) for process control and Electronic Device Description Language (EDDL)*

IEC 61804-3¹, *Function block (FB) for process control and Electronic Device Description Language (EDDL) – Part 3: EDDL syntax and semantics*

IEC 61804-4², *Function blocks (FB) for process control and Electronic Device Description Language (EDDL) – Part 4: EDD interpretation*

IEC 62541 (all parts), *OPC unified architecture*

IEC 62541-4, *OPC unified architecture –Part 4: Services*

IEC 62541-7, *OPC unified architecture – Part 7: Profiles*

IEC 62769-1, *Field Device Integration – Part 1: Overview*

NOTE IEC 62769-1 is technically identical to FDI-2021.

IEC 62769-2, *Field Device Integration – Part 2: FDI Client*

NOTE IEC 62769-2 is technically identical to FDI-2022.

IEC 62769-4, *Field Device Integration – Part 4: FDI Packages*

NOTE IEC 62769-4 is technically identical to FDI-2024.

IEC 62769-5, *Field Device Integration – Part 5: FDI Information Model*

NOTE IEC 62769-5 is technically identical to FDI-2025.

IEC 62769-7, *Field Device Integration – Part 7: FDI Communication Devices*

NOTE IEC 62769-7 is technically identical to FDI-2027.

3 Terms, definitions, abbreviated terms and acronyms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62769-1 as well as the following apply.

3.1.1

Actions Proxy

internal FDI Server entity that encapsulates all the EDD Methods specified in an EDD Action definition

3.2 Abbreviated terms and acronyms

For the purposes of this document, the abbreviated terms and acronyms given in IEC 62769-1 apply.

4 Overview

The structure for an FDI Server is shown in Figure 1.

¹ To be published.

² To be published.