

## Laste hooldamiseks mõeldud tooted. Kandehällid ja tugialused. Ohutusnõuded ja katsemeetodid

- NS - S  
A E E

EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

|                                                                                                                                                         |                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>E<br/>1466:2004+A1:2007<br/>E<br/>EN 1466:2004+A1:2007</div> <div>S<br/>1 12 2007<br/>E<br/>S<br/>EVS</div> <div>E<br/>2 11 2007<br/>S<br/>E</div> | <div>E<br/>1466:2004+A1:2007<br/>E<br/>EN<br/>1466:2004+A1:2007</div> <div>E<br/>1 12 2007<br/>S<br/>E<br/>E</div> <div>A<br/>2 11 2007<br/>E<br/>E</div> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

ICS 710

EVS

|                                                                                      |    |         |   |      |        |   |   |   |   |
|--------------------------------------------------------------------------------------|----|---------|---|------|--------|---|---|---|---|
| Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele     |    |         |   |      |        |   |   |   |   |
| A                                                                                    |    | E       | S |      |        |   |   |   |   |
| A                                                                                    | 10 | 10 17 E |   | : 60 | 0 0 E- | : | E | S | : |
| Right to reproduce and distribute belongs to the Estonian Centre for Standardisation |    |         |   |      |        |   |   |   |   |
| N                                                                                    |    |         | E |      | S      |   |   |   |   |
| A                                                                                    | 10 | 10 17 E |   | : 60 | 0 0 E- | : | E | S | : |

English Version

## Child care articles - Carry cots and stands - Safety requirements and test methods

Articles de puériculture - Couffins et supports - Exigences  
de sécurité et méthodes d'essai

Artikel für Säuglinge und Kleinkinder - Tragetaschen und  
Ständer - Sicherheitstechnische Anforderungen und  
Prüfverfahren

This European Standard was approved by CEN on 1 October 2003 and includes Amendment 1 approved by CEN on 24 October 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

## Contents

|                                                                                                                                | page |
|--------------------------------------------------------------------------------------------------------------------------------|------|
| Foreword.....                                                                                                                  | 4    |
| 1 Scope (see C.3) .....                                                                                                        | 5    |
| 2 Normative references .....                                                                                                   | 5    |
| 3 Terms and definitions .....                                                                                                  | 5    |
| 4 Materials .....                                                                                                              | 5    |
| 4.1 General.....                                                                                                               | 5    |
| 4.2 Chemical properties (see C.4) .....                                                                                        | 6    |
| 4.3 Flammability (see C.5) .....                                                                                               | 6    |
| 4.4 Plastic internal lining.....                                                                                               | 6    |
| 4.5 Plastic decals .....                                                                                                       | 6    |
| 5 Requirements .....                                                                                                           | 6    |
| 5.1 Carry cots and stands .....                                                                                                | 6    |
| 5.1.1 Gaps and openings.....                                                                                                   | 6    |
| 5.1.2 Edges, points and corners (see C.6).....                                                                                 | 7    |
| 5.1.3 Small parts.....                                                                                                         | 8    |
| 5.1.4 Cords, straps ribbons and other narrow fabrics .....                                                                     | 8    |
| 5.1.5 Moving parts.....                                                                                                        | 8    |
| 5.1.6 Filling materials.....                                                                                                   | 8    |
| 5.2 Carry cots .....                                                                                                           | 9    |
| 5.2.1 Internal height of carry cot and effectiveness of retaining function $\square_{A1}$ (see C.8) $\langle A1 \rangle$ ..... | 9    |
| 5.2.2 $\square_{A1}$ Total height of a carry cot with flexible handles $\langle A1 \rangle$ .....                              | 9    |
| 5.2.3 Strength of carry cots .....                                                                                             | 9    |
| 5.2.4 Stability of carry cots on the ground .....                                                                              | 9    |
| 5.2.5 Longitudinal stability of carry cots .....                                                                               | 9    |
| 5.2.6 Flexible handles of carry cots .....                                                                                     | 10   |
| 5.3 Stands .....                                                                                                               | 10   |
| 5.3.1 Retention of the carry cot .....                                                                                         | 10   |
| 5.3.2 Strength of stands .....                                                                                                 | 10   |
| 5.3.3 Stability of stands .....                                                                                                | 10   |
| 5.3.4 Folding mechanism of stands .....                                                                                        | 10   |
| 5.3.5 Castors/Wheels of stands .....                                                                                           | 10   |
| 6 Test methods.....                                                                                                            | 10   |
| 6.1 Conditioning of products with removable fabric.....                                                                        | 10   |
| 6.2 Test equipment .....                                                                                                       | 10   |
| 6.2.1 Accuracy of test equipment.....                                                                                          | 10   |
| 6.2.2 Test plate .....                                                                                                         | 11   |
| 6.2.3 Test cylinder $\square_{A1}$ (see C.9) $\langle A1 \rangle$ .....                                                        | 11   |
| 6.2.4 Test probes.....                                                                                                         | 11   |
| 6.2.5 Cylinder.....                                                                                                            | 12   |
| 6.2.6 Test bar (1).....                                                                                                        | 13   |
| 6.2.7 Test bar (2).....                                                                                                        | 13   |
| 6.2.8 Datum board (see Figure 6) .....                                                                                         | 13   |
| 6.2.9 Metal hooks .....                                                                                                        | 13   |
| 6.3 Tests for entrapment of fingers or limbs .....                                                                             | 15   |
| 6.4 Test for cords, straps and ribbons .....                                                                                   | 16   |
| 6.5 Tests for carry cots.....                                                                                                  | 16   |
| 6.5.1 Test for rigidity of the sides of carry cots .....                                                                       | 16   |
| 6.5.2 Test for measurement of the internal height of rigid carry cots .....                                                    | 17   |

|              |                                                                                         |    |
|--------------|-----------------------------------------------------------------------------------------|----|
| 6.5.3        | Test for effectiveness of the retaining function of the sides .....                     | 18 |
| 6.5.4        | Test for measurement of the total height of the carry cot.....                          | 18 |
| 6.5.5        | Tests for strength of carry cots .....                                                  | 18 |
| 6.5.6        | Test for the stability of carry cots on the ground <b>A1</b> (see C.11) <b>A1</b> ..... | 19 |
| 6.5.7        | Test for the longitudinal stability of carry cots .....                                 | 20 |
| 6.5.8        | Test for durability of flexible handles of carry cots .....                             | 20 |
| 6.6          | Tests for stands .....                                                                  | 21 |
| 6.6.1        | Test for strength of stands .....                                                       | 21 |
| 6.6.2        | Test for stability of stands <b>A1</b> (see C.12) <b>A1</b> .....                       | 21 |
| 6.6.3        | Test for fatigue resistance of locking and folding mechanisms of stands .....           | 21 |
| 6.7          | Test for durability of marking <b>A1</b> (see C.13) <b>A1</b> .....                     | 22 |
| 7            | Order of tests .....                                                                    | 22 |
| 8            | Product information .....                                                               | 22 |
| 8.1          | General.....                                                                            | 22 |
| 8.2          | Purchase information.....                                                               | 22 |
| 8.3          | Markings .....                                                                          | 22 |
| 8.4          | Instructions on use and maintenance .....                                               | 23 |
| Annex A      | (normative) Order of tests .....                                                        | 25 |
| Annex B      | (informative) A-deviations .....                                                        | 26 |
| Annex C      | (informative) Background and rationale for this standard .....                          | 27 |
| C.1          | Introduction .....                                                                      | 27 |
| C.2          | General.....                                                                            | 27 |
| C.3          | Scope .....                                                                             | 27 |
| C.4          | Chemical properties (see 4.2).....                                                      | 28 |
| C.5          | Flammability (see 4.3) .....                                                            | 28 |
| C.6          | Sharp edges, points and corners (see 5.1.2) .....                                       | 28 |
| C.7          | <b>A1</b> Rigid handle (see 5.2.2) .....                                                | 28 |
| C.8          | Internal height of carry cot and effectiveness of retaining function (see 5.2.1) .....  | 28 |
| C.9          | Test cylinder (see 6.2.3) .....                                                         | 28 |
| C.10         | Test for dynamic strength of carry cots (see 6.5.5.2) .....                             | 28 |
| C.11         | Test for the stability of carry cots on the ground (see 6.5.6) .....                    | 28 |
| C.12         | Test for stability of stands (see 6.6.2) .....                                          | 28 |
| C.13         | Test for durability of marking (see 6.7) .....                                          | 28 |
| Bibliography | .....                                                                                   | 29 |

## Foreword

This document (EN 1466:2004+A1:2007) has been prepared by Technical Committee CEN/TC 252 “Child use and care articles”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2008, and conflicting national standards shall be withdrawn at the latest by May 2008.

This document supersedes A1 EN 1466:2004 A1.

This document includes Amendment 1, approved by CEN on 2007-10-24.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

EVS

## 1 Scope (see C.3)

This European Standard specifies safety requirements and test methods for products which are intended for the purpose of carrying a child in a lying position by means of handle(s) and for stands which may be used in conjunction with these products.

These products are intended for a child who cannot sit unaided, roll over or push up on its hands and knees, with a maximum weight of 9 kg. Hereafter, in this European Standard these articles are called "carry cots" and include all types of carry cots with rigid or soft sides as well as Moses baskets and any similar articles. Any other functions of the product shall comply with relevant European standards.

The safety requirements specified in this European Standard are intended to assure that the carrying and sleeping functions do not present hazards to the child when the product is used in a normal way taking into account the foreseeable behaviour of the child.

This European Standard is not applicable to car seats and reclining cradles.

This European Standard has not considered the requirements of children with special needs.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 71-1:2005+A4:2007 , *Safety of toys – Part 1 : Mechanical and physical properties*

EN 71-2:2006+A1:2007 , *Safety of toys – Part 2 : Flammability*

EN 71-3, *Safety of toys – Part 3 : Migration of certain elements*

ISO 48, *Rubber, vulcanized or thermoplastic – Determination of hardness (hardness between 10 IRHD and 100 IRHD)*

## 3 Terms and definitions

For the purposes of this European Standard, the following terms and definitions apply.

### 3.1

#### "carry cot" (generic term)

product consisting of a base, sides, ends and carrying handle(s), within which a child can be laid down and transported by hand(s)

### 3.2

#### stand

static structure designed to accommodate and support a carry cot

## 4 Materials

### 4.1 General

Wood, wood based material and material of vegetable origin shall be free from decay and insect attack when assessed by visual inspection.