
**Petroleum and natural gas industries —
External coatings for buried or
submerged pipelines used in pipeline
transportation systems —**

**Part 3:
Field joint coatings**

*Industries du pétrole et du gaz naturel — Revêtements externes des
conduites enterrées ou immergées utilisées dans les systèmes de
transport par conduites —*

Partie 3: Revêtements des joints soudés sur site



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	4
4 Symbols and abbreviated terms	6
4.1 Symbols	6
4.2 Abbreviated terms	7
5 General requirements	7
5.1 Rounding	7
5.2 Compliance to standard.....	7
6 Information to be supplied by the purchaser	8
6.1 General information	8
6.2 Additional information.....	8
7 Application procedures and qualification	9
7.1 Application procedure specification (APS).....	9
7.2 Coating materials	9
7.3 Procedure qualification trial (PQT)	10
7.4 Pre-production trial (PPT)	11
7.5 Qualification of coating and inspection personnel	11
7.6 Production testing and inspection.....	11
7.7 Certificates of compliance and traceability	12
8 Classification of field joint coatings	12
9 General requirements for surface preparation, coating application, testing and repair.....	13
9.1 Surface preparation	13
9.2 Application of the coating.....	14
9.3 Visual inspection of the applied coating	14
9.4 Testing of the field joint coating	14
9.5 Repairs	15
9.6 Verification and storage of coating materials.....	15
10 Bituminous, petrolatum, wax and polymeric tape coatings.....	15
10.1 Coating identification	15
10.2 Description of the coatings	15
10.3 Surface preparation	15
10.4 Coating application.....	16
10.5 Testing of the applied coatings.....	17
11 Heat-shrinkable coatings	25
11.1 Coating identification	25
11.2 Description of the coatings	25
11.3 Surface preparation	26
11.4 Application of the coatings.....	26
11.5 Testing of the applied coatings.....	27
12 Fusion-bonded epoxy (FBE) powder coatings	31
12.1 Coating identification	31
12.2 Description of the coatings	32
12.3 Surface preparation	32

12.4	Application of the coatings	32
12.5	Testing of the applied coatings	33
13	Liquid coatings	35
13.1	Coating identification	35
13.2	Description of the coatings	35
13.3	Surface preparation	35
13.4	Application of the coatings	36
13.5	Testing of the applied coatings	36
14	Polyolefin-based coatings	41
14.1	Coating identification	41
14.2	Description of the coatings	41
14.3	Surface preparation	42
14.4	Application of the coating	43
14.5	Testing of the applied coatings	44
15	Thermal spray aluminium (TSA) coatings	49
15.1	Coating identification	49
15.2	Description of the coating	49
15.3	Qualification	49
15.4	Surface preparation	49
15.5	Application of the coating	49
15.6	Testing of the applied coating	50
16	Hot-applied microcrystalline wax coatings	51
16.1	Coating identification	51
16.2	Description of the coating	52
16.3	Surface preparation	52
16.4	Application of the coating	52
16.5	Testing of the applied coatings	53
17	Elastomeric coatings	54
17.1	Coating identification	54
17.2	Description of the coatings	55
17.3	Surface preparation	55
17.4	Application of the coatings	55
17.5	Testing of the applied coatings	56
Annex A (normative)	Inspection of thickness	60
Annex B (normative)	Holiday detection test	61
Annex C (normative)	Adhesion test — Resistance to removal	62
Annex D (normative)	Peel-strength test	64
Annex E (normative)	Thermal analysis of epoxy powder and cured coating film (FBE)	68
Annex F (normative)	Cathodic disbondment test	72
Annex G (normative)	Impact test	78
Annex H (normative)	Indentation test	80
Annex I (normative)	Hot-water immersion test	82
Annex J (normative)	Drip resistance of petrolatum and wax tapes	84
Annex K (normative)	Specific electrical insulation resistance	85
Annex L (normative)	Lap shear strength	87
Annex M (normative)	Peel strength between layers	89
Annex N (normative)	Thermal ageing resistance	92
Annex O (normative)	Test programmes for procedure for qualification trials, pre-production trials or production testing	96

Bibliography	99
---------------------------	-----------

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21809-3 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 2, *Pipeline transportation systems*.

ISO 21809 consists of the following parts, under the general title *Petroleum and natural gas industries — External coatings for buried or submerged pipelines used in pipeline transportation systems*:

- *Part 1: Polyolefin coatings (3-layer PE and 3-layer PP)*
- *Part 2: Fusion-bonded epoxy coatings*
- *Part 3: Field joint coatings*
- *Part 4: Polyethylene coatings (2-layer PE)*
- *Part 5: External concrete coatings*

A Part 6, dealing with bitumen, asphalt and coal tar coatings, a Part 7, dealing with liquid coatings, a Part 8, dealing with thermal insulation coatings, and a Part 9, dealing with epoxy polyamide powder coatings (2-layer) are under preparation.

Introduction

Users of this part of ISO 21809 should be aware that further or differing requirements can be needed for individual applications. This part of ISO 21809 is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This can be particularly applicable where there is innovative or developing technology. Where an alternative is offered, the vendor should identify any variations from this part of ISO 21809 and provide details.

This document is a preview generated by EVS

Petroleum and natural gas industries — External coatings for buried or submerged pipelines used in pipeline transportation systems —

Part 3: Field joint coatings

1 Scope

This part of ISO 21809 specifies requirements for field joint coating of seamless or welded steel pipes for pipeline transportation systems in the petroleum and natural gas industries as defined in ISO 13623. This part of ISO 21809 specifies the qualification, application and testing of the corrosion protection coatings applied to steel surfaces left bare after the pipes and fittings (components) are joined by welding.

This part of ISO 21809 does not address additional mechanical protection, thermal insulation or joint infills for concrete weight-coated pipes.

This part of ISO 21809 defines and codifies the different types of field joint coatings for buried or submerged pipelines as presented in Table 1.

NOTE Pipes coated in accordance with this part of ISO 21809 are considered suitable for further protection by means of cathodic protection.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 31-0:1992, *Quantities and units — Part 0: General principles*

ISO 34-1, *Rubber, vulcanized or thermoplastic — Determination of tear strength — Part 1: Trouser, angle and crescent test pieces*

ISO 37, *Rubber, vulcanized or thermoplastic — Determination of tensile stress-strain properties*

ISO 62, *Plastics — Determination of water absorption*

ISO 188, *Rubber, vulcanized or thermoplastic — Accelerated ageing and heat resistance tests*

ISO 527-2, *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics*

ISO 527-3, *Plastics — Determination of tensile properties — Part 3: Test conditions for films and sheets*

ISO 868, *Plastics and ebonite — Determination of indentation hardness by means of a durometer (Shore hardness)*

ISO 1431-1:2004, *Rubber, vulcanized or thermoplastic — Resistance to ozone cracking — Part 1: Static and dynamic strain testing*

ISO 1523, *Determination of flash point — Closed cup equilibrium method*

ISO 1817, *Rubber, vulcanized — Determination of the effect of liquids*

ISO 2178, *Non-magnetic coatings on magnetic substrates — Measurement of coating thickness — Magnetic method*

ISO 2781:2008, *Rubber, vulcanized or thermoplastic — Determination of density*

ISO 2808, *Paints and varnishes — Determination of film thickness*

ISO 2811-1, *Paints and varnishes — Determination of density — Part 1: Pyknometer method*

ISO 3251, *Paints, varnishes and plastics — Determination of non-volatile-matter content*

ISO 3417, *Rubber — Measurement of vulcanization characteristics with the oscillating disc curemeter*

ISO 3801, *Textiles — Woven fabrics — Determination of mass per unit length and mass per unit area*

ISO 4591, *Plastics — Film and sheeting — Determination of average thickness of a sample, and average thickness and yield of a roll, by gravimetric techniques (gravimetric thickness)*

ISO 4593, *Plastics — Film and sheeting — Determination of thickness by mechanical scanning*

ISO 4624, *Paint and varnishes — Pull-off test for adhesion*

ISO 4625-1, *Binders for paints and varnishes — Determination of softening point — Part 1: Ring-and-ball method*

ISO 5893, *Rubber and plastics test equipment — Tensile, flexural and compression types (constant rate of traverse) — Specification*

ISO 7619 (all parts), *Rubber, vulcanized or thermoplastic — Determination of indentation hardness*

ISO 8501-1:2007, *Preparation of steel substrates before application of paints and related products — Visual assessment of surface cleanliness — Part 1: Rust grades and preparation grades of uncoated steel substrates and of steel substrates after overall removal of previous coatings*

ISO 8502-3:1992, *Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness — Part 3: Assessment of dust on steel surfaces prepared for painting (pressure-sensitive tape method)*

ISO 8502-6, *Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness — Part 6: Extraction of soluble contaminants for analysis — The Bresle method*

ISO 8502-9, *Preparation of steel substrates before application of paints and related products — Tests for the assessment of surface cleanliness — Part 9: Field method for conductometric determination of water-soluble salts*

ISO 8503-1, *Preparation of steel substrates before application of paints and related products — Surface roughness characteristics of blast-cleaned steel substrates — Part 1: Specifications and definitions for ISO surface profile comparators for the assessment of abrasive blast-cleaned surfaces*

ISO 8503-2, *Preparation of steel substrates before application of paints and related products — Surface roughness characteristics of blast-cleaned steel substrates — Part 2: Method for the grading of surface profile of abrasive blast-cleaned steel — Comparator procedure*

ISO 8503-4, *Preparation of steel substrates before application of paints and related products — Surface roughness characteristics of blast-cleaned steel substrates — Part 4: Method for the calibration of ISO surface profile comparators and for the determination of surface profile — Stylus instrument procedure*

ISO 8503-5:2003, *Preparation of steel substrates before application of paints and related products — Surface roughness characteristics of blast-cleaned steel substrates — Part 5: Replica tape method for the determination of the surface profile*

ISO 8504-3, *Preparation of steel substrates before application of paints and related products — Surface preparation methods — Part 3: Hand- and power-tool cleaning*

ISO 10474, *Steel and steel products — Inspection documents*

ISO 11124 (all parts), *Preparation of steel substrates before application of paints and related products — Specifications for metallic blast-cleaning abrasives*

ISO 11126 (all parts), *Preparation of steel substrates before application of paints and related products — Specifications for non-metallic blast-cleaning abrasives*

ISO 11357-2, *Plastics — Differential scanning calorimetry (DSC) — Part 2: Determination of glass transition temperature*

ISO 11357-6, *Plastics — Differential scanning calorimetry (DSC) — Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)*

ISO 13623:—, *Petroleum and natural gas industries — Pipeline transportation systems*

ISO 21809-2, *Petroleum and natural gas industries — External coatings for buried and submerged pipelines used in pipeline transportation systems — Part 2: Fusion-bonded epoxy coatings*

ASTM D 70 ¹⁾, *Standard Test Method for Density of Semi-Solid Bituminous Materials (Pycnometer Method)*

ASTM D 92, *Standard Test Method for Flash and Fire Points by Cleveland Open Cup Tester*

ASTM D 127, *Standard Test Method for Drop Melting Point of Petroleum Wax, Including Petrolatum*

ASTM D 149, *Standard Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Commercial Power Frequencies*

ASTM D 257, *Standard Test Methods for DC Resistance or Conductance of Insulating Materials*

ASTM D 695, *Standard Test Method for Compressive Properties of Rigid Plastics*

ASTM D 937, *Standard Test Method for Cone Penetration of Petrolatum*

ASTM D 938, *Standard Test Method for Congealing Point of Petroleum Waxes, Including Petrolatum*

ASTM D 1000, *Standard Test Method for Pressure-Sensitive Adhesive-Coated Tapes Used for Electrical and Electronic Applications*

ASTM D 1141, *Standard Practice for the Preparation of Substitute Ocean Water*

ASTM D 1321, *Standard Test Method for Needle Penetration of Petroleum Waxes*

1) American Society for Testing and Materials, 100 Harbour Drive, West Conshohocken, PA 19428-2959, USA.

ASTM D 2084, *Standard Test Method for Rubber Property — Vulcanization Using Oscillating Disk Cure Meter*

ASTM D 4285, *Standard Test Method for Indicating Oil or Water in Compressed Air*

ASTM D 4541, *Standard Test Method for Pull-off Strength of Coatings Using Portable Adhesion Testers*

SSPC-SP1 ²⁾, *Surface preparation specification No.1 — Solvent cleaning*

SSPC CS 23.00, *Specification for the Application of Thermal Spray Coatings (Metallizing) of Aluminum, Zinc and Their Alloys and Composites for the Corrosion Protection of Steel*

AWS C2.25/C2.25M ³⁾, *Specification for Thermal Spray Feedstock Solid and Composite Wire and Ceramic Rods*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 application procedure specification APS

document describing procedures, methods, equipment and tools used for coating application

3.2 applicator

company that undertakes the coating application in accordance with the provisions of this part of ISO 21809

3.3 batch

quantity of material produced in a continuous manufacturing operation using raw materials of the same source and grade

3.4 batch certificate

certificate of analysis issued by the manufacturer

3.5 bonding agent

material applied as a film to the primed metal surface in order to ensure adhesion of the subsequent protective coating

3.6 certificate of compliance

one of the types of inspection documents defined by ISO 10474, issued in accordance with the purchasing requirements

3.7 coating operative

individual undertaking coating activity on the work site, including surface preparation

3.8 cutback

length of pipe left uncoated at each end for joining purposes (e.g. welding)

2) The Society for Protective Coatings, 40 24th Street, 6th Floor, Pittsburgh, PA 15222-4656, USA.

3) America Welding Society, 550 N.W. Le Jeune Road, Miami, Florida 33126, USA.