

**EHITUSKLAAS. LUBISILIKAATKLAASIST PÕHITOOTED.
OSA 8: TARNEMÕÕDUS JA MÕÕTULÕIGATUD KLAAS**

**Glass in building - Basic soda-lime silicate glass
products - Part 8: Supplied and final cut sizes**

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

See Eesti standard EVS-EN 572-8:2012+A1:2016 sisaldab Euroopa standardi EN 572-8:2012+A1:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 572-8:2012+A1:2016 consists of the English text of the European standard EN 572-8:2012+A1:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 10.02.2016.	Date of Availability of the European standard is 10.02.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 81.040.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Glass in building - Basic soda-lime silicate glass products - Part 8: Supplied and final cut sizes

Verre dans la construction - Produits verriers de
silicate sodo-calcique de base - Partie 8 : Mesures
livrées et mesures découpées finales

Glas im Bauwesen - Basiserzeugnisse aus Kalk-
Natronsilicatglas - Teil 8: Liefermaße und Festmaße

This European Standard was approved by CEN on 11 May 2012 and includes Amendment 1 approved by CEN on 22 November 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	3
1 Scope	5
2 Normative references.....	5
3 Terms and definitions	5
4 Glass products	9
5 Dimensional requirements.....	9
5.1 Manufacturing dimensions.....	9
5.1.1 Supplied sizes	9
5.1.2 Final cut sizes.....	9
5.2 Thickness	10
5.2.1 General.....	10
5.2.2 Tolerances	10
5.3 Length, width, and squareness.....	11
6 Quality requirements	13
6.1 General.....	13
6.2 Methods of observation and measurement.....	14
6.2.1 Optical faults.....	14
6.2.2 Visual faults.....	14
6.2.3 Edge defects for final cut sizes.....	15
6.3 Acceptance levels	16
6.3.1 Optical faults.....	16
6.3.2 Visual faults.....	17
Annex A (normative) Test methods of examination for visual faults — Spot faults and linear/extended faults	23
A.1 Float glass (EN 572-2:2012)	23
A.1.1 Method of observation	23
A.1.2 Linear/extended faults	23
A.2 Polished wired glass (EN 572-3:2012)	23
A.2.1 Spot faults	23
A.2.2 Linear/extended faults	24
A.3 Drawn sheet glass (EN 572-4:2012)	24
A.3.1 Spot faults	24
A.3.2 Linear/extended faults	24
A.4 Patterned glass (EN 572-5:2012) and wired patterned glass (EN 572-6:2012) — Spot and linear/extended faults.....	24
Annex B (normative) Method for measuring spot fault size (including halo)	25
B.1 Conditions of observation	25
B.2 Measurement of the size of the spot fault including the halo.....	26
Bibliography.....	27

European foreword

This document (EN 572-8:2012+A1:2016) has been prepared by Technical Committee CEN/TC 129 “Glass in building”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2016, and conflicting national standards shall be withdrawn at the latest by August 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 22 November 2015.

This document supersedes A1 EN 572-8:2012 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

A1 EN 572-8:2012 was A1 a revision of EN 572-8:2004. The main changes in this edition A1 were A1:

- a) a new method of determination of squareness;
- b) a new method of measurement for spot fault (including halo) and an adaptation of the related requirements.

The European Standard EN 572:2012 “Glass in building — Basic soda-lime silicate glass products” consists of the following parts:

- Part 1: Definitions and general physical and mechanical properties;
- Part 2: Float glass;
- Part 3: Polished wired glass;
- Part 4: Drawn sheet glass;
- Part 5: Patterned glass;
- Part 6: Wired patterned glass;
- Part 7: Wired or unwired channel shaped glass;
- Part 8: Supplied and final cut sizes;
- Part 9: Evaluation of conformity/Product standard.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia,

France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This document is a preview generated by EVS

1 Scope

This European Standard specifies dimensional and minimum quality requirements (in respect of optical and visual faults) for basic soda-lime silicate glass products, as defined in EN 572-1:2012, for use in building. It applies to supplied sizes or cut sizes for final end use.

This European Standard does not apply to final cut sizes having a dimension less than 100 mm or a surface area less than 0,05 m².

This European Standard does not apply to float glass supplied as jumbo, split sizes or oversize plates nor to polished wired glass, drawn sheet glass, patterned glass, patterned wired glass supplied as stock sizes. For specifications regarding these types of glass, see EN 572-2:2012, EN 572-3:2012, EN 572-4:2012, EN 572-5:2012 and EN 572-6:2012 respectively.

This European Standard does not apply to final cut sizes of wired or unwired channel shaped glass. For specifications on this type of glass, see EN 572-7:2012.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 572-1:2012, *Glass in building — Basic soda-lime silicate glass products — Part 1: Definitions and general physical and mechanical properties*

EN 572-2:2012, *Glass in building — Basic soda lime silicate glass products — Part 2: Float glass*

EN 572-3:2012, *Glass in building — Basic soda lime silicate glass products — Part 3: Polished wired glass*

EN 572-4:2012, *Glass in building — Basic soda lime silicate glass products — Part 4: Drawn sheet glass*

EN 572-5:2012, *Glass in building — Basic soda lime silicate glass products — Part 5: Patterned glass*

EN 572-6:2012, *Glass in building — Basic soda lime silicate glass products — Part 6: Wired patterned glass*

3 Terms and definitions

For the purposes of document, the terms and definitions given in EN 572-1:2012, EN 572-2:2012, EN 572-3:2012, EN 572-4:2012, EN 572-5:2012 and EN 572-6:2012 and the following apply.

3.1

supplied size

pane of glass that has been supplied either as raw material for further processing and/or cutting down to a size for installation

Note 1 to entry: This is a size outside those given in EN 572-2:2012, EN 572-3:2012, EN 572-4:2012, EN 572-5:2012 and EN 572-6:2012, i.e. jumbo, split sizes or oversize plates for float glass and supplied sizes for polished wired, drawn sheet, patterned and wired patterned glass.