INTERNATIONAL STANDARD

ISO 4308-1

Third edition 2003-05-01

Cranes and lifting appliances — Selection of wire ropes —

Part 1: **General**

Grues et appareils de levage — Choix des câbles — Partie 1: Généralités



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Anis document is a preview denetated by this

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents	Page

Forewo	ord	. iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Type of rope	
5	Duty conditions	2
6 6.1 6.2 6.3 6.4	Selection procedure Calculation of C values Calculation of minimum rope diameter Calculation of minimum breaking force	3 3 4
7	Diameter of rope drums and sheaves	
8	Stationary ropes	
9	Dangerous conditions	
10	Care, maintenance, examination and discard	6
Annex	A (normative) Lifting appliances to which this part of ISO 4308 is applicable	7
Annex	B (informative) Examples of wire rope selection	8
Annex	C (informative) Other selection aspects	9
Annex	D (normative) Hoists — Diameter of compensating sheaves	21
Bibliog	graphy	22
	D (normative) Hoists — Diameter of compensating sheaves	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical contrittees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires applying by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 4308-1 was prepared by Technical Committee ISO/TC 96, Cranes, Subcommittee SC 3, Selection of wire ropes.

This third edition cancels and replaces the second edition (ISO 4308-1:1986), which has been technically revised.

ISO 4308 consists of the following parts, under the general title Cranes and lifting appliances — Selection of wire ropes: 2 generated by FLYS

- Part 1: General
- Part 2: Mobile cranes Coefficient of utilization

Cranes and lifting appliances — Selection of wire ropes —

Part 1:

General



This part of ISO 4308 specifies two methods for the selection of wire rope to be used on lifting appliances as designated in ISO 4306-1, one based on the value of the rope selection factor C and the other based on the value of the coefficient of utilization $Z_{\rm n}$

This part of ISO 4308 establishes the minimum requirements for acceptable strength and performance levels of wire ropes with respect to the design, application and maintenance of the lifting appliance.

This part of ISO 4308-1 establishes the minimum requirements for the diameters of drums and sheaves that are to be associated with the selected wire ope.

A non-exhaustive list of types of lifting appliance to which this part of ISO 4308 is applicable is given in Annex A.

Annex B provides some examples of rope selection

Annex C gives factors, additional to those mentioned above, which may need consideration when selecting the wire rope.

Annex D specifies the selection method for the diameter of the compensating sheave when used in relation to hoists.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2408:1985, Steel wire ropes for general purposes — Characteristics

ISO 4301-1:1986, Cranes and lifting appliances — Classification — Part 1: General

ISO 4306-1:1990, Cranes — Vocabulary — Part 1: General

ISO 4309, Cranes — Wire ropes — Care, maintenance (including installation), inspection