# INTERNATIONAL STANDARD

ISO 16112

First edition 2006-08-01

## Compacted (vermicular) graphite cast irons — Classification

Fontes à graphite vermiculaire (compacté) — Classification



#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

This document is a preview denetated by this

#### © ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Cont	tents	Page
Forew	ord	iv
Introd	uction	v
1	Scope	1
2	Normative references	
3	Terms and definitions	
4	Designation .	
-	Outon information	۱
5	Order information  Manufacture  Requirements	2
6	Manufacture	2
7 7.1	Requirements  Test pieces machined from separately cast samples	2
7.1 7.2	Test pieces machined from cast-on samples	2
7.3	Test pieces machined from samples cut from a casting	
7.4	Hardness	8
7.5	HardnessGraphite structure	8
•	Sampling  General  Separately cast samples  Cast-on samples  Samples cut from a casting	
8 8.1	Sampling	ბ
8.2	Separately cost complex	ە
8.3	Cast on samples	٥
8.4	Samples cut from a casting	10
8.5	Formation of test units and number of tests	10
	Formation of test units and number of tests  Test methods	
9	Test methods	10
9.1 9.2	l ensile test	10
9.2	Tensile test Hardness test Retests Need for retests Test validity Nonconforming test results Heat treatment of samples and castings	12
10	Retests	12
10.1	Need for retests	12
10.2	Test validity	12
10.3	Nonconforming test results	12
10.4	Heat treatment of samples and castings	12
Annex	A (informative) Additional information on compacted (vermicular) graphite cast irons	13
Annex	B (informative) Compacted (vermicular) graphite cast iron nodularity evaluation	15
	C (informative) Metallurgical variables affecting machinability in compacted (vermicular) graphite cast irons	
Annex	D (informative) Compacted (vermicular) graphite cast irons — Properties	
	and typical applications	21
Annex	E (informative) Cross-references of ISO 16112 grade designations to other standard	
	grades of compacted (vermicular) graphite cast iron	22
Bibliog	graphy	23

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are chafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible in identifying any or all such patent rights.

ISO 16112 was prepared by Technical Committee ISO/TC 25, Cast irons and pig irons, Subcommittee SC 7, Compacted graphite cast irons.

iν

#### Introduction

This International Standard deals with the classification of compacted (vermicular) graphite cast irons (CGI), in accordance with the mechanical properties of the material.

The properties of compacted (vermicular) graphite cast irons depend on their graphite and matrix microstructure.

The mechanical properties of the material can be evaluated on machined test pieces prepared from

- separately cast samples
- samples cast onto ether the casting or the running system, hereafter referred to as cast-on samples, or
- samples cut from a casting (only when an agreement is made between the manufacturer and the purchaser).

The material grade is defined by mechanical properties measured on machined test pieces prepared from separately cast samples, cast-on samples, or samples cut from the casting by agreement between the manufacturer and the purchaser.

Some material grades may be suitable for pressure applications.

Annex A (informative) gives typical properties for compacted (vermicular) graphite cast irons obtained in separately cast test bars.

Annex B (informative) gives information on a procedure to determine the graphite nodularity of the microstructure.

Annex C (informative) gives information on the influence of metallurgical variables on the machinability in compacted (vermicular) graphite cast irons.

Annex D (informative) provides information on properties and examples for typical applications of compacted (vermicular) graphite cast irons.

Annex E (informative) provides cross-references of ISO 16112 grade esignations to other standard grades of compacted (vermicular) graphite cast iron

Documents used in the preparation of this International Standard are listed in the Bibliography for reference purposes.

© ISO 2006 – All rights reserved

Inis document is a preview denetated by EUS

### Compacted (vermicular) graphite cast irons — Classification

#### 1 Scope

This International standard specifies five grades of compacted (vermicular) graphite cast irons.

This International Standard specifies five grades based on the minimum mechanical properties measured on machined test pieces prepared from

- separately cast samples
- cast-on samples, o
- samples cut from a casting

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 945, Cast iron — Designation of microstructure of graphite

ISO 6506-1, Metallic materials — Brinell hardness test — Part 1: Test method

ISO 6892, Metallic materials — Tensile testing at amptent temperature

ISO/TR 15931, Designation system for cast irons and pig irons

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

#### compacted (vermicular) graphite cast iron

cast material, iron and carbon based, the carbon being present mainty in the form of compacted (vermicular) graphite particles that appear vermicular on a two-dimensional plane of polish, the graphite particles being embedded in a matrix consisting of ferrite, ferrite/pearlite, or pearlite

#### 3.2

#### graphite modification treatment

process that brings the liquid iron into contact with a substance to produce graphite in the predominantly compacted (vermicular) form during solidification

#### 3.3

#### relevant wall thickness

section of the casting, agreed between the manufacturer and the purchaser, to which the determined mechanical properties shall apply

#### 4 Designation

The material shall be designated according to ISO/TR 15931. The relevant designations are given in Tables 1 and 2.