

This document is a preview generated by EVS

**Aerospace series - Cable, electrical, fire resistant -
Operating temperatures between - 65 °C and 260 °C -
Part 005: DW family, single UV laser printable and
multicore assembly - Light weight - Product standard**

EESTI STANDARDI EESSÖNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 2346-005:2014 sisaldab Euroopa standardi EN 2346-005:2013 inglisekeelset teksti.	This Estonian standard EVS-EN 2346-005:2014 consists of the English text of the European standard EN 2346-005:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.12.2013.	Date of Availability of the European standard is 18.12.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 49.060

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

December 2013

ICS 49.060

English Version

Aerospace series - Cable, electrical, fire resistant - Operating temperatures between - 65 °C and 260 °C - Part 005: DW family, single UV laser printable and multicore assembly - Light weight - Product standard

Série aérospatiale - Câbles électriques résistant au feu - Températures de fonctionnement comprises entre - 65 °C et 260 °C - Partie 005: Famille DW, fil simple marquable au laser UV et éléments assemblés - Version allégée - Norme de produit

Luft- und Raumfahrt - Feuerbeständige elektrische Leitungen - Betriebstemperaturen zwischen - 65 °C und 260 °C - Teil 005: DW-Familie, ein-und mehradrige Leitungen UV-laser bedruckbar - Gewichtsoptimiert - Produktnorm

This European Standard was approved by CEN on 28 September 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Materials and construction	4
5 Required characteristics.....	6
6 Tests.....	6
7 Quality assurance	9
8 Designation	9
9 Identification and marking	10
10 Packaging, labelling and delivery lengths	10
11 Technical specification	10

Foreword

This document (EN 2346-005:2013) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2014, and conflicting national standards shall be withdrawn at the latest by June 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the characteristics of light weight fire proof, unscreened, electrical cables for use in the on-board electrical systems of aircraft at operating temperature between – 65 °C and 260 °C.

This cable has not been demonstrated to be arc resistance at a.c.voltages above 200 V rms (network 115/200 V rms).

Single core is UV Laser printable in accordance with EN 3838; UV laser markability is not mandatory for multicore cables.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2234, *Aerospace series — Cable, electrical, fire resistant — Technical specification*

EN 2346-002, *Aerospace series — Cable, electrical, fire resistant — Operating temperatures between – 65 °C and 260 °C — Part 002: General*

EN 3475 (all parts), *Aerospace series — Cables, electrical, aircraft use — Test methods*

EN 3838, *Aerospace series — Requirements and tests on user-applied markings on aircraft electrical cables*

EN 4608-001, *Aerospace series — Cable, electrical, fire resistant — Single and multicore assembly, screened and jacketed — Operating temperatures between – 65 °C and 260 °C — Part 001: Technical specification*

EN 9133, *Aerospace series — Quality management systems — Qualification procedure for aerospace standard parts*

IEC 28:1925, *International standard of resistance for copper*

3 Terms and definitions

For the purposes of this document the terms and definitions given in EN 3475-100 apply.

4 Materials and construction

4.1 Materials

4.1.1 Conductors

Individual strands used for the conductors shall be cylindrical and shall be:

- of nickel clad copper alloy for nominal cross sections of 0,4 mm² (004) and 0,25 mm² (002),
- of nickel clad copper for nominal cross sections ≥ 0,6 mm² (006).

The copper shall meet the requirements of IEC 28 and the copper alloy the requirements of EN 2234.