# **Building valves - Pressure safety valves - Tests and requirements**

Building valves - Pressure safety valves - Tests and requirements



### **EESTI STANDARDI EESSÕNA**

### **NATIONAL FOREWORD**

Käesolev Eesti standard EVS-EN
1489:2000 sisaldab Euroopa standardi EN
1489:2000 ingliskeelset teksti.

Käesolev dokument on jõustatud 12.09.2000 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 1489:2000 consists of the English text of the European standard EN 1489:2000.

This document is endorsed on 12.09.2000 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

### Käsitlusala:

This European Standard specifies, dimensions, materials and performance requirements (including methods of test) for pressure safety valves, of nominal sizes from DN 15 to DN 40, having working pressures from 0,1 MPa (1 bar) to 1,0 MPa (10 bar).

### Scope:

This European Standard specifies, dimensions, materials and performance requirements (including methods of test) for pressure safety valves, of nominal sizes from DN 15 to DN 40, having working pressures from 0,1 MPa (1 bar) to 1,0 MPa (10 bar).

ICS 91.140.60

Võtmesõnad:

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 1489

March 2000

ICS 91.140.60

### **English version**

## Building valves - Pressure safety valves

Tests and requirements

Robinetterie de bâtiment – Soupapes de sécurité – Essais et prescriptions Gebäudearmaturen – Sicherheitsventile – Prüfungen und Anforderungen

This European Standard was approved by CEN on 2000-02-03.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republik, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

# CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

### **CONTENTS**

		Page
Foreword		2
Intr	roduction	2
1	Scope	3
2	Normative references	3
3	Definitions	3
4	Materials and surface finishes	4
5	Design and dimensional requirements	5
6	Hydraulic tests and requirements	6
7	Mechanical tests and requirements	11
8	Acoustic tests and requirements	13
9	Classification	13
10	Designation	13
11	Marking	13
Anr	nex A (informative)	15

### **FOREWORD**

This European Standard has been prepared by Technical Committee CEN/TC 164 "Water supply", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2000, and conflicting national standards shall be withdrawn at the latest by September 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Annex A of this European Standard is informative.

### INTRODUCTION

In respect of potential adverse effect on the quality of water intended for human consumption, caused by the product covered by this standard:

- a) This standard provides no information as to whether the product may be used without restriction in any of the Member States of the EU or EFTA.
- b) It should be noted that, whilst awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and or the characteristics of this product remain in force.

### 1 SCOPE

This European Standard specifies, dimensions, materials and performance requirements (including methods of test) for pressure safety valves, of nominal sizes from DN 15 to DN 40, having working pressures<sup>1)</sup> from 0,1 MPa (1 bar) to 1,0 MPa (10 bar).

Pressure safety valves are intended for fitting to the cold water supply of storage water heaters, having a maximum distribution temperature of 95 °C, for all energy sources.

Pressure safety valves do not control the temperature and alone do not constitute the protection required for storage water heaters. They are not intended to act as expansion valves under normal conditions.

NOTE: The use of the device specified in this Standard does not override the need to use controls (e.g. thermostats and cut-outs) which act directly on the power sources of water heaters.

### 2 NORMATIVE REFERENCES

This European Standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest addition of the publication referred to applies.

EN 1254-2	Copper and copper alloys - Plumbing fittings - Part 2: Fittings with compression ends for use with copper tubes.
EN 1982	Copper and copper alloys - Ingots and castings
EN 12420	Copper and copper alloys - Forgings
EN ISO 6509	Corrosion of metals and alloys - Determination of dezincification resistance of brass (ISO 6509 : 1981)
ISO 7-1:1994	Pipe threads where pressure-tight joints are made on the threads - Part 1: Dimensions, tolerances and designation.
ISO 228-1:1994	Pipe threads where pressure-tight joints are not made on the thread - Part 1: Dimensions, tolerances and designation.
ISO 7005-3:1988	Metallic flanges - Part 3 : Copper alloy and composite flanges.

### **3 DEFINITIONS**

For the purposes of this standard the following definitions apply:

- 3.1 pressure safety valve limits the pressure of the water in the water heater to a predetermined value by discharging water to drain. In case of temperature control failure, it will discharge the energy stored in the water as steam.
- 3.2 nominal set pressure  $(P_{nr})$  is the pressure of the pressure safety valve which is set on production.
- 3.3 water-tightness pressure (P<sub>e</sub>) is the pressure up to which the pressure safety valve is closed.

<sup>1)</sup> All pressures are gauge unless otherwise stated