# INTERNATIONAL STANDARD

ISO 4254-6

> Second edition 2009-09-15

# **Agricultural machinery — Safety —**Part 6:

Sprayers and liquid fertilizer distributors

Matériel agricole — Sécurité —

Partie 6: Pulvérisateurs et distributeurs d'engrais liquides




#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below





### **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Cont	tents	Page
Forew	ord	iv
	uction	
1	Scope	1

1	Scope 1	
2	Normative references	
3	Terms and definitions	
4	List of significant hazards	
5	Safety requirements and/or protective measures	
5.1	General 5 Stability 5 Spray booms 5 Spray tank 6 Pressure indicator (manometer) 8	
5.2	Stability5	
5.3	Spray booms	
5.4	Spray tank	
5.5	Pressure indicator (manopreter)	
5.6	Protection against overpressure 8	
5.7	Fan	
5.8	Spray liquid carrying hoses	
5.9	Manual spraying stop control	
5.10	Clean water tank	
5.11	Hitching and clearance zone	
5.12	Servicing and maintenance	
5.13	Noise reduction at the design stage	
6	Verification of the safety requirements and or protective measures11	
7	Information for use	
7.1	Instruction handbook	
7.2	Marking	
Bibliography		
	Manual spraying stop control.  Clean water tank	

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical confirmtees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires applying by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 4254-6 was prepared by Technical Committee ISO/TC 23, Tractors and machinery for agriculture and forestry, Subcommittee SC 6, Equipment for crop protection.

dition (ISO 4254-6:1995), which has been technically This second edition cancels and replaces the first revised.

254 consists of the ...
Part 1: General requirements

Part 5: Power-driven soil-working machines

Part 6: Sprayers and liquid fertilizer distributors

Part 7: Combine harvesters, forage harvesters and cotton harvesters

\*\*R\* Solid fertilizer distributors ISO 4254 consists of the following parts, under the general title Agricultural machinery — Safety:

- Part 12: Rotary disc and drum mowers and flail mowers

Part 2, Anhydrous ammonia applicators, has been withdrawn.

Part 3, Tractors, has been cancelled and replaced by ISO 26322, Tractors for agriculture and forestry — Safety

Part 4, Forestry winches, has been cancelled and replaced by ISO 19472, Machinery for forestry — Winches — Dimensions, performance and safety

## Introduction

The structure of safety standards in the field of machinery is as follows:

- a) type-A standards (basic standards) giving basic concepts, principles for design, and general aspects that can be applied to machinery;
- b) type-B standards (generic safety standards) dealing with one safety aspect or one type of safeguards that can be used across a wide range of machinery:
  - type-B1 standards on particular safety aspects (e.g. safety distances, surface temperature, noise),
  - type-B2 standards on safeguards (e.g. two-hand control devices, interlocking devices, pressure-sensitive devices, guards);
- c) type-C standards (machiner safety standards) dealing with detailed safety requirements for a particular machine or group of machines.

This document is a type-C standard as stated in ISO 12100.

When requirements of this type-C standard are different from those which are stated in type-A or B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this part of ISO 4254. These hazards are specific to sprayers and liquid fertilizer distributors.

Significant hazards that are common to all the agricultural machines (self-propelled, mounted, semi-mounted and trailed) are dealt with in ISO 4254-1.

© ISO 2009 – All rights reserved

Inis document is a preview denetated by EUS

## Agricultural machinery — Safety —

## Part 6:

## Sprayers and liquid fertilizer distributors

## 1 Scope

This part of ISO 4254, to be used together with ISO 4254-1, specifies the safety requirements and their verification for the design and construction of mounted, semi-mounted, trailed and self-propelled agricultural sprayers for use with pesticide products and liquid fertilizer application, designed for use by one operator only. In addition, it specifies the type of information on safe working practices (including residual risks) to be provided by the manufacturer.

This part of ISO 4254 is not applicable of

- pedestrian-controlled sprayers;
- knapsack sprayers;
- aerial sprayers;
- handheld spraying devices (e.g. spray guns).

When requirements of this part of ISO 4254 are different from those which are stated in ISO 4254-1, the requirements of this part of ISO 4254 take precedence over the requirements of ISO 4254-1 for machines that have been designed and built according the provisions of this part of ISO 4254.

This part of ISO 4254, taken together with ISO 4254-1, deals with all the significant hazards, hazardous situations and events relevant to sprayers and liquid fertilizer distributors when they are used as intended and under the conditions foreseen by the manufacturer (see Clause 4), excepting the hazards arising from:

- automatically actuated height adjustment systems;
- electrostatic phenomena;
- electromagnetic compatibility;
- the environment, other than noise;
- inhalation of spraying chemical products due to a lack of effective methods to maintain breathing air quality inside the cab;
- roll-over and tip-over of self-propelled machines with a ride-on driver;
- vibration (except the declaration);
- dust emission;
- burns;

## ISO 4254-6:2009(E)

- moving parts for power transmission except strength requirements for guards and barriers;
- safety and reliability of control systems;
- travelling function of self-propelled machines.

NOTE ISO 14982 specifies test methods and acceptance criteria for evaluating the electromagnetic compatibility of all kind of mobile agricultural machinery.

This part of ISO 4254 is not applicable to sprayers and liquid fertilizer distributors which are manufactured before the date of publication of this document by ISO.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4254-1:2008, Agricultural machine Safety — Part 1: General requirements

ISO 5353:1995, Earth-moving machinery, and tractors and machinery for agriculture and forestry — Seat index point

ISO 5681:1992, Equipment for crop protection - Vocabulary

ISO 12100-1:2003, Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology

ISO 12100-2:2003, Safety of machinery — Basic concepte, general principles for design — Part 2: Technical principles

ISO 13857:2008, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12100-1, and the following apply.

#### 3.1

#### sprayer

appliance for application of pesticide products and liquid fertilizer

#### 3.2

#### aerial sprayer

sprayer designed to be mounted to a plane or helicopter

## 4 List of significant hazards

Table 1 gives the significant hazard(s), the significant hazardous situation(s) and hazardous event(s) covered by this part of ISO 4254 that have been identified by risk assessment as being significant for this type of machine, and which require specific action by the designer or manufacturer to eliminate or to reduce the risk.

Attention is drawn to the necessity to verify that the safety requirements specified in this part of ISO 4254 apply to each significant hazard presented by a given machine and to validate that the risk assessment is complete.